

```
j0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ exitnano tasks/tasks.yml
[?2004h[?1049h[?7h[?1h=[?1h=[?25l[ A ler... ]
[ 55 linhas lidas ]
GNU nano 4.8 tasks/tasks.yml
```

```
^G
Ajuda^O
Gravar^W
Procurar^K
Cortar txt ^J
Justificar ^C
Pos cursor M-U
Desfazer M-A
Marcar txt
^X
Sair^R
Carregar^_
Substituir ^U
Colar txt ^T
Ortografia ^
Ir p/ linha M-E
RefazerM-6
Copiar txt
---- name: Atualiza a cache (equivalente a apt update)apt:update_cache: truecache_valid_time: 3600- name: "Atualiza o
sistema operativo"apt:upgrade: safe- name: "Instalar as dependencias necess ria ao programa leantime"apt:pkg:- mc-
screen- git- apache2- mysql-server- php- php-mysql- php-ldap- php-cli- php-soap- php-json- graphviz- php-xml- php-gd- php-
zip- libapache2-mod-php- php-dev- libmcrypt-dev- gcc- make- autoconf- libc-dev
[?12l[?25h[?25l - autoconf - libc-dev - pkg-config- pwgen- curl- unzip - zip - php-mbstring- expect- net-tools - python3-
mysqldb - python3-apt- python3-pycurl
# Fonte de inspira  o: https://docs.ansible.com/ansible/latest/collections/ansible/builtin/service\_module.html
- name: "Instala o servi  o apache2 no arranque do sistema"service:name: apache2state: startedenabled: true
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25lModificado
```

```
[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l
```

```
#
[?12l[?25h[?25l
[?12l[?25h[?25lF
[?12l[?25h[?25lo
[?12l[?25h[?25ln
[?12l[?25h[?25lt
[?12l[?25h[?25le
[?12l[?25h[?25l:
[?12l[?25h[?25l
[?12l[?25h[?25lh
[?12l[?25h[?25lt
[?12l[?25h[?25lt
[?12l[?25h[?25lp
[?12l[?25h[?25ls
[?12l[?25h[?25l:
[?12l[?25h[?25l/
[?12l[?25h[?25l/
[?12l[?25h[?25lw
[?12l[?25h[?25lw
[?12l[?25h[?25lw
```

```
[?12l[?25h[?25l.
[?12l[?25h[?25lm
[?12l[?25h[?25ly
[?12l[?25h[?25ld
[?12l[?25h[?25la
[?12l[?25h[?25li
[?12l[?25h[?25ll
[?12l[?25h[?25ly
[?12l[?25h[?25lt
[?12l[?25h[?25lu
[?12l[?25h[?25lt
[?12l[?25h[?25lo
[?12l[?25h[?25lr
[?12l[?25h[?25li
[?12l[?25h[?25la
[?12l[?25h[?25ll
[?12l[?25h[?25ls
[?12l[?25h[?25l.
[?12l[?25h[?25lc
[?12l[?25h[?25lo
[?12l[?25h[?25lm
```

[?12l[?25h[?25l/
[?12l[?25h[?25lu
[?12l[?25h[?25ls
[?12l[?25h[?25li
[?12l[?25h[?25ln
[?12l[?25h[?25lg
[?12l[?25h[?25l-
[?12l[?25h[?25la
[?12l[?25h[?25ln
[?12l[?25h[?25ls
[?12l[?25h[?25li
[?12l[?25h[?25lb
[?12l[?25h[?25ll
[?12l[?25h[?25le
[?12l[?25h[?25l-
[?12l[?25h[?25lf
[?12l[?25h[?25li
[?12l[?25h[?25ln
[?12l[?25h[?25ld
[?12l[?25h[?25l-
[?12l[?25h[?25lm
[?12l[?25h[?25lo
[?12l[?25h[?25ld
[?12l[?25h[?25lu
[?12l[?25h[?25ll
[?12l[?25h[?25le
[?12l[?25h[?25l-
[?12l[?25h[?25ls
[?12l[?25h[?25le
[?12l[?25h[?25la
[?12l[?25h[?25lr
[?12l[?25h[?25lc
[?12l[?25h[?25lh
[?12l[?25h[?25l-
[?12l[?25h[?25lf
[?12l[?25h[?25li
[?12l[?25h[?25ll
[?12l[?25h[?25le
[?12l[?25h[?25ls
[?12l[?25h[?25lf
[?12l[?25h[?25lo
[?12l[?25h[?25ll
[?12l[?25h[?25ld
[?12l[?25h[?25le
[?12l[?25h[?25lr
[?12l[?25h[?25l
[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l-[?12l[?25h[?25l [?12l[?25h[?25ln[?12l[?25h[?25la[?12l[?25h[?25lm[?12l[?25h[?25le[?12l[?25h[?25l:[?12l[?25h[?25lR[?12l[?25h[?25lo[?12l[?25h[?25lt[?12l[?25h[?25li[?12l[?25h[?25ln[?12l[?25h[?25la[?12l[?25h[?25lA[?12l[?25h[?25lu[?12l[?25h[?25lx[?12l[?25h[?25li[?12l[?25h[?25ll[?12l[?25h[?25li[?12l[?25h[?25la[?12l[?25h[?25lr[?12l[?25h[?25l:[?12l[?25h[?25l [?12l[?25h[?25lP[?12l[?25h[?25lr[?12l[?25h[?25lo[?12l[?25h[?25lc[?12l[?25h[?25lu[?12l[?25h[?25lr[?12l[?25h[?25la[?12l[?25h[?25l [?12l[?25h[?25lo[?12l[?25h[?25l [?12l[?25h[?25lc[?12l[?25h[?25la[?12l[?25h[?25lm[?12l[?25h[?25li[?12l[?25h[?25ln[?12l[?25h[?25lh[?12l[?25h[?25lo[?12l[?25h[?25l [?12l[?25h[?25ld[?12l[?25h[?25lo[?12l[?25h[?25l [?12l[?25h[?25lf[?12l[?25h[?25li[?12l[?25h[?25lc[?12l[?25h[?25lh[?12l[?25h[?25le[?12l[?25h[?25l2[?12l[?25h[?25l"[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l-[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25lf[?12l[?25h[?25li[?12l[?25h[?25ln[?12l[?25h[?25ld[?12l[?25h[?25l:[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25lp[?12l[?25h[?25la[?12l[?25h[?25lt[?12l[?25h[?25lt[?12l[?25h[?25le[?12l[?25h[?25lr[?12l[?25h[?25ln[?12l[?25h[?25ls[?12l[?25h[?25l:[?12l[?25h[?25l [?12l[?25h[?25lp[?12l[?25h[?25lh[?12l[?25h[?25lp[?12l[?25h[?25l"[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25lr[?12l[?25h[?25le[?12l[?25h[?25l:[?12l[?25h[?25l [?12l[?25h[?25lc[?12l[?25h[?25lt[?12l[?25h[?25lr[?12l[?25h[?25l:[?12l[?25h[?25l [?12l[?25h[?25lc[?12l[?25h[?25la[?12l[?25h[?25lm[?12l[?25h[?25li[?12l[?25h[?25ln[?12l[?25h[?25lh[?12l[?25h[?25lo[?12l[?25h[?25l [?12l[?25h[?25lp[?12l[?25h[?25lh[?12l[?25h[?25lp[?12l[?25h[?25l_ [?12l[?25h[?25li[?12l[?25h[?25ln[?12l[?25h[?25li[?12l[?25h[?25l
[?12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l
#

[?12l[?25h[?25l
[?12l[?25h[?25lF
[?12l[?25h[?25lo
[?12l[?25h[?25ln
[?12l[?25h[?25lt
[?12l[?25h[?25le
[?12l[?25h[?25l:
[?12l[?25h[?25l
[?12l[?25h[?25lh
[?12l[?25h[?25lt
[?12l[?25h[?25lt
[?12l[?25h[?25lp
[?12l[?25h[?25ls
[?12l[?25h[?25l:
[?12l[?25h[?25l/
[?12l[?25h[?25l/
[?12l[?25h[?25ld
[?12l[?25h[?25lo
[?12l[?25h[?25lc
[?12l[?25h[?25ls
[?12l[?25h[?25l.
[?12l[?25h[?25la
[?12l[?25h[?25ln
[?12l[?25h[?25ls
[?12l[?25h[?25li
[?12l[?25h[?25lb
[?12l[?25h[?25ll
[?12l[?25h[?25le
[?12l[?25h[?25l.
[?12l[?25h[?25lc
[?12l[?25h[?25lo
[?12l[?25h[?25lm
[?12l[?25h[?25l/
[?12l[?25h[?25la
[?12l[?25h[?25ln
[?12l[?25h[?25ls
[?12l[?25h[?25li
[?12l[?25h[?25lb
[?12l[?25h[?25ll
[?12l[?25h[?25le
[?12l[?25h[?25l/
[?12l[?25h[?25ll
[?12l[?25h[?25la
[?12l[?25h[?25lt
[?12l[?25h[?25le
[?12l[?25h[?25ls
[?12l[?25h[?25lt
[?12l[?25h[?25l/
[?12l[?25h[?25lc
[?12l[?25h[?25lo
[?12l[?25h[?25ll
[?12l[?25h[?25ll
[?12l[?25h[?25le
[?12l[?25h[?25lc
[?12l[?25h[?25lt
[?12l[?25h[?25li
[?12l[?25h[?25lo
[?12l[?25h[?25ln
[?12l[?25h[?25ls
[?12l[?25h[?25l/
[?12l[?25h[?25la
[?12l[?25h[?25ln
[?12l[?25h[?25ls
[?12l[?25h[?25li
[?12l[?25h[?25lb
[?12l[?25h[?25ll
[?12l[?25h[?25le
[?12l[?25h[?25l/
[?12l[?25h[?25lb
[?12l[?25h[?25lu
[?12l[?25h[?25li
[?12l[?25h[?25ll
[?12l[?25h[?25lt
[?12l[?25h[?25li
[?12l[?25h[?25ln
[?12l[?25h[?25l/
[?12l[?25h[?25ll

[illegible][illegible][illegible]

[?12l[?25h[?25l [?12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l] [?12l[?25h[?25l] [?12l[?25h[?25l] [?12l[?25h[?25lm] [?12l[?25h[?25le[?12l[?25h[?25l:[?12l[?25h[?25l [?12l[?25h[?25l]"[?12l[?25h[?25lm][?12l[?25h[?25le[?12l[?25h[?25lm][?12l[?25h[?25lo[?12l[?25h[?25lr[?12l[?25h[?25ly[?12l[?25h[?25l_?12l[?25h[?25ll[?12l[?25h[?25li[?12l[?25h[?25lm][?12l[?25h[?25li[?12l[?25h[?25lt[?12l[?25h[?25l [?12l[?25h[?25l=[?12l[?25h[?25l [?12l[?25h[?25l2[?12l[?25h[?25lg[?12l[?25h[?25l"[?12l[?25h[?25l78

[illegible]

[?12l[?25h[?25l78
[?12l[?25h[?25l
[?12l[?25h[?25l][?12l[?25h[?25l
[?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?
25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[
25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?
25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?
25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l][?12l[?25h[?25l] M-D

AnexarB
SeguranÃ§aC

Formato MacM-P

Prepor^T

```
P/ ficheiros
Nome do ficheiro onde escrever: tasks/tasks.yml
[?12l[?25h[?25l [ A escrever... ]
```

```
[ 82 linhas escritas ]
^O
```

```
Gravar ^W
Procurar ^K
Cortar txt ^J
Justificar ^C
Pos cursor U
Desfazer M-A
Marcar txt X
Sair ^R
Carregar ^\
Substituir ^U
Colar txt ^T
Ortografia ^_
Ir p/ linha M-E
Refazer M-6
Copiar txt
```

```
[?12l[?25h[?25l[?12l[?25h[?1049l
[?1l]>[?2004l]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule lint
INFO
default scenario test matrix: dependency, lint
INFO
Performing prerun...
```

```
INFO
Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role
using its expected full name.
```

```
INFO
Added ANSIBLE_ROLES_PATH
=~/.ansible/
roles
:/usr/share/ansible/
roles
:/etc/ansible/
roles
../.cache/
roles
```

```
INFO
Running
default
>
dependency
```

```
WARNING
Skipping, missing the requirements file.
```

```
WARNING
Skipping, missing the requirements file.
```

```
INFO
Running
default
>
lint
```

```
COMMAND: set -e
yamllint .
ansible-lint
```

```
./tasks/tasks.yml
82:1 error too many blank lines (1 > 0) (empty-lines)
56:3 error syntax error: expected '<document start>', but found '<block sequence start>' (syntax)
```

```
CRITICAL
Lint failed with error code 1
```

```
]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule lintnano tasks/tasks.yml
[?2004h[?1049h[?7h[?1h=[?1h=[?25l[ A ler... ]
[ 82 linhas lidas ]
GNU nano 4.8 tasks/tasks.yml
```

```
^G
Ajuda ^O
Gravar ^W
```

Procurar^K
Cortar txt ^J
Justificar ^C
Pos cursor M-U
Desfazer M-A
Marcar txt
^X
Sair^R
Carregar^\
Substituir ^U
Colar txt ^T
Ortografia ^
Ir p/ linha M-E
RefazerM-6
Copiar txt
---- name: Atualiza a cache (equivalente a apt update)apt:update_cache: truecache_valid_time: 3600- name: "Atualiza o sistema operativo"apt:upgrade: safe- name: "Instalar as dependencias necess ria ao programa leantime"apt:pkg:- mc-screen- git- apache2- mysql-server- php- php-mysql- php-ldap- php-cli- php-soap- php-json- graphviz- php-xml- php-gd- php-zip- libapache2-mod-php- php-dev- libmcrypt-dev- gcc- make- autoconf- libc-dev
[?12l[?25h[?25l In. par ig^Y
Prim.linha^T
Ir para txtC
Cancelar O
Fim par igV
  lt. linha
Insira n   da linha, n   da coluna:
[?12l[?25h[?25l8

[?12l[?25h[?25l2

[?12l[?25h[?25l,

[?12l[?25h[?25l1

[?12l[?25h[?25l

^O
GravarProcurar ^K
Cortar txt ^J
Justificar ^C
Pos cursor M-U
Desfazer M-A
Marcar txtX
Sair ^R
Carregar\
Substituir ^U
Colar txtT
Ortografia ^
Ir p/ linha M-E
RefazerM-6
Copiar txt

ansible.builtin.lineinfile: path: "{{ caminho_php_ini.files[0].path }}" regexp: "{{ item.regexp }}"line: "{{ item.line }}"with_items:- regexp: "^file_uploads" line: "file_uploads = 1" - regexp: "^upload_max_filesize" line: "upload_max_filesize = 1G"- regexp: "^max_file_uploads" line: "max_file_uploads = 20" - regexp: "^post_max_size" line: "post_max_size = 2G"- regexp: "^memory_limit" line: "memory limit = 2G"- regexp: "^max_input_time" line: "max_input_time = 3600"
[?12l[?25h[?25l[?12l[?25h[?25lModificado

[?12l[?25h[?25l[?12l[?25h[?25l
[?12l[?25h[?25l[?12l[?25h[?25l M-D

Formato DOSM-A
AnexarB
Seguran  aC
Cancelar M-M
Formato MacM-P
Prepor^T
P/ ficheiros
Nome do ficheiro onde escrever: tasks/tasks.yml
[?12l[?25h[?25l [A escrever...]

[81 linhas escritas]

^O
Gravar^W
Procurar ^K
Cortar txt ^J
Justificar ^C
Pos cursorU
Desfazer M-A
Marcar txtX

```
Sair ^R
Carregar ^\
Substituir ^U
Colar txt ^T
Ortografia ^_
Ir p/ linha M-E
Refazer M-6
Copiar txt
[?12l[?25h[?25l[?12l[?25h[?1049l
[?11>[?2004l]0;admllocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ nano tasks/tasks.yml
molecule lint
INFO
default scenario test matrix: dependency, lint
INFO
Performing prerun...
```

```
INFO
Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role
using its expected full name.
INFO
Added ANSIBLE_ROLES_PATH
=~/ansible/
roles
:/usr/share/ansible/
roles
:/etc/ansible/
roles
:./.cache/
roles
```

```
INFO
Running
default
>
dependency
```

```
WARNING
Skipping, missing the requirements file.
WARNING
Skipping, missing the requirements file.
INFO
Running
default
>
lint
```

```
COMMAND: set -e
yamllint .
ansible-lint

./tasks/tasks.yml
56:3 error syntax error: expected '<document start>', but found '<block sequence start>' (syntax)
```

```
CRITICAL
Lint failed with error code 1
```

```
]0;admllocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule lintnano tasks/tasks.yml
[?2004h[?1049h[?7h[?1h=[?1h=[?25l[ A ler... ]
[ 81 linhas lidas ]
GNU nano 4.8 tasks/tasks.yml
```

```
^G
Ajuda ^O
Gravar ^W
Procurar ^K
Cortar txt ^J
Justificar ^C
Pos cursor M-U
Desfazer M-A
Marcar txt
^X
Sair ^R
Carregar ^\
Substituir ^U
Colar txt ^T
Ortografia ^_
Ir p/ linha M-E
```



```
Sair ^R
Carregar ^\
Substituir ^U
Colar txt ^T
Ortografia ^
Ir p/ linha M-E
Refazer M-6
Copiar txt
[?12l[?25h[?25l
[?12l[?25h[?1049l
[?1l]>[?2004l]0;admllocal@devOps: ~/leantime_ansibleadmllocal@devOps:~/leantime_ansible$ nano tasks/tasks.yml
molecule lint
INFO
default scenario test matrix: dependency, lint
INFO
Performing prerun...
```

```
INFO
Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role
using its expected full name.
```

```
INFO
Added ANSIBLE_ROLES_PATH
=~/ansible/
roles
:/usr/share/ansible/
roles
:/etc/ansible/
roles
:./cache/
roles
```

```
INFO
Running
default
>
dependency
```

```
WARNING
Skipping, missing the requirements file.
```

```
WARNING
Skipping, missing the requirements file.
```

```
INFO
Running
default
>
lint
```

```
COMMAND: set -e
yamllint .
ansible-lint
```

```
./tasks/tasks.yml
56:3 error syntax error: expected '<document start>', but found '<block sequence start>' (syntax)
```

```
CRITICAL
Lint failed with error code 1
```

```
]0;admllocal@devOps: ~/leantime_ansibleadmllocal@devOps:~/leantime_ansible$ molecule lintnano tasks/tasks.yml
[?2004h[?1049h[?7h[?1h=[?1h=[?25l[ A ler... ]
[ 81 linhas lidas ]
GNU nano 4.8 tasks/tasks.yml
```

```
^G
Ajuda ^O
Gravar ^W
Procurar ^K
Cortar txt ^J
Justificar ^C
Pos cursor M-U
Desfazer M-A
Marcar txt
^X
Sair ^R
Carregar ^\
Substituir ^U
Colar txt ^T
Ortografia ^
```

```
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - regexp: "^memory_limit"
```

```
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l line: "memory_limit = 2G"
[?12l[?25h[?25l78
- regexp: "^max_input_time"
[?12l[?25h[?25l78
[?12l[?25h[?25l - regexp: "^max_input_time"
[?12l[?25h[?25l[?12l[?25h[?25l
[?12l[?25h[?25l line: "max_input_time = 3600"
[?12l[?25h[?25l78
[?12l[?25h[?25l[?12l[?25h[?25l M-D
Formato DOSM-A
AnexarB
SeguranÃ§aC
Cancelar M-M
Formato MacM-P
Prepor^T
P/ ficheiros
[?12l[?25h[?25l[?12l[?25h[?1049l
[?1l>[?2004l]0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ nano tasks/tasks.yml
molecule lint
INFO
default scenario test matrix: dependency, lint
INFO
Performing prerun...
```

```
INFO
Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role
using its expected full name.
INFO
Added ANSIBLE_ROLES_PATH
=~/.ansible/
roles
:/usr/share/ansible/
roles
:/etc/ansible/
roles
:./.cache/
roles
```

```
INFO
Running
default
>
dependency
```

```
WARNING
Skipping, missing the requirements file.
WARNING
Skipping, missing the requirements file.
INFO
Running
default
>
lint
```

```
COMMAND: set -e
yamllint .
ansible-lint
```

```
Loading custom .yamllint config file, this extends our internal yamllint config.
]0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ molecule converge
INFO
default scenario test matrix: dependency, create, prepare, converge
INFO
Performing prerun...
```

```
INFO
Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role
using its expected full name.
INFO
Added ANSIBLE_ROLES_PATH
=~/.ansible/
roles
:/usr/share/ansible/
roles
:/etc/ansible/
roles
:./.cache/
```

roles

INFO
Running
default
>
dependency

WARNING
Skipping, missing the requirements file.
WARNING
Skipping, missing the requirements file.

INFO
Running
default
>
create

WARNING
Skipping, instances already created.

INFO
Running
default
>
prepare

WARNING
Skipping, instances already prepared.

INFO
Running
default
>
converge

PLAY [Converge]

TASK [Gathering Facts]

ok: [ubuntu-20.04]

TASK [Include leantime_ansible]

TASK [leantime_ansible : Atualiza a cache (equivalente a apt update)]

ok: [ubuntu-20.04]

TASK [leantime_ansible : Atualiza o sistema operativo]

ok: [ubuntu-20.04]

TASK [leantime_ansible : Instalar as dependencias necess ria ao programa leantime]

ok: [ubuntu-20.04]

TASK [leantime_ansible : Instala o servi  o apache2 no arranque do sistema]

ok: [ubuntu-20.04]

TASK [leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]

ok: [ubuntu-20.04]

TASK [leantime_ansible : Ativa v rias op  es no ficheiro php.ini, utilizando o m dulo lineinfile.]

changed: [ubuntu-20.04] => (item={'regex': '^file_uploads', 'line': 'file_uploads = 1'})

changed: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line': 'upload_max_filesize = 1G'})

```
ok: [ubuntu-20.04] => (item={'regexp': '^max_file_uploads', 'line': 'max_file_uploads = 20'})

changed: [ubuntu-20.04] => (item={'regexp': '^post_max_size', 'line': 'post_max_size = 2G'})

changed: [ubuntu-20.04] => (item={'regexp': '^memory_limit', 'line': 'memory_limit = 2G'})

changed: [ubuntu-20.04] => (item={'regexp': '^max_input_time', 'line': 'max_input_time = 3600'})
```

```
PLAY RECAP
*****
ubuntu-20.04
: ok=7
changed=1
unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
```

```
]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule convergelintverify
INFO
default scenario test matrix: verify
INFO
Performing prerun...
```

```
INFO
Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role
using its expected full name.
INFO
Added ANSIBLE_ROLES_PATH
=~/ansible/
roles
:/usr/share/ansible/
roles
:/etc/ansible/
roles
:./cache/
roles
```

```
INFO
Running
default
>
verify
```

```
INFO
Running Ansible Verifier
```

```
PLAY [Infraestrutura conduzida por testes]
*****
```

```
TASK [SimulaÃ§Ã£o: Atualizar a cache do sistema]
*****
ok: [ubuntu-20.04]
```

```
TASK [teste: a cache encontra-se atualizada?]
*****
ok: [ubuntu-20.04] => {

"changed": false,

"msg": "SUCESSO: A cache estÃ¡ atualizada"

}
```

```
TASK [Atualizar o sistema operativo (equivalente a apt upgrade)]
*****
ok: [ubuntu-20.04]
```

```
TASK [teste: o sistema operativo encontra-se atualizado?]
*****
ok: [ubuntu-20.04] => {

"changed": false,

"msg": "SUCESSO: O sistema operativo estÃ¡ atualizado"
```

```
}
```

TASK [Teste: a cache encontra-se atualizada?]

ok: [ubuntu-20.04] => {

"changed": false,

"msg": "SUCESSO: A cache estÃ¡ atualizada"

```
}
```

TASK [SimulaÃ§Ã£o: testa se as aplicaÃ§Ães dependencia do software leantime se encontram instaladas]

ok: [ubuntu-20.04]

TASK [Teste: as dependencias encontra-se instaladas?]

ok: [ubuntu-20.04] => {

"changed": false,

"msg": "SUCESSO: As dependencias estavam instaladas"

```
}
```

TASK [SimulaÃ§Ã£o: Testar se o serviÃ§o apache2 se encontra instalado, iniciado e ativo no arranque]

ok: [ubuntu-20.04]

TASK [Teste: O serviÃ§o apache2 encontra-se ativo no arranque no sistema, e estÃ¡ iniciado?]

ok: [ubuntu-20.04] => {

"changed": false,

"msg": "SUCESSO: O serviÃ§o apache2 estÃ¡ correctamente instalado e inicia com o arranque do sistema"

```
}
```

TASK [Rotina Auxiliar> Procura o caminho do ficheiro php.ini do servidor apache2]

ok: [ubuntu-20.04]

TASK [SimulaÃ§Ã£o: Ativa a opÃ§Ã£o file_uploads no ficheiro php.ini, utilizando o mÃ³dulo lineinfile.]

ok: [ubuntu-20.04] => (item={'regex': '^file_uploads', 'line': 'file_uploads = 1'})

ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line': 'upload_max_filesize = 1G'})

ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'})

ok: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'})

ok: [ubuntu-20.04] => (item={'regex': '^memory_limit', 'line': 'memory_limit = 2G'})

ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line': 'max_input_time = 3600'})

TASK [Teste: As linhas do php.ini encontram-se alteradas ?]

ok: [ubuntu-20.04] => {

"changed": false,

"msg": "SUCESSO: O ficheiro php.ini foi alterado com sucesso"

```
}
```

PLAY RECAP

ubuntu-20.04

: ok=12

changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0

INFO

Verifier completed successfully.

]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible\$ exit

exit