

[illegible]

[illegible]

```
25l3[?12l[?25h[?25l6[?12l[?25h[?25l0[?12l[?25h[?25l0[?12l[?25h[?25l78 [?12l[?25h[?25l78 [?12l[?25h[?25l
[?12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?
25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?
25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?
25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?
25l M-D Formato DOSM-A AnexarB SeguranAaC Cancelar M-M Formato MacM-P Prepor^T P/ ficheiros Nome do ficheiro
onde escrever: tasks/tasks.yml [?12l[?25h[?25l [ A escrever... ] [ 82 linhas escritas ]^O Gravar^W Procurar ^K Cortar txt
^J Justificar ^C Pos cursorU Desfazer M-A Marcar txtX Sair ^R Carregar^ Substituir ^U Colar txt ^T Ortografia ^ Ir p/
linha M-E Refazer M-6 Copiar txt [?12l[?25h[?25l[?12l[?25h[?1049l [?1l[?2004l]0;admlcal@devOps:
~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ molecule lint INFO default scenario test matrix: dependency,
lint INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in
order to enable Ansible to find the role using its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > lint COMMAND: set -e yamllint . ansible-lint ./tasks/tasks.yml 82:1 error too many blank lines (1 > 0)
(empty-lines) 56:3 error syntax error: expected '<document start>', but found '<block sequence start>' (syntax)
CRITICAL Lint failed with error code 1 ]0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$
molecule lintnano tasks/tasks.yml [?2004h[?1049h[?7h[?1h=[?1h=[?25l[ A ler... ] [ 82 linhas lidas ] GNU nano 4.8
tasks/tasks.yml ^G Ajuda^O Gravar^W Procurar^K Cortar txt ^J Justificar ^C Pos cursor M-U Desfazer M-A Marcar txt
^X Sair^R Carregar^ Substituir ^U Colar txt ^T Ortografia ^ Ir p/ linha M-E RefazerM-6 Copiar txt ---- name: Atualiza a
cache (equivalente a apt update)apt:update_cache: truecache_valid_time: 3600- name: "Atualiza o sistema
operativo"apt:upgrade: safe- name: "Instalar as dependencias necessAria ao programa leantime"apt:pkg:- mc- screen- git-
apache2- mysql-server- php- php-mysql- php-ldap- php-cli- php-soap- php-json- graphviz- php-xml- php-gd- php-zip-
libapache2-mod-php- php-dev- libmcrypt-dev- gcc- make- autoconf- libc-dev [?12l[?25h[?25l In. parA;g^Y Prim.linha^T Ir
para txtC Cancelar O Fim parA;gV Ašlt. linha Insira nAº da linha, nAº da coluna: [?12l[?25h[?25l8 [?12l[?25h[?25l2 [?12l[?
25h[?25l, [?12l[?25h[?25l1 [?12l[?25h[?25l ^O GravarProcurar ^K Cortar txt ^J Justificar ^C Pos cursor M-U Desfazer M-
A Marcar txtX Sair ^R Carregar Substituir ^U Colar txtT Ortografia ^ Ir p/ linha M-E RefazerM-6 Copiar txt
ansible.builtin.lineinfile: path: "{{ caminho_php_ini.files[0].path }}" regexp: "{{ item.regexp }}"line: "{{ item.line
}}"with_items:- regexp: "^file uploads" line: "file uploads = 1" - regexp: "^upload_max filesize" line: "upload_max filesize
= 1G"- regexp: "^max_file uploads" line: "max_file uploads = 20" - regexp: "^post_max size" line: "post_max_size = 2G"-
regexp: "^memory limit" line: "memory limit = 2G"- regexp: "^max input time" line: "max input time = 3600" [?12l[?
25h[?25l[?12l[?25h[?25lModificado [?12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?25l[?12l[?25h[?25l M-D Formato DOSM-A
AnexarB SeguranAaC Cancelar M-M Formato MacM-P Prepor^T P/ ficheiros Nome do ficheiro onde escrever:
tasks/tasks.yml [?12l[?25h[?25l [ A escrever... ] [ 81 linhas escritas ]^O Gravar^W Procurar ^K Cortar txt ^J Justificar ^C
Pos cursorU Desfazer M-A Marcar txtX Sair ^R Carregar^ Substituir ^U Colar txt ^T Ortografia ^ Ir p/ linha M-E
Refazer M-6 Copiar txt [?12l[?25h[?25l[?12l[?25h[?1049l [?1l[?2004l]0;admlcal@devOps:
~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ nano tasks/tasks.yml molecule lint INFO default scenario test
matrix: dependency, lint INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to
current repository in order to enable Ansible to find the role using its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > lint COMMAND: set -e yamllint . ansible-lint ./tasks/tasks.yml 56:3 error syntax error: expected
'<document start>', but found '<block sequence start>' (syntax) CRITICAL Lint failed with error code 1
]0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ molecule lintnano tasks/tasks.yml [?
2004h[?1049h[?7h[?1h=[?1h=[?25l[ A ler... ] [ 81 linhas lidas ] GNU nano 4.8 tasks/tasks.yml ^G Ajuda^O Gravar^W
Procurar^K Cortar txt ^J Justificar ^C Pos cursor M-U Desfazer M-A Marcar txt ^X Sair^R Carregar^ Substituir ^U
Colar txt ^T Ortografia ^ Ir p/ linha M-E RefazerM-6 Copiar txt ---- name: Atualiza a cache (equivalente a apt
update)apt:update_cache: truecache_valid_time: 3600- name: "Atualiza o sistema operativo"apt:upgrade: safe- name:
"Instalar as dependencias necessAria ao programa leantime"apt:pkg:- mc- screen- git- apache2- mysql-server- php- php-
mysql- php-ldap- php-cli- php-soap- php-json- graphviz- php-xml- php-gd- php-zip- libapache2-mod-php- php-dev- libmcrypt-
dev- gcc- make- autoconf- libc-dev [?12l[?25h[?25l In. parA;g^Y Prim.linha^T Ir para txtC Cancelar O Fim parA;gV Ašlt.
linha Insira nAº da linha, nAº da coluna: [?12l[?25h[?25l5 [?12l[?25h[?25l3 [?12l[?25h[?25l, [?12l[?25h[?25l3 [?12l[?25h[?
25l [?12l[?25h[?25l [?12l[?25h[?25l,3 [?12l[?25h[?25l6,3 [?12l[?25h[?25l ^O GravarProcurar ^K Cortar txt ^J Justificar ^C
Pos cursor M-U Desfazer M-A Marcar txtX Sair ^R Carregar Substituir ^U Colar txtT Ortografia ^ Ir p/ linha M-E
RefazerM-6 Copiar txt - unzip - zip - php-mbstring- expect- net-tools- python3-mysqldb - python3-apt - python3-pycurl #
Fonte de inspiraAaAeo: https://docs.ansible.com/ansible/latest/collections/ansible/builtin/service_module.html o serviAso
apache2 no arranque do sistema"service:name: apache2state: startedenabled: true # Fonte:
https://www.mydailytutorials.com/using-ansible-find-module-search-filesfolder- name: "Rotina Auxiliar: Procura o caminho
do ficheiro php.ini do servidor apache2"find:paths: /etcpatterns: "php.ini"recurse: trueregister: caminho_php_ini [?12l[?
25h[?25l[?12l[?25h[?25l [?12l[?25h[?25lModificado - regexp: "^max_file uploads"[?12l[?25h[?25l78 [?12l[?25h[?25l[?12l[?
25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?
25h[?25l[?12l[?25h[?25l [?12l[?25h[?25l- regexp: "^max_file uploads"line: "max_file uploads = 20"- regexp:
"^post_max size"line: "post_max_size = 2G"- regexp: "^memory limit"line: "memory limit = 2G"- regexp:
"^max input time"line: "max input time = 3600" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l M-D Formato DOSM-A
AnexarB SeguranAaC Cancelar M-M Formato MacM-P Prepor^T P/ ficheiros Nome do ficheiro onde escrever:
tasks/tasks.yml [?12l[?25h[?25l [ A escrever... ] [ 81 linhas escritas ]^O Gravar^W Procurar ^K Cortar txt ^J Justificar ^C
Pos cursorU Desfazer M-A Marcar txtX Sair ^R Carregar^ Substituir ^U Colar txt ^T Ortografia ^ Ir p/ linha M-E
Refazer M-6 Copiar txt [?12l[?25h[?25l [?12l[?25h[?1049l [?1l[?2004l]0;admlcal@devOps:
~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ nano tasks/tasks.yml molecule lint INFO default scenario test
matrix: dependency, lint INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to
current repository in order to enable Ansible to find the role using its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > lint COMMAND: set -e yamllint . ansible-lint ./tasks/tasks.yml 56:3 error syntax error: expected
'<document start>', but found '<block sequence start>' (syntax) CRITICAL Lint failed with error code 1
```

```
[0;admlcal@devOps: ~/leantime_ansible$ ansible local@devOps:~ /leantime_ansible$ molecule lint nano tasks/tasks.yml [?
2004h[?1049h[?7h[?1h=[?1h=[?25l[ A ler... ] [ 81 linhas lidas ] GNU nano 4.8 tasks/tasks.yml ^G Ajuda^O Gravar^W
Procurar^K Cortar txt ^J Justificar ^C Pos cursor M-U Desfazer M-A Marcar txt ^X Sair^R Carregar^E Substituir ^U
Colar txt ^T Ortografia ^I Ir p/ linha M-E RefazerM-6 Copiar txt ---- name: Atualiza a cache (equivalente a apt
update)apt:update_cache:truecache_valid_time: 3600- name: "Atualiza o sistema operativo"apt:upgrade:safe- name:
"Instalar as dependencias necess ria ao programa leantime"apt:pkg:- mc- screen- git- apache2- mysql-server- php- php-
mysql- php-ldap- php-cli- php-soap- php-json- graphviz- php-xml- php-gd- php-zip- libapache2-mod-php- php-dev- libmcrpt-
dev- gcc- make- autoconf- libc-dev [?12l[?25h[?25l - autoconf - libc-dev - pkg-config- pwgen- curl- unzip - zip - php-mbstring-
expect- net-tools - python3-mysqldb - python3-apt- python3-pycurl # Fonte de inspira o:
https://docs.ansible.com/ansible/latest/collections/ansible/builtin/service_module.html- name: "Instala o servi o apache2
no arranque do sistema"service:name: apache2state: startedenabled: true # Fonte:
https://www.mydailytutorials.com/using-ansible-find-module-search-filesfolder- name: "Rotina Auxiliar: Procura o caminho
do ficheiro php.ini do servidor apache2"find:paths: /etcpatterns: "php.ini"recurse: truregister: caminho_php_ini # Fonte:
https://docs.ansible.com/ansible/latest/collections/ansible/builtin/lineinfile_module.html- name: "Ativa v rias op es no
ficheiro php.ini, utilizando o m dulo lineinfile."ansible.builtin.lineinfile:path: "{{ caminho_php_ini.files[0].path }}"regexp:
"{{ item.regexp }}"line: "{{ item.line }}" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?
12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?
]"with_items:- regexp: "^file uploads" line: "file uploads = 1"- regexp: "^upload_max_filesize" line: "upload_max_filesize
= 1G"- regexp: "^max file uploads" line: "max file uploads = 20"- regexp: "^post_max_size" line: "post_max_size = 2G"-
regexp: "^memory_limit" line: "memory_limit = 2G"- regexp: "^max input time" line: "max input_time = 3600" [?12l[?
25h[?25l78Mpath: "{{ caminho_php_ini.files[0].path }}" [?12l[?25h[?25l78Mansible.builtin.lineinfile: [?12l[?25h[?25l78M-
name: "Ativa v rias op es no ficheiro php.ini, utilizando o m dulo lineinfile." [?12l[?25h[?25l78M # Fonte:
https://docs.ansible.com/ansible/latest/collections/ansible/builtin/lineinfile_module.html [?12l[?25h[?25l78M[?12l[?25h[?
25l78Mregister: caminho_php_ini [?12l[?25h[?25l78Mrecurse: true [?12l[?25h[?25l78Mpatters: "php.ini" [?12l[?25h[?
25l78Mpaths: /etc [?12l[?25h[?25l78Mfind: [?12l[?25h[?25l78M- name: "Rotina Auxiliar: Procura o caminho do ficheiro
php.ini do servidor apache2" [?12l[?25h[?25l78M # Fonte: https://www.mydailytutorials.com/using-ansible-find-module-
search-filesfolder [?12l[?25h[?25l78M[?12l[?25h[?25l78Menabled: true [?12l[?25h[?25l78Mstate: started [?12l[?25h[?
25l78Mname: apache2 [?12l[?25h[?25l78Mservice: [?12l[?25h[?25l78M- name: "Instala o servi o apache2 no arranque do
sistema" [?12l[?25h[?25l78M # Fonte de inspira o:
https://docs.ansible.com/ansible/latest/collections/ansible/builtin/service_module.html [?12l[?25h[?25l78M[?12l[?25h[?
25l78M- python3-pycurl [?12l[?25h[?25l78M- python3-apt [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?
12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25lModificado # Fonte: https://www.mydailytutorials.com/using-
ansible-find-module-search-filesfolder [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - name: "Rotina Auxiliar: Procura o
caminho do ficheiro php.ini do servidor apache2" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l find: [?12l[?25h[?25l[?
12l[?25h[?25l[?12l[?25h[?25l paths: /etc [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l patterns: "php.ini" [?12l[?25h[?
25l[?12l[?25h[?25l[?12l[?25h[?25l recurse: true [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l register: caminho_php_ini [?
12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l # Fonte:
https://docs.ansible.com/ansible/latest/collections/ansible/builtin/lineinfile_module.html [?12l[?25h[?25l[?12l[?25h[?25l[?
12l[?25h[?25l - name: "Ativa v rias op es no ficheiro php.ini, utilizando o m dulo lineinfile." [?12l[?25h[?25l[?12l[?
25h[?25l[?12l[?25h[?25l ansible.builtin.lineinfile: [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l path: "{{
caminho_php_ini.files[0].path }}" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l regexp: "{{ item.regexp }}" [?12l[?25h[?
25l[?12l[?25h[?25l[?12l[?25h[?25l line: "{{ item.line }}" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l with_items: [?12l[?
25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - regexp: "^file uploads" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l line:
"file uploads = 1" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - regexp: "^upload_max_filesize" [?12l[?25h[?25l[?12l[?
25h[?25l[?12l[?25h[?25l line: "upload_max_filesize = 1G" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - regexp:
"^max file uploads" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l line: "max file uploads = 20" [?12l[?25h[?25l[?12l[?
25h[?25l[?12l[?25h[?25l - regexp: "^post_max_size" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l line: "post_max size =
2G" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - regexp: "^memory_limit" [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?
25l line: "memory_limit = 2G" [?12l[?25h[?25l78 - regexp: "^max input_time" [?12l[?25h[?25l78 [?12l[?25h[?25l - regexp:
"^max input_time" [?12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?25l line: "max input_time = 3600" [?12l[?25h[?25l78 [?
12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l M-D Formato DOSM-A AnexarB Seguran aC Cancelar M-M Formato MacM-
P Prepor T P/ ficheiros [?12l[?25h[?25l[?12l[?25h[?1049l [?1l>[?2004l]0;admlcal@devOps:
~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ nano tasks/tasks.yml molecule lint INFO default scenario test
matrix: dependency, lint INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to
current repository in order to enable Ansible to find the role using its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:/home/admlcal/.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > lint COMMAND: set -e yamllint . ansible-lint Loading custom .yamllint config file, this extends our
internal yamllint config. [0;admlcal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule
converge INFO default scenario test matrix: dependency, create, prepare, converge INFO Performing prerun... INFO Using
.cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role using
its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:/home/admlcal/.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > create WARNING Skipping, instances already created. INFO Running default > prepare WARNING
Skipping, instances already prepared. INFO Running default > converge PLAY [Converge]
*****
TASK [Gathering Facts]
***** ok:
[ubuntu-20.04] TASK [Include leantime_ansible]
***** TASK
[leantime_ansible : Atualiza a cache (equivalente a apt update)]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Atualiza o
sistema operativo] ***** ok: [ubuntu-20.04]
TASK [leantime_ansible : Instalar as dependencias necess ria ao programa leantime]
***** ok: [ubuntu-20.04] TASK [leantime_ansible : Instala o servi o
apache2 no arranque do sistema] ***** ok: [ubuntu-20.04] TASK
```



```
[leantime ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
***** ok: [ubuntu-20.04] TASK [leantime ansible : Ativa várias opções no ficheiro
php.ini, utilizando o módulo lineinfile.] ***** changed: [ubuntu-20.04] => (item=
{'regex': '^file_uploads', 'line': 'file_uploads = 1'}) changed: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize',
'line': 'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_file_uploads', 'line': 'max_file_uploads =
20'}) changed: [ubuntu-20.04] => (item={'regex': '^post_max_size', 'line': 'post_max_size = 2G'}) changed: [ubuntu-
20.04] => (item={'regex': '^memory_limit', 'line': 'memory_limit = 2G'}) changed: [ubuntu-20.04] => (item={'regex':
'^max_input_time', 'line': 'max_input_time = 3600'}) PLAY RECAP
*****
ubuntu-20.04 : ok=7 changed=1 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 ]0;admlocal@devOps:
~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule convergelintverify INFO default scenario test matrix:
verify INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in
order to enable Ansible to find the role using its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
verify INFO Running Ansible Verifier PLAY [Infraestrutura conduzida por testes]
***** TASK [Simulação:
Atualizar a cache do sistema] ***** ok:
[ubuntu-20.04] TASK [teste: a cache encontra-se atualizada?]
***** ok: [ubuntu-20.04] => {
"changed": false, "msg": "SUCESSO: A cache está atualizada" } TASK [Atualizar o sistema operativo (equivalente a apt
upgrade)] ***** ok: [ubuntu-20.04] TASK [teste: o
sistema operativo encontra-se atualizado?] *****
ok: [ubuntu-20.04] => { "changed": false, "msg": "SUCESSO: O sistema operativo está atualizado" } TASK [Teste: a cache
encontra-se atualizada?] ***** ok:
[ubuntu-20.04] => { "changed": false, "msg": "SUCESSO: A cache está atualizada" } TASK [Simulação: testa se as
aplicações dependência do software leantime se encontram instaladas] ***** ok:
[ubuntu-20.04] TASK [Teste: as dependências encontra-se instaladas?]
***** ok: [ubuntu-20.04] => { "changed":
false, "msg": "SUCESSO: As dependências estavam instaladas" } TASK [Simulação: Testar se o serviço apache2 se
encontra instalado, iniciado e ativo no arranque] ***** ok: [ubuntu-20.04] TASK [Teste: O
serviço apache2 encontra-se ativo no arranque no sistema, e está iniciado?]
***** ok: [ubuntu-20.04] => { "changed": false, "msg": "SUCESSO: O serviço
apache2 está corretamente instalado e inicia com o arranque do sistema" } TASK [Rotina Auxiliar> Procura o caminho
do ficheiro php.ini do servidor apache2] ***** ok: [ubuntu-20.04] TASK
[Simulação: Ativa a opção file_uploads no ficheiro php.ini, utilizando o módulo lineinfile.]
***** ok: [ubuntu-20.04] => (item={'regex': '^file_uploads', 'line': 'file_uploads = 1'})
ok: [ubuntu-20.04] => (item={'regex': '^upload_max_filesize', 'line': 'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] =>
(item={'regex': '^max_file_uploads', 'line': 'max_file_uploads = 20'}) ok: [ubuntu-20.04] => (item={'regex':
'^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^memory_limit', 'line':
'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regex': '^max_input_time', 'line': 'max_input_time = 3600'}) TASK
[Teste: As linhas do php.ini encontram-se alteradas ?]
***** ok: [ubuntu-20.04] => { "changed": false,
"msg": "SUCESSO: O ficheiro php.ini foi alterado com sucesso" } PLAY RECAP
*****
ubuntu-20.04 : ok=12 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 INFO Verifier completed
successfully. ]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ exit exit
```