mailto:admlocal@devOps:~/leantime_ansible\$ asc[K[Knsible-lint

WARNING Computed fully qualified role name of leantime_ansible does not follow current galaxy requirements.

Please edit meta/main.yml and assure we can correctly determine full role name:

galaxy_info: role_name: my_name # if absent directory name hosting role is used instead namespace: my_galaxy_namespace # if absent, author is used instead

 $Name space: $https://galaxy.ansible.com/docs/contributing/name spaces.html \#galaxy-name space-limitations Role: $https://galaxy.ansible.com/docs/contributing/creating_role.html \#role-names $$ $https://galaxy.ansible.com/docs/contributing/creating_role.html #role-names $$ $https://galaxy.ansible.html #role-names $$ $https://galaxy.$

As an alternative, you can add 'role-name' to either skip_list or warn_list.

Loading custom .yamllint config file, this extends our internal yamllint config. WARNING Listing 4 violation(s) that are fatal [91mmeta-no-info[0m[2m:[0m [31mRole info should contain platforms[0m [34mmeta/main.yml[0m:0]]]])

 $[91mmeta\text{-incorrect}]0m[2m:[0m\ [31mShould\ change\ default\ metadata:\ author[0m\ [34mmeta/main.yml[0m:1$

[91mmeta-incorrect[0m[2m:[0m~[31mShould~change~default~metadata:~company[0m~[34mmeta/main.yml[0m:1

 $[91mmeta\mbox{-incorrect}[0m[2m:[0m\ [31mShould\ change\ default\ metadata:\ license[0m\ [34mmeta/main.yml[0m:1]]])))) and the second change of the second$

You can skip specific rules or tags by adding them to your configuration file: [2m# .ansible-lint[0m] [94mwarn list[0m] [2m# or 'skip list' to silence them completely[0m]

- meta-incorrect [2m# meta/main.yml default values should be changed[0m
- $\bullet \;$ meta-no-info [2m# meta/main.yml should contain relevant info[0m

Finished with [1;36m4[0m failure[1m([0ms[1m)[0m, [1;36m0[0m warning[1m([0ms[1m)[0m on [1;36m14[0m files. $\label{eq:mailto:admlocal@devOps:} $$/\cline{1}$.$