

```

[0;admlocal@devOps: ~/leantime ansibleadmlocal@devOps:~/leantime ansible$ nano molecule/default/verify.yml
[?2004h[?1049h[?7h[?1h=[?1h=[?25l[A ler... ]I[ 44 linhas lidas ] GNU nano 4.8 molecule/default/verify.yml
^G Ajuda^O Gravar ^W Procurar ^K Cortar txt ^J Justificar ^C Pos cursor M-U Desfazer
^X Sair^R Carregar ^\ Substituir ^U Colar txt ^T Ortografia ^_ Ir p/ linhaM-E Refazer

```

Tutorial de inspira  o para a infraestrutura conduzida por teste no site

```
# https://www.adictosaltrabajo.com/2020/05/08/ansible-testing-using-molecule-with-ansible-as-verifier/
- name: "Infraestrutura conduzida por testes"hosts: allgather_facts: falsebecome: truetasks:- name: "Simular a atualização do sistema"apt:update_cache: truecache_valid_time: 3600check_mode: truregister: estado- name: "Testar a cache encontrada"assert:that:- not estado.changedsuccess_msg: "SUCESSO: A cache está atualizada"fail_msg: "ERRO: Existem atualizações pendentes"- name: "Atualizar o sistema operativo (equivalente a apt upgrade)"apt:upgrade: safecheck_mode: truregister: estado- name: "Testar o sistema operativo encontrado"assert:that:- not estado.changedsuccess_msg: "SUCESSO: O sistema operativo está atualizado"fail_msg: "ERRO: Existem atualizações pendentes"
```

[illegible][illegible]


```
[?12l[?25h[?25l78
- unzip
[?12l[?25h[?25l78
- zip
[?12l[?25h[?25l78
- php-mbstring
[?12l[?25h[?25l78
- expect
[?12l[?25h[?25l78
- net-tools
[?12l[?25h[?25l78
- python3-mysqldb
[?12l[?25h[?25l78
- python3-apt
[?12l[?25h[?25l78
- python3-pycurl
[?12l[?25h[?25l78
check_mode: true
[?12l[?25h[?25l78
register: estado
[?12l[?25h[?25l78
[?12l[?25h[?25l that: - not estado.changed success_msg: "SUCESSO: A cache estÃ¡ atualizada" fail_msg: "ERRO:
Existem atualizaÃ§Ãµes pendentes"
- name: "Atualizar o sistema operativo (equivalente a apt upgrade)"apt: upgrade: safecheck_mode: truregister: estado
- name: "teste: o sistema operativo encontra-se atualizado?"assert: that: - not estado.changed success_msg: "SUCESSO:
O sistema operativo estÃ¡ atualizado" fail_msg: "ERRO: Existem atualizaÃ§Ãµes pendentes"
- name: "Teste: a cache encontra-se atualizada?"assert: that: - not estado.changed success_msg: "SUCESSO: A cache
estÃ¡ atualizada" fail_msg: "ERRO: Existem atualizaÃ§Ãµes pendentes"
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?
25h[?25l78
- php
[?12l[?25h[?25l78
- php-mysql
[?12l[?25h[?25l78
- php-ldap
[?12l[?25h[?25l78
- php-cli
[?12l[?25h[?25l78
- php-soap
[?12l[?25h[?25l78
- php-json
[?12l[?25h[?25l78
- graphviz
[?12l[?25h[?25l78
- php-xml
[?12l[?25h[?25l78
- php-gd
[?12l[?25h[?25l78
- php-zip
[?12l[?25h[?25l78
- libapache2-mod-php
[?12l[?25h[?25l78
- php-dev
[?12l[?25h[?25l78
[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l[?12l[?25h[?25l - php-dev- libmcrypt-dev- gcc- make- autoconf
- libc-dev - pkg-config- pwgen- curl- unzip- zip- php-mbstring
- expect - net-tools- python3-mysqldbpython3-aptpython3-pycurlcheck_mode: truregister: estado
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l [?12l[?
25h[?25l [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l that: - not estado.changed success_msg:
"SUCESSO: O sistema operativo estÃ¡ atualizado" fail_msg: "ERRO: Existem atualizaÃ§Ãµes pendentes"
- name: "Teste: a cache encontra-se atualizada?"assert: that: - not estado.changed success_msg: "SUCESSO: A cache
estÃ¡ atualizada" fail_msg: "ERRO: Existem atualizaÃ§Ãµes pendentes"
- name: "SimulaÃ§Ã£o: testa se as aplicaÃ§Ãµes dependencia do software leantime se encontram
instaladas"apt:pkg:mcscreen - git - apache2- mysql-server- php- php-mysql- php-ldap- php-cli- php-soap- php-json-
graphviz- php-xml- php-gd- php-zip- libapache2-mod-php- php-dev- libmcrypt-dev
[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l - php-dev- libmcrypt-dev- gcc- make- autoconf
- libc-dev - pkg-config- pwgen- curl- unzip- zip- php-mbstring
- expect - net-tools- python3-mysqldbpython3-aptpython3-pycurlcheck_mode: truregister: estado
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l
check_mode: true
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l
register: estado
[?12l[?25h[?25l
[?12l[?25h[?25l M-D Formato DOS M-A AnexarM-B SeguranÃ§aC CancelarM-M Formato Mac M-P Prepor^T P/ ficheiros
Nome do ficheiro onde escrever: molecule/default/verify.yml [?12l[?25h[?25l [ A escrever... ] [ 82 linhas escritas ]^O
```

[illegible]

syntax-check: Ansible syntax check failed

molecule/default/verify.yml:0 [WARNING]: provided hosts list is empty, only localhost is available. Note that the implicit localhost does not match 'all'
ERROR! Syntax Error while loading YAML.
did not find expected '-' indicator

The error appears to be in '/home/admlocal/leantime_ansible/molecule/default/verify.yml': line 38, column 2, but may be elsewhere in the file depending on the exact syntax problem.

The offending line appears to be:

```
- name: "Teste: a cache encontra-se atualizada?"  
^ here
```

This one looks easy to fix. It seems that there is a value started with a quote, and the YAML parser is expecting to see the line ended with the same kind of quote. For instance:

```
when: "ok" in result.stdout
```

Could be written as:

```
when: "'ok" in result.stdout'
```

Or equivalently:

```
when: "'ok' in result.stdout"
```

You can skip specific rules or tags by adding them to your configuration file:

```
# .ansible-lint
```

```
warn_list: # or 'skip_list' to silence them completely
```

```
- syntax-check # Ansible syntax check failed
```

Finished with **1** failure(s), **0** warning(s) on **1** files.

```
j0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule verify
```

```
INFO default scenario test matrix: verify
```

```
INFO Performing prerun...
```

```
INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role using its expected full name.
```

```
INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles
```

```
INFO Running default > verify
```

```
INFO Running Ansible Verifier
```

```
ERROR! Syntax Error while loading YAML.
```

```
did not find expected '-' indicator
```

The error appears to be in '/home/admlocal/leantime_ansible/molecule/default/verify.yml': line 38, column 2, but may be elsewhere in the file depending on the exact syntax problem.

The offending line appears to be:

```
- name: "Teste: a cache encontra-se atualizada?"  
^ here
```

This one looks easy to fix. It seems that there is a value started with a quote, and the YAML parser is expecting to see the line ended with the same kind of quote. For instance:

```
when: "ok" in result.stdout
```

Could be written as:

```
when: "'ok" in result.stdout'
```

Or equivalently:

```
when: "'ok' in result.stdout"
```

CRITICAL Ansible return code was **4**, command was: ansible-playbook --inventory

```
/home/admlocal/.cache/molecule/leantime_ansible/default/inventory --skip-tags molecule-notest,notest
```

```
/home/admlocal/leantime_ansible/molecule/default/verify.yml
```

```
j0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule verifyansible-lint
```

```
molecule/default/verify.yml
```

```
nano
```

```
[?2004h[?1049h[?7h[?1h=[?1h=[?25l[ A ler... ][ 89 linhas lidas ] GNU nano 4.8 molecule/default/verify.yml
```

— — —

<https://www.adictosaltrabajo.com/2020/05/08/ansible-testing-using-molecule-with-ansible-as-verifier/>

[?12][?25h[?25l ^W In. parÃ;g^Y Prim.linha ^T Ir para txtC Cancelar^O Fim parÃ;g^V Ãšlt. linha

[?12l[?25h[?25l8

[?12l[?25h[?25l,

[?12l[?25h[?25l2

[?12l[?25h[?25l

```
success_msg: "SUCESSO: A cache est  atualizada" fail_msg: "ERRO: Existem atualiza es pendentes"
```

```
apt: upgrade: safe check_mode: true register: estado- name: "teste: o sistema operativo encontra-se atualizado?" assert:
```

```
- name: "Teste: a cache encontra-se atualizada?" assert: tha- not estado.changedsuccess_msg: "SUCESSO: A cache
```

```
- name: "SimulaÃ§Ã£o: testa se as aplicaÃ§Ães dependÃncia do software leantime se encontram instaladas" apt: pkg:-
```

[?12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?

25h[?25l[?12l[?25h[?25l

[?12l[?25h[?25l -[?12l[?25h[?25l

[?12l[?25h[?25lModificado

```
- name: "Teste: a cache encontra-se atualizada?"
```

[?12I[?25h[?25I[?12I[?25h[?25I M-D Formato DOS M-A Anexar M-B SeguranÃ§a C Cancelar M-M Formato Mac M-P

Prepor^T P/ ficheiros

Nome do ficheiro onde escrever: molecule/default/verify.yml [?12l[?25h[?25l [A escrever...] [89 linhas escritas]^O

[?12l[?25h[?25l[?12l[?25h[?1049l

```
[?11]>[?20041]0;admlcal@devOps: ~/leantime ansibleadmlcal@devOps:~/leantime ansible$ nano
```

molecule/default/verify.yml molecule verifyansible-lint molecule/default/verify.yml

Loading custom `.yamllint` config file, this extends our internal `yamllint` config.

WARNING Listing 1 violation(s) that are fatal

```

syntax-check: Ansible syntax check failed

```

molecule/default/verify.yml:0 [WARNING]: provided hosts list is empty, only localhost is available. Note that

the implicit localhost does not match 'all'

ERROR! Syntax Error while loading YAML.

did not find expected '-' indicator

The offending line appears to be:

```
- name: "SimulaÃ§Ã£o: testa se as aplicaÃ§Ães dependencia do software leantime se encontram instaladas"
```

[^] here

This one looks easy to fix. It seems that there is a value started

with a quote, and the YAML parser is expecting to see the line ended

with the same kind of quote. For instance:

when: "ok" in result.stdout

Could be written as:

when: "'ok" in result.stdout'

Or equivalently:

when: "'ok' in result.stdout"

You can skip specific rules or tags by adding them to your configuration file:

```
# .ansible-lint
```

```
warn list: # or 'skip list' to silence them completely
```

```
- syntax-check # Ansible syntax check failed
Finished with 1 failure(s), 0 warning(s) on 1 files.
j0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ ansible-lint molecule/default/verify.yml
nanomolecule verify
INFO default scenario test matrix: verify
INFO Performing prerun...
INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to
find the role using its expected full name.
INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles
INFO Running default > verify
INFO Running Ansible Verifier
ERROR! Syntax Error while loading YAML.
did not find expected '-' indicator
```

The error appears to be in '/home/admlcal/leantime_ansible/molecule/default/verify.yml': line 45, column 2, but may be elsewhere in the file depending on the exact syntax problem.

The offending line appears to be:

```
- name: "SimulaÃ§Ã£o: testa se as aplicaÃ§Ães dependencia do software leantime se encontram instaladas"
^ here
```

This one looks easy to fix. It seems that there is a value started with a quote, and the YAML parser is expecting to see the line ended with the same kind of quote. For instance:

```
when: "ok" in result.stdout
```

Could be written as:

```
when: "'ok" in result.stdout'
```

Or equivalently:

```
when: "'ok' in result.stdout"
```

CRITICAL Ansible return code was 4, command was: ansible-playbook --inventory /home/admlcal/.cache/molecule/leantime_ansible/default/inventory --skip-tags molecule-notest,notest /home/admlcal/leantime_ansible/molecule/default/verify.yml
j0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible\$ molecule verifyansible-lint molecule/default/verify.yml

```
nano
[?2004h[?1049h[?7h[?1h=[?1h=[?25l[ A ler... ][ 89 linhas lidas ] GNU nano 4.8 molecule/default/verify.yml
^G Ajuda^O Gravar ^W Procurar ^K Cortar txt ^J Justificar ^C Pos cursor M-U Desfazer
^X Sair^R Carregar ^\ Substituir ^U Colar txt ^T Ortografia ^_ Ir p/ linhaM-E Refazer
---
```

Tutorial de inspiraÃ§Ã£o para a infraestrutura conduzida por teste no site

```
# https://www.adictosaltrabajo.com/2020/05/08/ansible-testing-using-molecule-with-ansible-as-verifier/
- name: "Infraestrutura conduzida por testes"hosts: allgather facts: falsebecome: truetasks:- name: "SimulaÃ§Ã£o:
Atualizar a cache do sistema"apt:update_cache: truecache_valid_time: 3600check_mode: truregister: estado- name:
"teste: a cache encontra-se atualizada?"assert:that:- not estado.changedsuccess_msg: "SUCESSO: A cache estÃ¡
atualizada"fail_msg: "ERRO: Existem atualizaÃ§Ães pendentes"- name: "Atualizar o sistema operativo (equivalente a
apt upgrade)"apt:upgrade: safecheck_mode: truregister: estado- name: "teste: o sistema operativo encontra-se
atualizado?"assert:that:
[?12l[?25h[?25l ^W In. parÃ¡g^Y Prim.linha ^T Ir para txtC Cancelar^O Fim parÃ¡g^V Ã¡lt. linha
Insira nÃº da linha, nÃº da coluna: [?12l[?25h[?25l4
[?12l[?25h[?25l5
[?12l[?25h[?25l,
[?12l[?25h[?25l2
[?12l[?25h[?25l
^O Gravar ^W Procurar ^K Cortar txt ^J Justificar ^C Pos cursor M-U DesfazerX Sair ^R Carregar ^\ Substituir ^U
Colar txt ^T Ortografia ^_ Ir p/ linhaM-E Refazer
register: estado
teste: o sistema operativo encontra-se atualizado?"ssert:that:- not estado.changed success_msg: "SUCESSO: O sistema
operativo estÃ¡ atualizado" fail_msg: "ERRO: Existem atualizaÃ§Ães pendentes"T
- name: "SimulaÃ§Ã£o: testa se as aplicaÃ§Ães dependencia do software leantime se encontram instaladas"
pkg:- mc- screen- git- apache2- mysql-server- php- php-mysql- php-ldap - php-cli - php-soap- php-json - graphviz - php-
xml- php-gd
[?12l[?25h[?25lModificado
- name: "SimulaÃ§Ã£o: testa se as aplicaÃ§Ães dependencia do software leantime se encontram instaladas"
[?12l[?25h[?25l[?12l[?25h[?25l
apt:
[?12l[?25h[?25l[?12l[?25h[?25l
pkg:[?12l[?25h[?25l[?12l[?25h[?25l
```



```
[?12l[?25h[?25l - mc
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - screen
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - git
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - apache2
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - mysql-server
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - php
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - php-mysql
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - php-ldap
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - php-cli
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - php-soap
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - php-json
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - graphviz
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - php-xml
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l - php-gd
[?12l[?25h[?25l78
- php-zip
[?12l[?25h[?25l[?12l[?25h[?25l - php-zip
[?12l[?25h[?25l78
- libapache2-mod-php
[?12l[?25h[?25l[?12l[?25h[?25l - libapache2-mod-php
[?12l[?25h[?25l78
- php-dev
[?12l[?25h[?25l[?12l[?25h[?25l - php-dev
[?12l[?25h[?25l78
- libmcrypt-dev
[?12l[?25h[?25l[?12l[?25h[?25l - libmcrypt-dev
[?12l[?25h[?25l78
- gcc
[?12l[?25h[?25l[?12l[?25h[?25l - gcc
[?12l[?25h[?25l78
- make
[?12l[?25h[?25l[?12l[?25h[?25l - make
[?12l[?25h[?25l78
- autoconf
[?12l[?25h[?25l[?12l[?25h[?25l - autoconf
[?12l[?25h[?25l78
- libc-dev
[?12l[?25h[?25l[?12l[?25h[?25l - libc-dev
[?12l[?25h[?25l78
- pkg-config
[?12l[?25h[?25l[?12l[?25h[?25l - pkg-config
[?12l[?25h[?25l78
- pwgen
[?12l[?25h[?25l[?12l[?25h[?25l - pwgen
[?12l[?25h[?25l78
- curl
[?12l[?25h[?25l[?12l[?25h[?25l - curl
[?12l[?25h[?25l78
- unzip
[?12l[?25h[?25l[?12l[?25h[?25l - unzip
[?12l[?25h[?25l78
- zip
[?12l[?25h[?25l[?12l[?25h[?25l - zip
[?12l[?25h[?25l78
- php-mbstring
[?12l[?25h[?25l[?12l[?25h[?25l - php-mbstring
[?12l[?25h[?25l78
- expect
[?12l[?25h[?25l[?12l[?25h[?25l - expect
[?12l[?25h[?25l78
- net-tools
[?12l[?25h[?25l[?12l[?25h[?25l - net-tools
[?12l[?25h[?25l78
- python3-mysqldb
[?12l[?25h[?25l[?12l[?25h[?25l - python3-mysqldb
[?12l[?25h[?25l78
- python3-apt
[?12l[?25h[?25l[?12l[?25h[?25l - python3-apt
[?12l[?25h[?25l78
- python3-pycurl
[?12l[?25h[?25l[?12l[?25h[?25l - python3-pycurl
[?12l[?25h[?25l78
check_mode: true
[?12l[?25h[?25l[?12l[?25h[?25l check_mode: true
[?12l[?25h[?25l78
```

```

register: estado
[?12l[?25h[?25l[?12l[?25h[?25l register: estado
[?12l[?25h[?25l78
[?12l[?25h[?25l78
- name: "Teste: as dependencias encontra-se instaladas?"
[?12l[?25h[?25l78
assert:
[?12l[?25h[?25l78
[?12l[?25h[?25l[?12l[?25h[?25l - name: "Teste: as dependencias encontra-se instaladas?"
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l [?12l[?25h[?25l [?12l[?25h[?25lfail_msg: "ERRO: Existem
actualizaÃ§Ãªs pendentes"
- name: "Atualizar o sistema operativo (equivalente a apt upgrade)"apt:upgrade: safecheck_mode: truerregister: estado
- name: "teste: o sistema operativo encontra-se atualizado?"assert:that:not estado.changedsuccess_msg: "SUCESSO: O
sistema operativo estÃ¡ atualizado"fail_msg: "ERRO: Existem actualizaÃ§Ãªs pendentes"
- name: "Teste: a cache encontra-se atualizada?"assert:that:not estado.changedsuccess_msg: "SUCESSO: A cache estÃ¡
atualizada"fail_msg: "ERRO: Existem atualizaÃ§Ãªs pendentes"
[?12l[?25h[?25l[?12l[?25h[?25l- php-mysql- php-ldap - php-cli - php-soap- php-json - graphviz - php-xml- php-gd - php-zip
- libapache2-mod-php- php-devlibmccrypt-dev- gcc- make- autoconf - libc-dev - pkg-config- pwgencurl- unzip- zip- php-
mbstring - expect - net-tools- python3-mysqldbpython3-aptpython3-pycurlcheck_mode: truerregister: estado
[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l[?12l[?25h[?25l M-D Formato DOS M-A AnexarM-B
SeguranÃ§aC CancelarM-M Formato Mac M-P Prepor^T P/ ficheiros
[?12l[?25h[?25l[?12l[?25h[?1049l
[?1l>[?2004l]0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ nano
molecule/default/verify.yml molecule verifyansible-lint molecule/default/verify.yml
Loading custom .yamllint config file, this extends our internal yamllint config.
]0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible$ ansible-lint molecule/default/verify.yml
nanomolecule verify
INFO default scenario test matrix: verify
INFO Performing prerun...
INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to
find the role using its expected full name.
INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./cache/roles
INFO Running default > verify
INFO Running Ansible Verifier

```

PLAY [Infraestrutura conduzida por testes] *****

TASK [SimulaÃ§Ã£o: Atualizar a cache do sistema] *****
changed: [ubuntu-20.04]

TASK [teste: a cache encontra-se atualizada?] *****
fatal: [ubuntu-20.04]: FAILED! => {
"assertion": "not estado.changed",
"changed": false,
"evaluated to": false,
"msg": "ERRO: Existem actualizaÃ§Ãªs pendentes"
}

PLAY RECAP *****
ubuntu-20.04 : ok=1 changed=1 unreachable=0 failed=1 skipped=0 rescued=0 ignored=0

CRITICAL Ansible return code was 2, command was: ansible-playbook --inventory
/home/admlcal/.cache/molecule/leantime_ansible/default/inventory --skip-tags molecule-notest,notest
/home/admlcal/leantime_ansible/molecule/default/verify.yml
]0;admlcal@devOps: ~/leantime_ansibleadmlcal@devOps:~/leantime_ansible\$ molecule verify
INFO default scenario test matrix: verify
INFO Performing prerun...
INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to
find the role using its expected full name.
INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./cache/roles
INFO Running default > verify
INFO Running Ansible Verifier

PLAY [Infraestrutura conduzida por testes] *****

TASK [SimulaÃ§Ã£o: Atualizar a cache do sistema] *****
ok: [ubuntu-20.04]

TASK [teste: a cache encontra-se atualizada?] *****
ok: [ubuntu-20.04] => {
"changed": false,
"msg": "SUCESSO: A cache estÃ¡ atualizada"
}

```
TASK [Atualizar o sistema operativo (equivalente a apt upgrade)] *****
changed: [ubuntu-20.04]
```

```
TASK [teste: o sistema operativo encontra-se atualizado?] *****
fatal: [ubuntu-20.04]: FAILED! => {
  "assertion": "not estado.changed",
  "changed": false,
  "evaluated to": false,
  "msg": "ERRO: Existem atualizações pendentes"
}
```

```
PLAY RECAP *****
ubuntu-20.04 : ok=3 changed=1 unreachable=0 failed=1 skipped=0 rescued=0 ignored=0
```

```
CRITICAL Ansible return code was 2, command was: ansible-playbook --inventory
/home/admlocal/.cache/molecule/leantime_ansible/default/inventory --skip-tags molecule-notest,notest
/home/admlocal/leantime_ansible/molecule/default/verify.yml
j0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule converge
INFO default scenario test matrix: dependency, create, prepare, converge
INFO Performing prerun...
INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to
find the role using its expected full name.
INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./cache/roles
INFO Running default > dependency
WARNING Skipping, missing the requirements file.
WARNING Skipping, missing the requirements file.
INFO Running default > create
WARNING Skipping, instances already created.
INFO Running default > prepare
WARNING Skipping, instances already prepared.
INFO Running default > converge
```

```
PLAY [Converge] *****
```

```
TASK [Gathering Facts] *****
ok: [ubuntu-20.04]
```

```
TASK [Include leantime_ansible] *****
```

```
TASK [leantime_ansible : Atualiza a cache (equivalente a apt update)] *****
ok: [ubuntu-20.04]
```

```
TASK [leantime_ansible : Atualiza o sistema operativo] *****
changed: [ubuntu-20.04]
```

```
PLAY RECAP *****
ubuntu-20.04 : ok=3 changed=1 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0
```

```
j0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule convergeverify
INFO default scenario test matrix: verify
INFO Performing prerun...
INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to
find the role using its expected full name.
INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./cache/roles
INFO Running default > verify
INFO Running Ansible Verifier
```

```
PLAY [Infraestrutura conduzida por testes] *****
```

```
TASK [Simulação: Atualizar a cache do sistema] *****
ok: [ubuntu-20.04]
```

```
TASK [teste: a cache encontra-se atualizada?] *****
ok: [ubuntu-20.04] => {
  "changed": false,
  "msg": "SUCESSO: A cache está atualizada"
}
```

```
TASK [Atualizar o sistema operativo (equivalente a apt upgrade)] *****
ok: [ubuntu-20.04]
```

```
TASK [teste: o sistema operativo encontra-se atualizado?] *****
ok: [ubuntu-20.04] => {
  "changed": false,
```

```
"msg": "SUCESSO: O sistema operativo estÃ¡ atualizado"
}
```

```
TASK [Teste: a cache encontra-se atualizada?] *****
ok: [ubuntu-20.04] => {
  "changed": false,
  "msg": "SUCESSO: A cache estÃ¡ atualizada"
}
```

```
TASK [SimulaÃ§Ã£o: testa se as aplicaÃ§Ães dependencia do software leantime se encontram instaladas] *****
changed: [ubuntu-20.04]
```

```
TASK [Teste: as dependencias encontra-se instaladas?] *****
fatal: [ubuntu-20.04]: FAILED! => {
  "assertion": "not estado.changed",
  "changed": false,
  "evaluated_to": false,
  "msg": "ERRO: Faltam instalar algumas dependencias. O software pode estar parcialmente instalado"
}
```

```
PLAY RECAP *****
ubuntu-20.04 : ok=6 changed=1 unreachable=0 failed=1 skipped=0 rescued=0 ignored=0
```

```
CRITICAL Ansible return code was 2, command was: ansible-playbook --inventory
/home/admlocal/.cache/molecule/leantime_ansible/default/inventory --skip-tags molecule-notest,notest
/home/admlocal/leantime_ansible/molecule/default/verify.yml
]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ exit
exit
```