]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ exitmolecule test --destroy never INFO default scenario test matrix: dependency, lint, cleanup, destroy, syntax, create, prepare, converge, idempotence, verify, cleanup, destroy INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role using its expected full name. INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:.../.cache/roles INFO Running default > dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO Running default > lint COMMAND: set -e yamllint . ansible-lint Loading custom .yamllint config file, this extends our internal yamllint config. INFO Running default > cleanup WARNING Skipping, cleanup playbook not configured. INFO Running default > destroy WARNING Skipping, '--destroy=never' requested. INFO Running default > syntax playbook: /home/admlocal/leantime_ansible/molecule/default/converge.yml INFO Running default > create PLAY [Create]
****
TASK [Create molecule instance(s)]
** changed: [localhost]
=> (item=ubuntu-20.04) TASK [Populate instance config dict]
** ok: [localhost] =>
(item={'changed': True, 'log': '/home/admlocal/.cache/molecule/leantime_ansible/default/vagrant-ubuntu-20.04.out', 'Host':
'ubuntu-20.04', 'HostName': '127.0.0.1', 'User': 'vagrant', 'Port': '2222', 'UserKnownHostsFile': '/dev/null',
'StrictHostKeyChecking': 'no', 'PasswordAuthentication': 'no', 'IdentityFile':
'/home/admlocal/.cache/molecule/leantime_ansible/default/.vagrant/machines/ubuntu-20.04/virtualbox/private_key',
'IdentitiesOnly': 'yes', 'LogLevel': 'FATAL', 'invocation': {'module_args': {'instance_name': 'ubuntu-20.04',
'instance_interfaces': [{'auto_config': True, 'network_name': 'private_network', 'type': 'dhcp'}], 'instance_raw_config_args':
["vm.network 'forwarded_port', guest: 80, host: 8080"], 'platform_box': 'ubuntu/focal64', 'provider_memory': 2048,
'provider_cpus': 2, 'state': 'up', 'config_options': {}, 'provider_name': 'virtualbox', 'provider_options': {}, 'provision': False,
'force_stop': False, 'platform_box_version': None, 'platform_box_url': None, 'provider_override_args': None,
'provider_raw_config_args': None, 'workdir': None}}, 'failed': False, 'item': {'box': 'ubuntu/focal64', 'cpus': 2,
'instance_raw_config_args': ["vm.network 'forwarded_port', guest: 80, host: 8080"], 'interfaces': [{'auto_config': True,
'network_name': 'private_network', 'type': 'dhcp'}], 'memory': 2048, 'name': 'ubuntu-20.04'}, 'ansible_loop_var': 'item'})
TASK [Convert instance config dict to a list]
*** ok: [localhost] TASK [Dump
instance config]
** changed:
[localhost] PLAY RECAP
****
localhost : ok=4 changed=2 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 INFO Running default > prepare
PLAY [Prepare]
****
TASK [Bootstrap python for Ansible]
** ok: [ubuntu-20.04]
PLAY RECAP
****
ubuntu-20.04 : ok=1 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 INFO Running default >
converge PLAY [Converge]
****
TASK [Gathering Facts]
** ok:
[ubuntu-20.04] TASK [Include leantime_ansible]
** TASK
[leantime_ansible : Atualiza a cache (equivalente a apt update)]
** changed: [ubuntu-20.04] TASK [leantime_ansible :
Atualiza o sistema operativo] *** changed:
[ubuntu-20.04] TASK [leantime_ansible : Instalar as dependencias necessária ao programa leantime]
*** changed: [ubuntu-20.04] TASK [leantime_ansible : Instala o serviço
apache2 no arranque do sistema] *** ok: [ubuntu-20.04] TASK
[leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Ativa várias opçÃµes no ficheiro
php.ini, utilizando o módulo lineinfile.] ****************************** changed: [ubuntu-20.04] => (item=
{'regexp': '^file_uploads', 'line': 'file_uploads = 1'}) changed: [ubuntu-20.04] => (item={'regexp': '^upload_max_filesize',
'line': 'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regexp': '^max_file_uploads', 'line': 'max_file_uploads =
20'}) changed: [ubuntu-20.04] => (item={'regexp': '^post_max_size', 'line': 'post_max_size = 2G'}) changed: [ubuntu-
20.04] => (item={'regexp': '^memory_limit', 'line': 'memory_limit = 2G'}) changed: [ubuntu-20.04] => (item={'regexp':
'^max_input_time', 'line': 'max_input_time = 3600'}) TASK [leantime_ansible : Cria a directoria temporária leantime e a
directoria de apache leantime] *********************************** changed: [ubuntu-20.04] => (item={'path':
'/tmp/leantime'}) changed: [ubuntu-20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ansible : Cria a base
de dados de mysql para o leantime] *** changed: [ubuntu-
20.04] TASK [leantime_ansible : Cria o utilizador para a base de dados leantime]
*** changed: [ubuntu-20.04] TASK [leantime_ansible : Cria o
utilizador para a base de dados leantime] ** changed: [ubuntu-
20.04] TASK [leantime_ansible : Faz o download do software leantime a partir do repositório git]
*********************************** changed: [ubuntu-20.04] TASK [leantime_ansible : Descomprime o software
leantime] *** changed: [ubuntu-20.04] TASK
[leantime_ansible : Copia o ficheiro de configuração configuration.sample.php]
*********************************** changed: [ubuntu-20.04] TASK [leantime_ansible : Altera as
variáveis dbuser, dbpassword e dbdatabase no ficheiro configuration.php utilizando o módulo replace.] *** changed:
[ubuntu-20.04] => (item={'regexp': 'dbUser=""', 'line': 'dbUser="leantimeDBadmin"'}) changed: [ubuntu-20.04] =>
(item={'regexp': 'dbDatabase=""', 'line': 'dbDatabase="leantime_database"'}) changed: [ubuntu-20.04] => (item=
{'regexp': 'dbPassword=""', 'line': 'dbPassword="#S3gr3d0S3cr3t0#"'}) TASK [leantime_ansible : Copia o template do site

para a pásta /etc/apache2/sites-available] ** changed: [ubuntu-20.04] TASK [leantime_ansible : Cria um link simbólico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled] ********************** changed: [ubuntu-20.04] TASK [leantime_ansible : Cria um link simbólico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled] ********************** changed: [ubuntu-20.04] TASK [leantime_ansible : Apaga o link 000-default.conf na pasta sites-enabled do apache2] ** changed: [ubuntu-20.04] TASK [leantime_ansible : Activa o módulo mod_rewrite no apache] ** changed: [ubuntu-20.04] TASK [leantime_ansible : Cria o administrador da aplicaçáo leantime] ** fatal: [ubuntu-20.04]: FAILED! => {"changed": false, "connection": "close", "content": "<!DOCTYPE HTML PUBLIC \"-//IETF//DTD HTML 2.0//EN\">\n<html><head>\n<title>404 Not Found</title>\n</head><body>\n<h1>Not Found</h1>\n<p>The requested URL was not found on this server.</p>\n<hr>\n<address>Apache/2.4.41 (Ubuntu) Server at localhost Port 80</address>\n</body></html>\n", "content_length": "271", "content_type": "text/html; charset=iso-8859-1", "date": "Wed, 26 May 2021 14:17:22 GMT", "elapsed": 0, "msg": "Status code was 404 and not [200]: HTTP Error 404: Not Found", "redirected": false, "server": "Apache/2.4.41 (Ubuntu)", "status": 404, "url": "http://localhost/install"} PLAY RECAP ***
ubuntu-20.04 : ok=20 changed=17 unreachable=0 failed=1 skipped=0 rescued=0 ignored=0 **CRITICAL** Ansible return code was 2, command was: ansible-playbook --inventory /home/admlocal/.cache/molecule/leantime_ansible/default/inventory --skip-tags molecule-notest,notest /home/admlocal/leantime_ansible/molecule/default/converge.yml]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule login INFO Running default > login Welcome to Ubuntu 20.04.2 LTS (GNU/Linux 5.4.0-72-generic x86_64) * Documentation: https://help.ubuntu.com * Management: https://landscape.canonical.com * Support: https://ubuntu.com/advantage System information as of Wed May 26 14:17:33 UTC 2021 System load: 1.17 Processes: 130 Usage of /: 6.9% of 38.71GB Users logged in: 0 Memory usage: 33% IPv4 address for enp0s3: 10.0.2.15 Swap usage: 0% IPv4 address for enp0s8: 172.28.128.29 *** System restart required *** Last login: Wed May 26 14:17:21 2021 from 10.0.2.2]0;vagrant@ubuntu-20: ~vagrant@ubuntu-20:~$ sudo -i]0;root@ubuntu-20: ~root@ubuntu-20:~# ls /etc/apache2/sites-available/ 000-default.conf default-ssl.conf **leantime.conf**]0;root@ubuntu-20: ~root@ubuntu-20:~# ls /etc/apache2/sites-available////////////e/n/a/b/l/e/d/ **leantime.conf**]0;root@ubuntu-20: ~root@ubuntu-20:~# exit logout]0;vagrant@ubuntu-20: ~vagrant@ubuntu-20:~$ exit logout Connection to 127.0.0.1 closed.]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule converge INFO default scenario test matrix: dependency, create, prepare, converge INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role using its expected full name. INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default > dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO Running default > create WARNING Skipping, instances already created. INFO Running default > prepare WARNING Skipping, instances already prepared. INFO Running default > converge PLAY [Converge] **
TASK [Gathering Facts] ** ok: [ubuntu-20.04] TASK [Include leantime_ansible] ** TASK [leantime_ansible : Atualiza a cache (equivalente a apt update)] ** ok: [ubuntu-20.04] TASK [leantime_ansible : Atualiza o sistema operativo] ** ok: [ubuntu-20.04] TASK [leantime_ansible : Instalar as dependencias necessária ao programa leantime] ** ok: [ubuntu-20.04] TASK [leantime_ansible : Instala o serviço apache2 no arranque do sistema] ** ok: [ubuntu-20.04] TASK [leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2] ****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Ativa várias opçÃµes no ficheiro php.ini, utilizando o módulo lineinfile.] ****************************** ok: [ubuntu-20.04] => (item={'regexp': '^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regexp': '^upload_max_filesize', 'line': 'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regexp': '^max_file_uploads', 'line': 'max_file_uploads = 20'}) ok: [ubuntu-20.04] => (item={'regexp': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item={'regexp': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regexp': '^max_input_time', 'line': 'max_input_time = 3600'}) TASK [leantime_ansible : Cria a directoria temporária leantime e a directoria de apache leantime] ****************************** ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'}) ok: [ubuntu-20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ansible : Cria a base de dados de mysql para o leantime] ****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o utilizador para a base de dados leantime] ****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o utilizador para a base de dados leantime] ****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Faz o download do software leantime a partir do repositório git] ****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Descomprime o software leantime] ****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Copia o ficheiro de configuraçáo configuration.sample.php] ****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Altera as variáveis dbuser, dbpassword e dbdatabase no ficheiro configuration.php utilizando o módulo replace.] *** ok: [ubuntu-20.04] => (item={'regexp': 'dbUser=""', 'line': 'dbUser="leantimeDBadmin"'}) ok: [ubuntu-20.04] => (item={'regexp': 'dbDatabase=""', 'line': 'dbDatabase="leantime_database"'}) ok: [ubuntu-20.04] => (item={'regexp': 'dbPassword=""', 'line': 'dbPassword="#S3gr3d0S3cr3t0#"'}) TASK [leantime_ansible : Copia o template do site para a pásta /etc/apache2/sites-available] ****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria um link simbólico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled] ********************** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria um link simbólico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled] ********************** ok: [ubuntu-20.04] TASK [leantime_ansible : Apaga o link 000-default.conf na pasta sites-enabled do apache2] ****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Activa o módulo

mod_rewrite no apache] *** ok: [ubuntu-20.04] TASK
[leantime_ansible : Cria o administrador da aplicaÃ§Ã£o leantime]
** fatal: [ubuntu-20.04]: FAILED! => {"changed": false,
"connection": "close", "content": "<!DOCTYPE HTML PUBLIC \"-//IETF//DTD HTML 2.0//EN\">\n<html>
<head>\n<title>404 Not Found</title>\n</head><body>\n<h1>Not Found</h1>\n<p>The requested URL was not
found on this server.</p>\n<hr>\n<address>Apache/2.4.41 (Ubuntu) Server at localhost Port 80</address>\n</body>
</html>\n", "content_length": "271", "content_type": "text/html; charset=iso-8859-1", "date": "Wed, 26 May 2021 14:19:56
GMT", "elapsed": 0, "msg": "Status code was 404 and not [200]: HTTP Error 404: Not Found", "redirected": false, "server":
"Apache/2.4.41 (Ubuntu)", "status": 404, "url": "http://localhost/install"} PLAY RECAP
****
ubuntu-20.04 : ok=20 changed=0 unreachable=0 failed=1 skipped=0 rescued=0 ignored=0 **CRITICAL** Ansible return
code was **2**, command was: ansible-playbook --inventory
/home/admlocal/.cache/molecule/leantime_ansible/default/inventory --skip-tags molecule-notest,notest
/home/admlocal/leantime_ansible/molecule/default/converge.yml]0;admlocal@devOps:
~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule convergelogin INFO Running default > login Welcome
to Ubuntu 20.04.2 LTS (GNU/Linux 5.4.0-72-generic x86_64) * Documentation: https://help.ubuntu.com * Management:
https://landscape.canonical.com * Support: https://ubuntu.com/advantage System information as of Wed May 26 14:20:03
UTC 2021 System load: 0.33 Processes: 127 Usage of /: 6.9% of 38.71GB Users logged in: 0 Memory usage: 33% IPv4
address for enp0s3: 10.0.2.15 Swap usage: 0% IPv4 address for enp0s8: 172.28.128.29 *** System restart required *** Last
login: Wed May 26 14:19:56 2021 from 10.0.2.2]0;vagrant@ubuntu-20: ~vagrant@ubuntu-20:~$ exitsudo -i
]0;root@ubuntu-20: ~root@ubuntu-20:~# service apache2 reload]0;root@ubuntu-20: ~root@ubuntu-20:~# exit logout
]0;vagrant@ubuntu-20: ~vagrant@ubuntu-20:~$ exit logout Connection to 127.0.0.1 closed.]0;admlocal@devOps:
~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule loginconverge INFO default scenario test matrix:
dependency, create, prepare, converge INFO Performing prerun... INFO Using
.cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to find the role using
its expected full name. INFO Added
ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default >
dependency WARNING Skipping, missing the requirements file. WARNING Skipping, missing the requirements file. INFO
Running default > create WARNING Skipping, instances already created. INFO Running default > prepare WARNING
Skipping, instances already prepared. INFO Running default > converge PLAY [Converge]
****
TASK [Gathering Facts]
*** ok:
[ubuntu-20.04] TASK [Include leantime_ansible]
** TASK
[leantime_ansible : Atualiza a cache (equivalente a apt update)]
*** ok: [ubuntu-20.04] TASK [leantime_ansible : Atualiza o
sistema operativo] *** ok: [ubuntu-20.04]
TASK [leantime_ansible : Instalar as dependencias necessÃ¡ria ao programa leantime]
************************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Instala o serviÃ§o
apache2 no arranque do sistema] *** ok: [ubuntu-20.04] TASK
[leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
****************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Ativa vÃ¡rias opÃ§Ãµes no ficheiro
php.ini, utilizando o mÃ³dulo lineinfile.] ***************************** ok: [ubuntu-20.04] => (item={'regexp':
'^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regexp': '^upload_max_filesize', 'line':
'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regexp': '^max_file_uploads', 'line': 'max_file_uploads = 20'})
ok: [ubuntu-20.04] => (item={'regexp': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item=
{'regexp': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regexp': '^max_input_time', 'line':
'max_input_time = 3600'}) TASK [leantime_ansible : Cria a directoria temporÃ¡ria leantime e a directoria de apache
leantime] ********************************** ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'}) ok: [ubuntu-
20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ansible : Cria a base de dados de mysql para o leantime]
*** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o
utilizador para a base de dados leantime] ** ok: [ubuntu-
20.04] TASK [leantime_ansible : Cria o utilizador para a base de dados leantime]
** ok: [ubuntu-20.04] TASK [leantime_ansible : Faz o
download do software leantime a partir do repositÃ³rio git] ********************************** ok: [ubuntu-
20.04] TASK [leantime_ansible : Descomprime o software leantime]
** ok: [ubuntu-20.04] TASK [leantime_ansible :
Copia o ficheiro de configuraÃ§Ã£o configuration.sample.php] ************************************* ok:
[ubuntu-20.04] TASK [leantime_ansible : Altera as variÃ¡veis dbuser, dbpassword e dbdatabase no ficheiro
configuration.php utilizando o mÃ³dulo replace.] *** ok: [ubuntu-20.04] => (item={'regexp': 'dbUser=""', 'line':
'dbUser="leantimeDBadmin"'}) ok: [ubuntu-20.04] => (item={'regexp': 'dbDatabase=""', 'line':
'dbDatabase="leantime_database"'}) ok: [ubuntu-20.04] => (item={'regexp': 'dbPassword=""', 'line':
'dbPassword="#S3gr3d0S3cr3t0#"'}) TASK [leantime_ansible : Copia o template do site para a pÃ¡sta /etc/apache2/sites-
available] *************************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria um link simbÃ³lico
para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled] ************************* ok: [ubuntu-20.04] TASK
[leantime_ansible : Cria um link simbÃ³lico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled]
*********************** ok: [ubuntu-20.04] TASK [leantime_ansible : Apaga o link 000-default.conf na pasta sites-enabled
do apache2] ************************************ ok: [ubuntu-20.04] TASK [leantime_ansible : Activa o mÃ³dulo
mod_rewrite no apache] ** ok: [ubuntu-20.04] TASK
[leantime_ansible : Cria o administrador da aplicaÃ§Ã£o leantime]
*** ok: [ubuntu-20.04] PLAY RECAP
****
ubuntu-20.04 : ok=21 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0]0;admlocal@devOps:
~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule idempotence INFO default scenario test matrix:
idempotence INFO Performing prerun... INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current
repository in order to enable Ansible to find the role using its expected full name. INFO Added

ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles INFO Running default > idempotence PLAY [Converge]
****
TASK [Gathering Facts]
** ok: [ubuntu-20.04] TASK [Include leantime_ansible]
*** TASK [leantime_ansible : Atualiza a cache (equivalente a apt update)]
*** ok: [ubuntu-20.04] TASK [leantime_ansible : Atualiza o sistema operativo] *** ok: [ubuntu-20.04] TASK [leantime_ansible : Instalar as dependencias necessÃ¡ria ao programa leantime]
*** ok: [ubuntu-20.04] TASK [leantime_ansible : Instala o serviÃ§o apache2 no arranque do sistema] ** ok: [ubuntu-20.04] TASK [leantime_ansible : Rotina Auxiliar: Procura o caminho do ficheiro php.ini do servidor apache2]
******************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Ativa vÃ¡rias opÃ§Ãµes no ficheiro php.ini, utilizando o mÃ³dulo lineinfile.] ** ok: [ubuntu-20.04] => (item={'regexp': '^file_uploads', 'line': 'file_uploads = 1'}) ok: [ubuntu-20.04] => (item={'regexp': '^upload_max_filesize', 'line': 'upload_max_filesize = 1G'}) ok: [ubuntu-20.04] => (item={'regexp': '^max_file_uploads', 'line': 'max_file_uploads = 20'}) ok: [ubuntu-20.04] => (item={'regexp': '^post_max_size', 'line': 'post_max_size = 2G'}) ok: [ubuntu-20.04] => (item={'regexp': '^memory_limit', 'line': 'memory_limit = 2G'}) ok: [ubuntu-20.04] => (item={'regexp': '^max_input_time', 'line': 'max_input_time = 3600'}) TASK [leantime_ansible : Cria a directoria temporÃ¡ria leantime e a directoria de apache leantime] *** ok: [ubuntu-20.04] => (item={'path': '/tmp/leantime'}) ok: [ubuntu-20.04] => (item={'path': '/var/www/leantime'}) TASK [leantime_ansible : Cria a base de dados de mysql para o leantime]
** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o utilizador para a base de dados leantime] *** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o utilizador para a base de dados leantime]
** ok: [ubuntu-20.04] TASK [leantime_ansible : Faz o download do software leantime a partir do repositÃ³rio git] ** ok: [ubuntu-20.04] TASK [leantime_ansible : Descomprime o software leantime]
** ok: [ubuntu-20.04] TASK [leantime_ansible : Copia o ficheiro de configuraÃ§Ã£o configuration.sample.php] ** ok: [ubuntu-20.04] TASK [leantime_ansible : Altera as variÃ¡veis dbuser, dbpassword e dbdatabase no ficheiro configuration.php utilizando o mÃ³dulo replace.] *** ok: [ubuntu-20.04] => (item={'regexp': 'dbUser=""', 'line': 'dbUser="leantimeDBadmin"'}) ok: [ubuntu-20.04] => (item={'regexp': 'dbDatabase=""', 'line': 'dbDatabase="leantime_database"'}) ok: [ubuntu-20.04] => (item={'regexp': 'dbPassword=""', 'line': 'dbPassword="#S3gr3d0S3cr3t0#"'}) TASK [leantime_ansible : Copia o template do site para a pÃ¡sta /etc/apache2/sites-available] ** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria um link simbÃ³lico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled] *********************** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria um link simbÃ³lico para o ficheiro leantime.conf na pasta /etc/apache/sites-enabled]
*********************** ok: [ubuntu-20.04] TASK [leantime_ansible : Apaga o link 000-default.conf na pasta sites-enabled do apache2] ************************************** ok: [ubuntu-20.04] TASK [leantime_ansible : Activa o mÃ³dulo mod_rewrite no apache] ** ok: [ubuntu-20.04] TASK [leantime_ansible : Cria o administrador da aplicaÃ§Ã£o leantime]
*** ok: [ubuntu-20.04] PLAY RECAP
****
ubuntu-20.04 : ok=21 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0 INFO Idempotence completed successfully.]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ exit exit