```
]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ molecule create
INFO default scenario test matrix: dependency, create, prepare
INFO Performing prerun...
INFO Using .cache/roles/nunomourinho.leantime_ansible symlink to current repository in order to enable Ansible to
find the role using its expected full name.
INFO Added ANSIBLE_ROLES_PATH=~/.ansible/roles:/usr/share/ansible/roles:/etc/ansible/roles:./.cache/roles
INFO Running default > dependency
WARNING Skipping, missing the requirements file.
WARNING Skipping, missing the requirements file.
INFO Running default > create

PLAY [Create] ********************************************************************

TASK [Create molecule instance(s)] ********************************************************
changed: [localhost] => (item=ubuntu-20.04)

TASK [Populate instance config dict] ********************************************************
ok: [localhost] => (item={'changed': True, 'log': '/home/admlocal/.cache/molecule/leantime_ansible/default/vagrant-
ubuntu-20.04.out', 'Host': 'ubuntu-20.04', 'HostName': '127.0.0.1', 'User': 'vagrant', 'Port': '2222', 'UserKnownHostsFile':
'/dev/null', 'StrictHostKeyChecking': 'no', 'PasswordAuthentication': 'no', 'IdentityFile':
'/home/admlocal/.cache/molecule/leantime_ansible/default/.vagrant/machines/ubuntu-20.04/virtualbox/private_key',
'IdentitiesOnly': 'yes', 'LogLevel': 'FATAL', 'invocation': {'module_args': {'instance_name': 'ubuntu-20.04',
'instance_interfaces': [{'auto_config': True, 'network_name': 'private_network', 'type': 'dhcp'}],
'instance_raw_config_args': ["vm.network 'forwarded_port', guest: 80, host: 8080"], 'platform_box': 'ubuntu/focal64',
'provider_memory': 2048, 'provider_cpus': 2, 'state': 'up', 'config_options': {}, 'provider_name': 'virtualbox',
'provider_options': {}, 'provision': False, 'force_stop': False, 'platform_box_version': None, 'platform_box_url': None,
'provider_override_args': None, 'provider_raw_config_args': None, 'workdir': None}}, 'failed': False, 'item': {'box':
'ubuntu/focal64', 'cpus': 2, 'instance_raw_config_args': ["vm.network 'forwarded_port', guest: 80, host: 8080"],
'interfaces': [{'auto_config': True, 'network_name': 'private_network', 'type': 'dhcp'}], 'memory': 2048, 'name': 'ubuntu-
20.04'}, 'ansible_loop_var': 'item'})

TASK [Convert instance config dict to a list] ********************************************************
ok: [localhost]

TASK [Dump instance config] ********************************************************
changed: [localhost]

PLAY RECAP ********************************************************************
localhost : ok=4 changed=2 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0

INFO Running default > prepare

PLAY [Prepare] ********************************************************************

TASK [Bootstrap python for Ansible] ********************************************************
ok: [ubuntu-20.04]

PLAY RECAP ********************************************************************
ubuntu-20.04 : ok=1 changed=0 unreachable=0 failed=0 skipped=0 rescued=0 ignored=0

]0;admlocal@devOps: ~/leantime_ansibleadmlocal@devOps:~/leantime_ansible$ exit
```