PXS for T2D on	set - 0.57	0.32	-0.31	0.15	0.12	0.055	
Alcohol into	ake - 0.26	0.20	-0.29	0.053	0.080		
Walking pa	ace0.55	-0.22	0.23	-0.14	-0.084		
Daytime N	aps - 0.14	0.15	-0.14	0.039	0.046		
Diet var	iety - 0.37	0.14	-0.14	0.063	0.074		
White bre		0.15	-0.13	0.099	0.068		
Current smo		0.15	-0.10		0.13		
Time watching	TV - 0.32	0.18	-0.16	0.15	0.063	0.052	
Previous smo	ker - 0.11						
Illness-indu dietary chai		0.28	-0.22	0.20	0.12		
Time using pho	-	0.057	-0.066	-0.061			
Rent social hous	sing - 0.31	0.18	-0.16	0.11	0.096	0.082	r _g
Never eat su	gar - 0.25	0.049		0.077			0.50 0.25
Never eat su No recent diet chai		-0.23	0.22	-0.089	-0.11		0.00
Water into	ake -						-0.25
Dried fruit into	-0.20	-0.13	0.11	-0.079	-0.058		
Moderate phys activity freque			0.049		0.042		
Tea into	-0.060						
Rent private hous	sing - 0.19	0.14	-0.12		0.099		
Stair climb freque		-0.11	0.14		-0.051		
Poultry into	ake - 0.30	0.18	-0.16	0.13	0.075		
Bread into	ake0.20						
Vigorous phys activity freque		-0.054	0.082				
Sleep dura	-0.090				-0.053	-0.056	
Brown bro							
No disab		-0.18	0.18	-0.12	-0.088		
BMI Triglycerides HDL Systolic BP Clinical Risk Factor (CRF)					HbA1c	Glucose	-