Relatives' similarity in test score performance is explained by a wide range of genetic and environmental parameters

Nuno R. G. Carvalho[1,2] and Alexander "Sasha" Gusev[1,2]
[1]Harvard Medical School [2]Dana-Farber Cancer Institute

Based on: Eftedal NH, Eilertsen EM, Sunde HF, Kleppestø TH, Ystrom E, Czajkowski NO (2025). Beyond additive genetic effects: Explaining family resemblance in school performance across millions of pairs of Norwegian relatives. *PNAS* 122(25):e2419627122.

@nunorgcarvalho
nuno_ramosgrangeiacarvalho@g.harvard.edu

Supplementary Material

Background

Relatives have similar test scores due to shared genetics and shared environments

[Eftedal et al. 2025, *PNAS*] fit the **Additive model** to school test scores of ∼1M Norwegian children

- identified the relative type of each pair of relatives
- fit the observed correlations by relative type as a function of the Additive model's parameters



relatives	n	f	correlation implied by Additive model
full siblings	1	0	$V_A\,(1+m)/2$
half-siblings	2	0.5	$V_A\,(1+2m+rm)/4$
step-siblings	1+1	1	$V_A\,m\,((1+r)/2)^2$
adoptive siblings	–	0	0
1st cousins	3	1	$V_A\,((1+m)/2)^3$
co-cousins	2+2	2	$V_A\,m\,((1+m)/2)^4$

Two types of fits

	Marginal Pair	Marginal Type
unit	each **pair** of relatives	each **relative type**
weights	$1/SE^2$	uniform across types
95% CI	parametric bootstrap	leave-one-type-out jackknife
use	within-model comparisons	**across-model comparisons**

Problems in Eftedal et al.'s estimator

- Only optimized for Marginal Pair, not Marginal Type
- Log-transformed correlations: over-weights distant relatives
- Incorrect inverse-variance weights: over-weight distant relatives
- Incorrect expected correlation for step-siblings
- Phenotypic (r) and genetic (m) correlations between mates estimated independently, although the model implies $m = V_A\,r$

Revising Eftedal et al.'s results

Additive model: Eftedal et al. vs. revised

The Revised estimator fixes errors in Eftedal et al.'s estimator and is optimized for the Marginal Type.



Colored bars denote each model's predicted correlation for each relative type. Actual observed correlations shown in black. Eftedal et al.'s estimator optimizes for the Marginal Pair, while the Revised estimator optimizes for the Marginal Type.

Inset: parameter estimates compared between training cohorts, as done in Eftedal et al.: biological relatives only vs. all relative types. Both types of CIs are shown.

Models with GxG and shared environment

Gene–gene interactions (GxG)

Pairwise genetic interactions, not affected by assortative mating (AM).

$$\rho_k = \cdots + V_{\mathrm{GxG}}\left(\frac{1}{4}\right)^{n_k}$$

Shared environment (C)

Environment shared across the extended family, decaying at a rate of c with respect to family degree f:

$$\rho_k = \cdots + V_C\,c^{f_k}$$

Can be decomposed into within-sibling ($V_C(1-c)$) vs. beyond-sibling ($V_C\,c$) shared environment.

Variance components



A → B indicates two-step estimation, fixing A first. Marginal Type point estimates and 95% CIs. Color is faded if component variance is not significantly greater than 0. Black indicates sum of variance components. A+GxG+C is bolded and used as the example in the adjacent figure.

Example: A+GxG+C



Predicted correlation of each relative type, decomposed by component. Marginal Type fit. Inset: parameter estimates; both types of CIs are shown.

Key

symbol	meaning
Additive model	
n	genetic degree
V_A	additive genetic variance
V_A^0	additive variance under random mating, $V_A(1-m)$
m	mates' genetic correlation
r	mates' phenotypic correlation
Gene–gene interactions	
V_{GxG}	GxG variance
Shared environment	
V_C	shared-environment variance
f	family degree
c	decay per family degree

Takeaways

- Revising Eftedal et al.'s estimator for the Additive model yields **high** V_A estimates that explain different relative types better
- Additive, GxG and shared-environment components are **collinear**: weak evidence for significant components beyond the Additive model
- No single model fully explains correlations across all relative types