# PROJECT

# **Terminating Providers**

DRAFT 1

Version 1.0

September 18, 2014

# Version History

Date	Version #	Description	Author
09/18/2014	1.0a	Final Version	Vincent Taylor

### TABLE OF CONTENTS

1	INTRODUCTION	.4
	1.1 OBJECTIVES	4 4 4
2	EXECUTION	4
	2.1 SAS server files	4
3	ENVIRONMENT	
	3.1 HARDWARE	. 4 . 4
4	RELEASE CRITERIA	.4
5	Source Code	.5
6	Process	0
7	APPENDIX21	1

#### 1 Introduction

This work request was initiated by DecisionSuppport

#### 1.1 Objectives

- Further automate the terminating provider process handled by Enrollment Services
- To shorten the time it takes DecisionSupport to complete Terminating Provider request

#### 1.2 System Description

System/Application Name	Decision Support
Director	Bev
Requestor	Vincent Taylor

#### 1.3 Scope

Inserted macro functionality to convert the execution of the programs used in the Terminating Provider process so that multiple providers can be processed at a time..

1.4 Issues

None foreseen at this time.

1.5 Dependencies

N/A.

- 2 Execution
- 2.1 SAS Serve File
  - 3 Environment
- 3.1 Hardware

N/A

3.2 Servers and Folders

affsanfe01 affsass00p01

3.3 Special Test Needs

N/A

#### 4 Release Criteria

- System testing, independent testing and user acceptance testing must be carried out successfully
- Testing of all requirement enhancements, if any in the current release, must be completed

#### 5 SAS Source Code

Mental Health	Modifications completed
Provider Rev7 Sep17	_
Non Mental Health	Modifications completed
Rev9 Sep16	_
PCP Term Ver7	Modifications complete
SEP16	

### Mental Health Provider Rev7 SEP17 \*\*\*\*\*\* \* Timer Start \* \*\*\*\*\*\* data null ; time = time();call symput('Start', time); run: ods listing; \*\*\* WRITE TO TERMNATING PROVIDER FOLDER \*\*\*; %let driveserv = \\affsass00p01; %let driveI = \\affsanfe01\AFF Departments\Departments; %let drivey = \\affsanfe01\Share Team; %let SAS PGM LOC PROD= &driveserv\sasdata\RoutineReports\Monthly; filename m "&DRIVEI\DecisionSupport\HEDIS 2013\SAS Programs\Macros"; options source2 symbolgen mautosource mprint sasautos=(M) mlogic mrecall; \* Sets up the macro library; libname PERMSAS clear; libname PERMSAS "&driveI\DecisionSupport\RoutineReports\On Demand\ Terminating Provider Lists\permsas"; libname prodsas "&SAS PGM LOC PROD\Membership\Membership Redesign\DataLibrary"; \*\*\* READ FROM FILE WITH MOST RECENT MEMBER AND SUBSCRIBER ADDRESS \*\*\*; Libname SUMMARY clear; libname SUMMARY "&driveI\DecisionSupport\RoutineReports\Monthly\ Membership\current mbrs"; \*\*\* READ FROM THE DATA WAREHOUSE \*\*\*; libname star clear; /\*libname STAR "C:\SAS Warehouse\Star";\*/ libname star '\\affsass00p01\sasdata\SAS Warehouse\Star'; \*\*\*\*\*\*\*\*\*\*\*\* Parameters & Constants \* \*\*\* ENTER BEGIN / END DATES OF SERVICE TO REFLECT 12 MONTH TIME-FRAME \*\*\*; \*\*\*\*\*\* verify and change these before each run of program \*\*\*\*\*\*\*; \* ods listing; options symbolgen; /\* 092014 \*/ %macro fdate;

%global FDATE1 TERM DATE MM PREV YEAR CUR YEAR CUR CC;

```
data null;
        %let dd1 = 31DEC;
        %let dd2 = 31JAN;
        %let dd3 = 28FEB;
        %let dd4 = 31MAR;
        %let dd5 = 30APR;
        %let dd6 = 31MAY;
        %let dd7 = 30JUN;
        %let dd8 = 31JUL;
        %let dd9 = 31AUG;
       let dd10 = 30SEP;
       %let dd11 = 310CT;
       let dd12 = 29NOV;
       %let diff = 1;
       %let operator=-;
       %let FDATE = %sysfunc(today(),date7.);
       %let FDATE1 = %sysfunc(today(), date9.);
       %let CUR YEAR = %substr(&FDATE1,6,4);
       %LET CUR CC = %substr(&FDATE1,6,2);
       %let CUR YEAR1 = %substr(&FDATE, 6, 2);
        %let MM = %substr(&fdate, 3, 3);
        %let PREV YEAR = %eval(&CUR YEAR1 &operator &diff);
        %if &MM = JAN %then %let TERM DATE = %sysfunc(catt(&dd1,&PREV YEAR));
%ELSE
        %if &MM = FEB %then %let TERM DATE = %sysfunc(catt(&dd2,&CUR YEAR));
%ELSE
       %if &MM = MAR %then %let TERM DATE = %sysfunc(catt(&dd3,&CUR YEAR));
%ELSE
       %if &MM = APR %then %let TERM DATE = %sysfunc(catt(&dd4,&CUR YEAR));
%ELSE
       %if &MM = MAY %then %let TERM DATE = %sysfunc(catt(&dd5, &CUR YEAR));
%ELSE
       %if &MM = JUN %then %let TERM DATE = %sysfunc(catt(&dd6, &CUR YEAR));
%ELSE
       %if &MM = JUL %then %let TERM DATE = %sysfunc(catt(&dd7,&CUR YEAR));
%ELSE
       %if &MM = AUG %then %let TERM DATE = %sysfunc(catt(&dd8,&CUR YEAR));
%ELSE
       %if &MM = SEP %then %let TERM DATE = %sysfunc(catt(&dd9,&CUR YEAR));
%ELSE
      %if &MM = OCT %then %let TERM DATE = %sysfunc(catt(&dd10, &CUR YEAR));
%ELSE
      %if &MM = NOV %then %let TERM DATE = %sysfunc(catt(&dd11, &CUR YEAR));
%ELSE
       %if &MM = DEC %then %let TERM DATE = %sysfunc(catt(&dd12,&CUR YEAR));
     run;
     %mend fdate;
     %fdate;
```

%put &FDATE1 &TERM DATE &MM &PREV YEAR &CUR YEAR &CUR CC;

\*\*\* ADVANCE EACH BY ONE MONTHDATE RANGE \*\*\*; %let BEGDAT=01&MM&CUR CC&PREV YEAR; /\* 092014 \*/ let ENDDAT=&TERM DATE; /\* 09\(\frac{2}{2}\)014 \*/ %put &BEGDAT &ENDDAT; /\*\*\* LIMIT TO LINE OF BUSINESS \*\*\*/ %let LOB='HMO' 'COM' 'MED' 'POS' 'OPT' 'SF HMO' 'SF\_POS' 'SF\_OPT' 'IFP\_HMO' 'IFP POS' 'IFP HMO ACA'; \*----\*; \* Read Physican File 092014 \*; \*----\*; proc import out=term out datafile="&driveI.\DecisionSupport\vtaylor\SAS\ImportFiles\term.xls" dbms=excel replace; range='SHEET1\$A1:C50'; getnames=YES; mixed=yes; scantext=yes; usedate=yes; run; /\* 092014 \*/ %let namelist =; /\* Variable list housing names of physicans \*/ %let idlist =; /\* Varialbe list housing provider id of physicans \*/ /\* 092014 \*/ /\* Create list of phyiscan names and provider ids \*/ DATA term; set term out; if code ^= 'MH' then delete; call symput('namelist',trim(resolve('&namelist'))||' '||trim(Last Name)); call symput('idlist', trim(resolve('&idlist'))||' '||trim(Provider Id)); run; %put &namelist &idlist; /\* 092014 \*/ %global namelist idlist; /\* 092014 \*/ /\* Determine number of physicans to process. Its assume each will have provider /\* provide; therefore list counts should match \* / \*options symbolgen; **%macro** wordcount(list); /\* 092014 \*/ /\* Count the number of words &list \*/ %global count; %let count = 0; %do %while(%qscan(&list,&count+1,%str()) ne %str());

```
%let count = %eval(&count+1);
 %end;
 %put &count;
%mend wordcount;
%wordcount(&namelist);
%macro process(var); /* 092014 */
%global rptpath;
%let i = %eval(&var);
%put &i;
/*** ENTER PROVIDER ID OF TERMED PROVIDER ***/
\text{*let TERMPROV} = \text{*scan(&idlist,&i); } / \text{* 092014 */ } / \text{* there may be several IDs}
(CSC and QNXT) */
%let pname = %scan(&namelist,&i); /* 092014 */
%let pdate = &FDATE1;
                                   /* 092014 */
%let termprovname= &pname &termprov; /* this is what goes on the printer report
/*** and give the ACCESS FILES appropriate names (limited to 27 characters)
***/
                            &pname >=13 &pdate; /* for mbrs without State of
%let prvname gt13
                   =
WI or Medicare >=13*/
%let prvname lt13
                    =
                            &pname <13 &pdate; /* for mbrs without State of
WI or Medicare <13 */
%let prvname WI gt13 = &pname WI >=13 &pdate; /* for State of Wisconsin
                     */
group only >=13
%let prvname WI lt13 =
                        &pname WI <13 &pdate; /* for State of Wisconsin
                      * /
group only <13
%let prvname AHS gt13 = &pname AHS >=13 &pdate; /* for AHS group only >=13
%let prvname AHS lt13 = &pname AHS <13 &pdate; /* for AHS group only <13</pre>
%let prvname MED gt13 = &pname MED >=13 &pdate; /* for Medicare members only
>=13 */
%let prvname MED lt13 = &pname MED <13 &pdate; /* for Medicare members only</pre>
<13 */
data null;
call symput("rptpath", "NHP Provider Terms\Continuity of
Care Specialist\2014 Mental Health");
run;
%put &rptpath;
% CheckDirectory (&drivey \&rptpath \&termprovname);
/***** Read in Claims for timeframe & Selected Provider ********/
proc sql;
     create table PERMSAS.CLAIMS 1 as
           select distinct
```

```
e.claim prov id as c provid,
              e.claim prov first as cdocfrst,
              e.claim prov last as cdoclast,
                  o.member id
       from
              star.claim provider dim
              star.date of service dim
                                         g,
                   star.product dim
                                              1,
              star.member dim
                                          Ο,
              star.claim detail fact
       where "&BEGDAT"d <= g.beg date <= "&ENDDAT"d and
                   e.claim prov id in ("&TERMPROV")
                                                               and
                   1.lob code in (&LOB)
                                                               and
                   e.claim_prov_key = q.claim_prov_key and
key = q.beg_key and
              quit;
/*** REMOVE ANY DUPLICATE ROWS ***/
    by member id;
    run;
/** force member id to be c mbr ID (member ID is already used in the
current mbrs file ***/
    data permsas.claims 2 (drop = member id);
set permsas.claims 1;
c mbr id = member id ;
run;
/***** Get Member Information (Unique) for Select Provider *******/
proc sql;
    create table mbr sub match 1 as
         select distinct
                a.c_mbr_id,
              a.cdoclast,
              a.cdocfrst,
              a.c provid,
                   c.Subscriber id as s mbr id,
              as s_last,
              c.sub last name
              c.sub_mid_initial
                                      as s_MI,
as s_addr1,
as s_addr2,
as s_city,
as s_state,
              c.sub addr1
              c.sub addr2
              c.sub_city
c.sub_state
c.sub_zip
                   _zip as s_zip, c.prod_lob_code as lob_code,
                   c.group association name as group id,
                   b.family id
                                       as m fam id,
              b.member_id as m mbr_id,
                                   9
```

```
b.birthdate
                            as m dob,
                b.first name as m first,
               b.last name as m last,
               b.middle initial as m MI,
               b.address1 as m_addr1,
b.address2 as m_addr2,
               b.city
                                as m city,
               b.state
                                    as m state,
               b.zip code as m zip,
                     (today() - b.birthdate) /365.25 as mbr age,
                    1 as count
          from permsas.claims 2
               PRODSAS.BI MBRS CURRENT LIST
                                               b,
               PRODSAS.BI SUBS CURRENT LIST
               a.c mbr id = b.member id
      where
                                                   and
               b.family id= c.sub family id;
quit;
/***** Eliminate Duplicates *****************/
/*** the intent is that only one letter goes to one household ***/
proc sort data = mbr sub match 1 out = mbr sub match 2 nodupkey;
by m mbr id;
run;
/***** Print Report 1a **********************/
/*** THIS PROC REPORT IS FOR -STATE OF WISCONSIN- GROUPS ONLY ***/
      - MEMBERS 13 YEARS OR MORE AT TIME OF REPORT ***/
/*** once this is 'printed' to the output viewer
/*** it can then be printed onto paper and given to Group Admin ***/
options PS=50 LS=160 nodate nobyline pageno=1;
title1 "Active NHP Members who have Recieved Services";
title2 "from Specialists who are Terming";
title3 "*** &termprovname ***";
title4 "*** Subscriber Level ***";
title5 "* STATE OF WISCONSIN GROUPS ONLY *";
title6 "* INCLUDING Members 13 years or more old (at time of this report) *";
title7 "Service Dates: &BEGDAT - &ENDDAT";
title8 "Run Date: &SYSDATE9.";
footnote1;
proc report data=mbr sub match 2
                     (WHERE=(group id IN:('STATE OF WISCONSIN') and
                    MBR AGE >= 13))
                    nowindows center headskip missing spacing=3 split='*';
by cdoclast;
column m mbr id m last m first m MI m addr1 m city m state m zip count;
```

```
define m mbr id /group 'Member ID' '--' width= 15;
define m first /group 'First*Name' '--' width= 15 flow;
define m_first /group 'First*Name' '--' width= 15 flow;

define m_last /group 'Last*Name' '--' width= 20 flow;

define m_MI /group 'MI' '--' width= 4;

define m_addr1 /group 'Address1' '--' width= 30 flow;

*define m_addr2 /group 'Address2' '--' width= 15 flow;

define m_city /group 'City' '--' width= 20;

define m_state /group 'State' '--' width= 5;

define m_zip /group 'Zip' '--' width= 5;

define count /sum 'Mbr*Cnt' '--' width= 8 format=comma8.0;
rbreak after / summarize dol dul;
quit;
title; footnote;
/***** Print Report 1b *******************************/
/*** THIS PROC REPORT IS FOR -STATE OF WISCONSIN- GROUPS ONLY
/*** AND MEMBERS LESS THAN 13 YEARS OLD (at the time of the report ***/
/*** once this is 'printed' to the output viewer
                                                                                           ***/
/*** it can then be printed onto paper and given to Group Admin
options PS=50 LS=160 nodate nobyline pageno=1;
title1 "Active NHP Members who have Recieved Services";
title2 "from Specialists who are Terming";
title3 "*** &termprovname ***";
title4 "*** Subscriber Level ***";
title5 "* STATE OF WISCONSIN GROUPS ONLY *";
title6 "* INCLUDING Members LESS THAN 13 years old (at time of this report) *";
title7 "Service Dates: &BEGDAT - &ENDDAT";
title8 "Run Date: &SYSDATE9.";
footnote1;
proc report data=mbr sub match 2
                              (WHERE=(group id IN:('STATE OF WISCONSIN') and
                             MBR AGE < 13))
                             nowindows center headskip missing spacing=3 split='*';
by cdoclast;
column m mbr id s last s first s mi
                s addr1 s city s state s zip count;
define m mbr id /group 'Member ID' '--' width=15;
define s first /group 'Sub*First Name' '--' width=15 flow;
define s_last /group 'Sub*Last Name' '--' width= 20 flow;
define s_mi /group 'Sub*MI' '--' width=4;
define s_addr1 /group 'Sub*Address1' '--' flow width=30;
define s_city /group 'Sub* City' '--' width=20;
define s_state /group 'Sub*State' '--' width=5;
define s_zip /group 'Sub*Zip' '--' width=5;
define count /sum 'Sub*Count' '--' format=comma8.0 width=8;
```

```
rbreak after / summarize dol dul;
quit;
title; footnote;
/***** Print Report 1a ********************************/
/*** THIS PROC REPORT IS FOR -AFFINITY HEALTH SYSTEM- GROUPS ONLY ***/
/***
                      - MEMBERS 13 YEARS OR MORE AT TIME OF REPORT ***/
                                                                                  ***/
/*** once this is 'printed' to the output viewer
/*** it can then be printed onto paper and given to Group Admin ***/
options PS=50 LS=160 nodate nobyline pageno=1;
title1 "Active NHP Members who have Recieved Services";
title2 "from Specialists who are Terming";
title3 "*** &termprovname ***";
title4 "*** Subscriber Level ***";
title5 "* AFFINITY HEALTH SYSTEM GROUPS ONLY *";
title6 "* INCLUDING Members 13 years or more old (at time of this report) *";
title7 "Service Dates: &BEGDAT - &ENDDAT";
title8 "Run Date: &SYSDATE9.";
footnote1;
proc report data=mbr sub match 2
                           (WHERE=(group id IN: ('AFFINITY HEALTH SYSTEM', 'AFFINITY
HEALTH SYSTEM INC', 'AFFINITY HEALTH SYSTEM INC SF', 'MINISTRY HEALTH CARE EAST
REGION SF') and
                          MBR AGE >= 13))
                          nowindows center headskip missing spacing=3 split='*';
by cdoclast;
column m mbr id m last m first m MI m addr1 m city m state m zip count;
define m_mbr_id /group 'Member ID' '--' width= 15;
define m first /group 'First*Name' '--' width= 15 flow;
define m_lirst    /group 'First*Name' '--' width= 15 flow;
define m_last    /group 'Last*Name' '--' width= 20 flow;
define m_MI     /group 'MI'     '--' width= 4;
define m_addr1    /group 'Address1' '--' width= 30 flow;
*define m_addr2 /group 'Address2' '--' width= 15 flow;
define m_city    /group 'City'     '--' width= 20;
define m_state    /group 'State'     '--' width= 5;
define m_zip    /group 'Zip'     '--' width= 5;
define count    /sum 'Mbr*Cnt'     '--' width= 8 format=comma8.0;
rbreak after / summarize dol dul;
quit;
title; footnote;
/***** Print Report 1b ***********************/
/*** THIS PROC REPORT IS FOR -AFFINITY HEALTH SYSTEM- GROUPS ONLY ***/
/*** AND MEMBERS LESS THAN 13 YEARS OLD (at the time of the report ***/
/*** once this is 'printed' to the output viewer
/*** it can then be printed onto paper and given to Group Admin
                                                                                  ***/
```

```
options PS=50 LS=160 nodate nobyline pageno=1;
title1 "Active NHP Members who have Recieved Services";
title2 "from Specialists who are Terming";
title3 "*** &termprovname ***";
title4 "*** Subscriber Level ***";
title5 "* AFFINITY HEALTH SYSTEM GROUPS ONLY *";
title6 "* INCLUDING Members LESS THAN 13 years old (at time of this report) *";
title7 "Service Dates: &BEGDAT - &ENDDAT";
title8 "Run Date: &SYSDATE9.";
footnote1;
proc report data=mbr sub match 2
                      (WHERE=(group id IN:('AFFINITY HEALTH SYSTEM', 'AFFINITY
HEALTH SYSTEM INC', 'AFFINITY HEALTH SYSTEM INC SF', 'MINISTRY HEALTH CARE EAST
REGION SF') and
                      MBR AGE < 13))
                      nowindows center headskip missing spacing=3 split='*';
by cdoclast;
column m mbr id s last s first s mi
            s addr1 s city s state s zip count;
define m mbr id /group 'Member ID' '--' width=15;
define s_first /group 'Sub*First Name' '--' width=15 flow;
define s_last /group 'Sub*Last Name' '--' width= 20 flow;
                                        '--' width=4;
define s_mi /group 'Sub*MI'
define s_addr1 /group 'Sub*Address1' '--' flow width=30;
define s_city /group 'Sub* City' '--' width=20; define s_state /group 'Sub**State' '--' width=5;
define s_zip /group 'Sub*Zip' '--' width=5;
define count /sum 'Sub*Count' '--' format=comma8.0 width=8;
rbreak after / summarize dol dul;
quit;
title; footnote;
/***************** Print Report 2A *******************/
/*** THIS PROC REPORT IS FOR
                                                                   ***/
                                                                   ***/
/*** NON-STATE OF WISCONSIN GROUPS-
/*** AND NON MEDICARE
                                                                   ***/
/*** AND MEMBERS 13 YEARS OR MORE AT TIME OF REPORT
/*** once this is 'printed' to the output viewer
                                                                   ***/
/*** it can then be printed onto paper and given to Group Admin ***/
options PS=50 LS=160 nodate nobyline pageno=1;
title1 "Active NHP Members who have Recieved Services";
title2 "from Specialists who are Terming";
title3 "*** &termprovname ***";
title4 "*** Subscriber Level ***";
title5 "* EXCLUDING STATE OF WISCONSIN AND AFFINITY HEALTH SYSTEM GROUPS *";
title6 "* EXCLUDING MEDICARE LINE OF BUSINESS *";
```

```
title7 "* INCLUDING Members 13 years or more old (at time of this report) *";
title8 "Service Dates: &BEGDAT - &ENDDAT";
title9 "Run Date: &SYSDATE9.";
footnote1;
proc report data=mbr sub match 2 (WHERE=(group id NOT IN: ('STATE OF WISCONSIN',
'AFFINITY HEALTH SYSTEM', 'AFFINITY HEALTH SYSTEM INC', 'AFFINITY HEALTH SYSTEM
INC SF', 'MINISTRY HEALTH CARE EAST REGION SF')
                                     AND LOB CODE NOT IN ('MED')
                                     AND MBR AGE >= 13))
     nowindows center headskip missing spacing=3 split='*';
by cdoclast;
column m mbr id m last m first m MI m addr1 m city m state m zip count;
define m mbr id /group 'Member ID' '--' width= 15;
define m first /group 'First*Name' '--' width= 15 flow;
define m_last /group 'Last*Name' '--' width= 20 flow;
define m_zip /group 'Zip' '--' width= 5;
define count /sum 'Mbr*Cnt' '--' width= 8 format=comma8.0;
rbreak after / summarize dol dul;
quit;
/*************** Print Report 2B **********************/
/*** THIS PROC REPORT IS FOR
                                                                   ***/
                                                                   ***/
/*** NON-STATE OF WISCONSIN GROUPS-
/*** AND NON MEDICARE
/*** AND MEMBERS LESS THAN 13 YEARS OLD (at the time of the report
                                                                   ***/
/*** once this is 'printed' to the output viewer
                                                                   ***/
                                                                   ***/
/*** it can then be printed onto paper and given to Group Admin
options PS=50 LS=160 nodate nobyline pageno=1;
title1 "Active NHP Members who have Recieved Services";
title2 "from Specialists who are Terming";
title3 "*** &termprovname ***";
title4 "*** Subscriber Level ***";
title5 "* EXCLUDING STATE OF WISCONSIN AND AFFINITY HEALTH SYSTEM GROUPS *";
title6 "* EXCLUDING MEDICARE LINE OF BUSINESS *";
title7 "* INCLUDING Members LESS THAN 13 years old (at time of this report) *";
title8 "Service Dates: &BEGDAT - &ENDDAT";
title9 "Run Date: &SYSDATE9.";
footnote1;
```

```
proc report data=mbr sub match 2 (WHERE=(group id NOT IN: ('STATE OF WISCONSIN',
'AFFINITY HEALTH SYSTEM', 'AFFINITY HEALTH SYSTEM INC', 'AFFINITY HEALTH SYSTEM
INC SF', 'MINISTRY HEALTH CARE EAST REGION SF')
                                         AND LOB CODE NOT IN ('MED')
                                         AND MBR AGE < 13))
      nowindows center headskip missing spacing=3 split='*';
by cdoclast;
column m mbr id s last s first s mi
             s addr1 s city s state s zip count;
define m mbr id /group 'Member ID' '--' width=15;
define s first /group 'Sub*First Name' '--' width=15 flow;
define s_last /group 'Sub*Last Name' '--' width= 20 flow;
                                          '--' width=4;
define s mi /group 'Sub*MI'
define s_addr1 /group 'Sub*Address1' '--' flow width=30;
define s_city /group 'Sub* City' '--' width=20;
define s_state /group 'Sub*State' '--' width=5;
define s_zip /group 'Sub*Zip' '--' width=5;
define count /sum 'Sub*Count' '--' format=comma8.0 width=8;
rbreak after / summarize dol dul;
quit;
title; footnote;
/***** Print Report 3A **********************************/
/*** THIS PROC REPORT IS FOR- MEDICARE LINE OF BUSINESS -ONLY ***/
                                                                       ***/
/*** AND MEMBERS 13 YEARS OR MORE AT TIME OF REPORT
/*** once this is 'printed' to the output viewer
                                                                      ***/
/*** it can then be printed onto paper and given to Group Admin ***/
options PS=50 LS=160 nodate nobyline pageno=1;
title1 "Active NHP Members who have Recieved Services";
title2 "from Specialists who are Terming";
title3 "*** &termprovname ***";
title4 "*** Subscriber Level ***";
title5 "* MEDICARE LINE OF BUSINESS ONLY *";
title6 "* INCLUDING Members 13 years or more old (at time of this report) *";
title7 "Service Dates: &BEGDAT - &ENDDAT";
title8 "Run Date: &SYSDATE9.";
footnote1;
proc report data=mbr sub match 2 (WHERE=(group id NOT IN:('STATE OF WISCONSIN')
                                         AND LOB CODE IN ('MED')
                                         AND MBR AGE \geq 13)
      nowindows center headskip missing spacing=3 split='*';
by cdoclast;
column m mbr id m last m first m MI m addr1 m city m state m zip count;
```

```
define m mbr id /group 'Member ID' '--' width= 15;
define m first /group 'First*Name' '--' width= 15 flow;
define m_first /group 'First*Name' '--' width= 15 flow;

define m_last /group 'Last*Name' '--' width= 20 flow;

define m_MI /group 'MI' '--' width= 4;

define m_addr1 /group 'Address1' '--' width= 30 flow;

*define m_addr2 /group 'Address2' '--' width= 15 flow;

define m_city /group 'City' '--' width= 20;

define m_state /group 'State' '--' width= 5;

define m_zip /group 'Zip' '--' width= 5;

define count /sum 'Mbr*Cnt' '--' width= 8 format=comma8.0;
rbreak after / summarize dol dul;
quit;
/***** Print Report 3B ****************************/
/*** THIS PROC REPORT IS FOR- MEDICARE LINE OF BUSINESS -ONLY
/*** AND MEMBERS LESS THAN 13 YEARS OLD (at the time of the report ***/
/*** once this is 'printed' to the output viewer
/*** it can then be printed onto paper and given to Group Admin ***/
options PS=50 LS=160 nodate nobyline pageno=1;
title1 "Active NHP Members who have Recieved Services";
title2 "from Specialists who are Terming";
title3 "*** &termprovname ***";
title4 "*** Subscriber Level ***";
title5 "* MEDICARE LINE OF BUSINESS ONLY *";
title6 "* INCLUDING Members LESS THAN 13 years old (at time of this report) *";
title7 "Service Dates: &BEGDAT - &ENDDAT";
title8 "Run Date: &SYSDATE9.";
footnote1;
proc report data=mbr sub match 2 (WHERE=(group id NOT IN:('STATE OF WISCONSIN')
                                                AND LOB CODE IN ('MED')
                                                 AND MBR AGE < 13))
       nowindows center headskip missing spacing=3 split='*';
by cdoclast;
column m mbr id s last s first s mi
               s addr1 s city s state s zip count;
define m mbr id /group 'Member ID' '--' width=15;
define s first /group 'Sub*First Name' '--' width=15 flow;
define s_last /group 'Sub*Last Name' '--' width= 20 flow;
define s_mi /group 'Sub*MI' '--' width=4;
define s addrl /group 'Sub*Address1' '--' flow width=30;
define s_city /group 'Sub* City' '--' width=20;
define s_state /group 'Sub*State' '--' width=5;
define s_zip /group 'Sub*Zip' '--' width=5;
define count /sum 'Sub*Count' '--' format=comma8.0 width=8;
rbreak after / summarize dol dul;
```

```
quit;
data docout 1 ;
set mbr sub match 2;
label
         cdoclast = Provider Last
       cdocfrst = Provider First
       c provid = Provider ID
         c mbr id = Claim Member ID
         lob code = Line of Business
         group id = Member Group ID
         m fam id = Family ID
       mbr age = Member Age
       m mbr id = Member ID
         m first = Member First
       m last = Member Last
       m MI = Member MI
       m addr1 = Member Address1
       m \ addr2 = Member \ Address2
       m city = Member City
       m state = Member State
       m zip = Member Zip
         s mbr id = Subscriber ID
         s first = Sub First Name
       s last = Sub Last Name
       s MI = Sub MI
       s addr1 = Sub Address1
       s addr2 = Sub Address2
       s city = Sub City
       s state = Sub State
       s zip = Sub Zip
         count = Count ;
    run;
/***** Eliminate Duplicates ****************/
proc sort data = docout 1
            out = docout 2 nodupkey;
by
    m mbr id ;
run;
data term_prov_STATE_of_WIGE13;
set docout 2;
if group id = 'STATE OF WISCONSIN' and
        mbr age >= 13;
run;
data term prov ahsGE13;
set docout 2;
```

```
if group id in ('AFFINITY HEALTH SYSTEM', 'AFFINITY HEALTH SYSTEM INC'
'AFFINITY HEALTH SYSTEM INC SF' 'MINISTRY HEALTH CARE EAST REGION SF') and
          mbr age >= 13;
run;
data term prov COMMERCIALGE13;
set docout 2;
where group id 'IN ('STATE OF WISCONSIN', 'AFFINITY HEALTH SYSTEM', 'AFFINITY
HEALTH SYSTEM INC' 'AFFINITY HEALTH SYSTEM INC SF' 'MINISTRY HEALTH CARE EAST
REGION SF') and
          mbr age >= 13;
data term prov STATE of WILT13;
set docout 2;
if group id = 'STATE OF WISCONSIN' and
          mbr age < 13;
data term prov ahsLT13;
set docout 2;
if group id in ('AFFINITY HEALTH SYSTEM', 'AFFINITY HEALTH SYSTEM INC'
'AFFINITY HEALTH SYSTEM INC SF' 'MINISTRY HEALTH CARE EAST REGION SF') and
          mbr age < 13;
run;
data term prov COMMERCIALLT13;
set mbr sub match 2;
where group id 'IN ('STATE OF WISCONSIN', 'AFFINITY HEALTH SYSTEM', 'AFFINITY
HEALTH SYSTEM INC' 'AFFINITY HEALTH SYSTEM INC SF' 'MINISTRY HEALTH CARE EAST
REGION SF') and
          mbr age < 13;
run;
libname comge13 excel "&drivey\&rptpath\&termprovname\&termprovname COMMERCIAL
ge 13.xls" ver=2002;
libname SOWge13 excel "&drivey\&rptpath\&termprovname\&termprovname State of WI
ge 13.xls";
libname AHSge13 excel "&drivey\&rptpath\&termprovname\&termprovname MINISTRY ge
13.xls";
libname comlt13 excel "&drivey\&rptpath\&termprovname\&termprovname COMMERCIAL
lt 13.xls" ver=2002;
libname SOWlt13 excel "&drivey\&rptpath\&termprovname\&termprovname State of WI
libname AHSlt13 excel "&drivey\&rptpath\&termprovname\&termprovname MINISTRY lt
13.xls";
data comge13.CommercialGE13;
set work.TERM PROV COMMERCIALGE13;
run;
data sowge13.WIGE13;
set work. TERM PROV State of WIGE13;
run;
data ahsge13.MINGE13;
set work. TERM PROV ahsGE13;
data comlt13.CommercialLT13;
```

```
set work. TERM PROV COMMERCIALLT13;
run;
data sowlt13.WILT13;
set work. TERM PROV State of WILT13;
data ahslt13.MINLT13;
set work.TERM PROV ahsLT13;
run;
libname comge13 clear;
libname SOWge13 clear;
libname AHSqe13 clear;
libname comlt13 clear;
libname SOWlt13 clear;
libname AHSlt13 clear;
/* clean up */
proc datasets library=work nolist;
  delete TERM_PROV_COMMERCIALGE13 TERM_PROV_State of WIGE13 TERM PROV ahsGE13
TERM PROV COMMERCIALLT13
         TERM PROV State of WILT13 TERM PROV ahsLT13;
run;
%mend process; /* Terminates program reiteration */
data null ; /* 092014 */
 cnt = symget('count');
  do j = 1 to cnt;
    call execute ('%process('||j||')');
  end;
run;
*****
* Timer End *
*******
data null;
     format Start 8.;
     Time = Time();
Start = Symget('Start');
     Duration = Time - Start ;
     put '***** Start Time = ***** Start
                                             time12.5;
     put '****** End Time = ***** Time
                                             time12.5;
     put '****** Duration = *****' Duration time12.5;
run;
```

#### **SCRIPT FOR TERM PROVIDER PANEL**

- 1. Kimberly Korb will populate the **term.xls** spreadsheet with provider's LAST\_NAME, PROVIDER\_Id and Code. Code being two characters, MH=Mental Health PC=Primary Care, SP=Specialty
- 2. Kimberly will then email the spreadsheet to vtaylor@net.com and jresch@net.com
- 3. Vincent or Jennifer will save spreadsheet at I:\DecisionSupport\vtaylor\sas\importfiles
- 4. Go to I:\DecsionSupport\RoutineReports\OnDemand\Terminating Provider Lists\Program\SAS
- 5. Open and execute program(s) Mental\_Health\_Providers Rev7 SEP17, Non-Mental Health rev9 SEP16, or PCP terms Ver7 SEP16
- 6. Go to Y:\NHP\_Provider\_Terms\Continuity of Care\_Specialist check 2014\_Specialist, 2014\_Mental\_Health folder. Print out spreadsheet using landscape style
- 7. Go to Y:\NHP\_Provider\_Terms\Continuity of Care\_PCP check 2014\_PCP folder. Print out spreadsheet using landscape style
- 8. Send Kimberly Korb a mail informing her of providers with zero data.

#### Mentalhealth term.xls (used as an example)

Last\_NameProvider\_IDPetersonP00VVVVGarstkaP00XXXXXRiedlP00ZZZZZZ

**NOTE:** If there are errors in the log; check the RPTPATH variable to see if it translated correctly, if not re-run the program from top. The macro variable RPTPATH is passed to the macro 'CheckDirectory' which is invoked from within the macro 'Process'. There are times in such situations that macro variables will not be written to the macro variable pool on the first pass.