
a Next scan curated as progressing
Logistic regression, no time
Logistic regression + time features
HTT, no time
HTT, order only
HTT, elapsed (original band)
HTT, elapsed (clinical band)
HTT-IA, interval (clinical band)
HTT, elapsed + interval
0.646
0.668
0.646
0.659
0.696
0.662
0.638
0.646
0.60 0.62 0.64 0.66 0.68 0.70 0.72
AUROC on the held-out institution
b Death within 12 months (1-year landmark)
0.868
0.866
0.856
0.852
0.856
0.858
0.848
0.849
0.82 0.84 0.86 0.88 0.90 0.92
AUROC on the held-out institution
c Paired contrasts across institutions
Order only vs no time
Elapsed (original band) vs no time
HTT-IA interval vs no time
HTT elapsed vs logistic regression + time
Time features in logistic regression
Logistic regression + time: gaps shuffled
HTT elapsed: gaps shuffled
+0.013 [+0.000, +0.027] 4/4
+0.050 [+0.036, +0.065] 4/4
-0.007 [-0.021, +0.005] 2/4
+0.028 [+0.007, +0.050] 4/4
+0.022 [+0.009, +0.035] 4/4
-0.018 [-0.029, -0.006] 0/4
-0.004 [-0.010, +0.001] 0/4
−0.02 0.00 0.02 0.04 0.06
Difference in AUROC, next-scan progression (95% CI; institutions where the first model is higher)