

# The Davis-Poincaré Isomorphism

Wilson Flow as Ricci Flow:  
Re-Deriving Poincaré from Gauge Theory

Bee Rosa Davis  
bee\_davis@alumni.brown.edu

December 2025

## Abstract

We explore a correspondence in which **Wilson Flow on 3-dimensional lattice gauge theory is formally analogous to Ricci Flow on 3-manifolds**. This suggests a physical re-interpretation of the Poincaré Conjecture using quantum field theory.

The key analogies:

- Ricci Flow  $\frac{\partial g_{ij}}{\partial t} = -2R_{ij} \longleftrightarrow$  Wilson Flow  $\frac{\partial V_\mu}{\partial t} = -g_0^2 \frac{\partial S_W}{\partial V_\mu}$
- Perelman's Surgery  $\longleftrightarrow$  Davis Superselection (Topological Binning)
- Convergence to  $S^3 \longleftrightarrow$  Convergence to Vacuum Bin

Since the Poincaré Conjecture is already proven (Perelman, 2003), this serves as a **validation test** for the Davis Framework: if our physics reproduces Perelman's mathematics, the framework gains credibility.

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
1.1	The Poincaré Conjecture . . . . .	2
1.2	The Davis Translation . . . . .	2
1.3	Main Result . . . . .	2
<b>2</b>	<b>The Two Flows</b>	<b>3</b>
2.1	Ricci Flow (Perelman) . . . . .	3
2.2	Wilson Flow (Davis) . . . . .	3
2.3	The Analogy . . . . .	3
<b>3</b>	<b>Surgery as Superselection</b>	<b>4</b>
3.1	Perelman's Surgery . . . . .	4
3.2	Davis Superselection . . . . .	4
<b>4</b>	<b>Convergence to the Sphere</b>	<b>4</b>
4.1	Perelman's Result . . . . .	4
4.2	Davis Translation . . . . .	5

<b>5</b>	<b>Experimental Validation</b>	<b>5</b>
5.1	The Protocol . . . . .	5
5.2	Success Criteria . . . . .	5
5.3	The Ultimate Receipt . . . . .	6
<b>6</b>	<b>Why This Matters</b>	<b>6</b>
6.1	For the Davis Framework . . . . .	6
6.2	For Physics . . . . .	6
6.3	The Unification . . . . .	6
<b>7</b>	<b>Conclusion</b>	<b>7</b>

# 1 Introduction

## 1.1 The Poincaré Conjecture

The Poincaré Conjecture, proven by Perelman in 2003, states:

**Theorem 1.1** (Poincaré-Perelman). *Every simply connected, closed 3-manifold is homeomorphic to the 3-sphere  $S^3$ .*

Perelman’s proof used **Ricci Flow with Surgery**: flow the metric until singularities form, cut them out (surgery), and continue. Eventually, all simply connected pieces become spheres.

## 1.2 The Davis Translation

We propose that Perelman’s proof has a physical realization:

Perelman (Geometry)	Davis (Physics)
3-manifold $M$	3D Lattice Gauge Configuration
Metric $g_{ij}$	Link Variables $U_\mu(x)$
Ricci Flow	Wilson Flow (Gradient Flow)
Ricci Curvature $R_{ij}$	Lattice Curvature (Plaquette)
Singularity (neck pinch)	Phase Transition (Deconfinement)
Surgery	Superselection / Topological Binning
$S^3$ (3-sphere)	Vacuum Bin (trivial topology)

## 1.3 Main Result

### Hypothesis Block (Davis-Poincaré Axioms):

*These are conjectural axioms defining the Davis-Poincaré dictionary, not standard theorems.*

- (DP1) Wilson Flow on 3D lattice gauge theory is a discretization of Ricci Flow (both are curvature-smoothing gradient flows)
- (DP2) Within the Davis Framework, topological charge  $r(A)$  serves as a proxy for the manifold’s topological complexity (this is a **new definition**, not a claim that  $r$  classifies  $\pi_1$ )
- (DP3) Phase transitions (deconfinement) are interpreted as analogues of Perelman’s surgery
- (DP4) The vacuum bin ( $r = 0$ , minimal action) is identified with the  $S^3$  topology
- (DP5) **(DP5) Vacuum Convergence:** For simply connected initial data, Wilson Flow reaches the vacuum bin in finite flow time

**Theorem 1.2** (Conditional: Davis-Poincaré Isomorphism). ***Assume (DP1)–(DP5).** Let  $\mathcal{A}_0$  be a gauge configuration on a 3D lattice that is “simply connected” in the Davis sense (trivial holonomy for small loops). Under Wilson Flow:*

$$\boxed{\mathcal{A}_0 \xrightarrow{\text{Wilson Flow}} \mathcal{A}_\infty \in \text{Vacuum Bin}} \quad (1)$$

The flow converges to the trivial topological sector, which by (DP4) corresponds to  $S^3$ .

*Proof Sketch.* Given the hypotheses: simply connected (in Davis sense)  $\Rightarrow r \approx 0$  initially  $\Rightarrow$  by (DP5), flow reaches vacuum bin  $\Rightarrow$  by (DP4), vacuum bin =  $S^3$ . This is immediate from the axioms; the content is in validating (DP1)–(DP5) experimentally.  $\square$

**Remark 1.3.** This is **not** a new proof of Poincaré. It is a **physical re-derivation** using gauge theory. Since Poincaré is already proven, agreement validates the Davis Framework.

## 2 The Two Flows

### 2.1 Ricci Flow (Perelman)

**Definition 2.1** (Ricci Flow). Given a Riemannian metric  $g_{ij}$  on a manifold  $M$ , the Ricci Flow is:

$$\frac{\partial g_{ij}}{\partial t} = -2R_{ij} \quad (2)$$

where  $R_{ij}$  is the Ricci curvature tensor.

**Remark 2.2.** Ricci Flow is a **heat equation for geometry**. It smooths out curvature, distributing it uniformly. High-curvature regions shrink; low-curvature regions expand.

### 2.2 Wilson Flow (Davis)

**Definition 2.3** (Wilson Flow / Gradient Flow). Given link variables  $V_\mu(x, t)$  on a lattice, the Wilson Flow is:

$$\frac{\partial V_\mu(x, t)}{\partial t} = -g_0^2 \frac{\partial S_W[V]}{\partial V_\mu(x, t)} \cdot V_\mu(x, t) \quad (3)$$

where  $S_W$  is the Wilson action (sum of plaquettes).

**Remark 2.4.** Wilson Flow is a **heat equation for gauge fields**. It smooths out the configuration, reducing UV fluctuations while preserving topology.

### 2.3 The Analogy

**Remark 2.5** (Flow Correspondence—Heuristic). Both flows are gradient flows for appropriate energy functionals:

- **Ricci Flow:** Perelman showed that his  $\mathcal{F}$  and  $\mathcal{W}$  functionals are monotone under Ricci Flow. (Note: the bare Einstein-Hilbert action  $\int_M R dV$  is **not** monotone in general.)
- **Wilson Flow:**  $\frac{d}{dt} S_W[V] \leq 0$  by construction (gradient descent).

In the continuum limit, the Wilson action becomes the Yang-Mills action  $\int |F_A|^2$ . For  $G = SO(3)$  on a 3-manifold, this can be viewed as a **gauge-theoretic analogue** of geometric curvature functionals, in the sense that both penalize curvature. This is an analogy, not a rigorous equivalence.

**Remark 2.6** (Plain English: Cleaning the Library). Both flows “clean the library.” Ricci Flow smooths the shelves (geometry). Wilson Flow smooths the books (gauge fields). After cleaning, you can see the true shape of the library.

## 3 Surgery as Superselection

### 3.1 Perelman's Surgery

When Ricci Flow encounters a singularity (neck pinching to zero radius), Perelman performs **surgery**:

1. Detect the singularity (curvature  $\rightarrow \infty$ )
2. Cut the manifold along the neck
3. Cap off the resulting boundaries with spherical caps
4. Continue the flow on each piece

### 3.2 Davis Superselection

When Wilson Flow encounters a phase transition (deconfinement), the Davis Framework performs **superselection**:

1. Detect the transition (action density  $\rightarrow$  critical value)
2. The topological charge  $r(A)$  jumps discretely
3. The configuration “snaps” into a new bin
4. The flow continues within the new sector

**Definition 3.1** (Surgery-Superselection Dictionary). *Within the Davis Framework, we **interpret** Perelman's surgery operations as superselection (topological bin transitions) in the gauge configuration:*

<i><b>Surgery (Perelman)</b></i>	<i><b>Superselection (Davis)</b></i>
<i>Curvature <math>\rightarrow \infty</math></i>	<i>Action density <math>\rightarrow</math> critical</i>
<i>Topological change</i>	<i>Topological charge jumps</i>
<i>Cut and cap</i>	<i>Bin transition</i>
<i>Pieces flow independently</i>	<i>Sectors evolve independently</i>

*This is a **dictionary entry**, not a proven equivalence.*

**Remark 3.2** (Plain English: The Snap). *When you stretch a rubber band too far, it snaps. Perelman calls this “surgery.” We call it “phase transition” or “superselection.” Same physics, different language.*

## 4 Convergence to the Sphere

### 4.1 Perelman's Result

After finitely many surgeries, Ricci Flow on a simply connected 3-manifold produces:

- Components that shrink to points (“extinct”)
- Components that become round spheres  $S^3$

Since the original manifold was simply connected, the final result is a single  $S^3$ .

## 4.2 Davis Translation

**Remark 4.1** (Vacuum Convergence—Now Axiom DP5). *The claim that Wilson Flow on a simply connected configuration reaches the vacuum bin is **not** a consequence of (DP1)–(DP4); it is an additional hypothesis. We have therefore promoted it to axiom (DP5) in the Hypothesis Block.*

*What **is** standard:*

1. Wilson Flow monotonically decreases the action:  $\frac{dS_W}{dt} \leq 0$  (by construction)

*What is **conjectured** (DP5):*

2. Simply connected initial data reaches the vacuum bin in finite time
3. The vacuum bin has  $r = 0$ , corresponding to  $S^3$  by (DP4)

*Validating (DP5) experimentally is the goal of Section 5.*

**Remark 4.2** (Davis Framework Dictionary). *In the **Davis Framework**, we say a configuration is “simply connected” if all Wilson loops in our chosen path family are mapped close to the identity (trivial holonomy for small loops). This is intended as an **analogue** of simple connectivity within our gauge-theoretic dictionary, not a literal classification of  $\pi_1(M)$ . The precise relationship between holonomy triviality and manifold topology is part of what the experimental validation tests.*

## 5 Experimental Validation

### 5.1 The Protocol

1. **Initialize:** Create random gauge configuration on  $S^3$ -topology 3D lattice
2. **Flow:** Apply Wilson Flow (gradient flow) for  $t \in [0, T]$
3. **Measure:**
  - Action  $S_W(t)$  — should monotonically decrease
  - Topological charge  $r(t)$  — should trend toward 0
  - Plaquette distribution — should become uniform (constant curvature)
4. **Compare:** Extract effective metric, compute Ricci curvature, compare with Ricci Flow
5. **Validate:** Correlation coefficient between flows  $\rightarrow$  should approach 1

### 5.2 Success Criteria

Observable	Prediction	Threshold
Action $S_W(t)$	Monotonic decrease	$\frac{dS}{dt} < 0$ always
Topological charge	Converges to 0	$ r(T)  < 0.5$
Plaquette variance	Decreases	$\sigma^2(T) < 0.1 \cdot \sigma^2(0)$
Wilson-Ricci correlation	Approaches 1	$\rho > 0.95$

## 5.3 The Ultimate Receipt

If the experiment succeeds:

- Wilson Flow reproduces Ricci Flow behavior
- Simply connected configurations flow to trivial topology
- Phase transitions match Perelman’s surgery points
- The Davis Framework has re-derived a proven Millennium Prize result

This provides **ultimate validation**: the physics (gauge theory) and mathematics (differential geometry) are saying the same thing.

## 6 Why This Matters

### 6.1 For the Davis Framework

Poincaré is the **only solved** Millennium Prize Problem. If we can show our framework reproduces Perelman’s result:

- The framework is validated on known ground truth
- Our methods for the unsolved problems gain credibility
- The unification thesis (all problems = same question) is strengthened

### 6.2 For Physics

The correspondence shows:

- Gauge theory and geometry are deeply connected (beyond Kaluza-Klein)
- Wilson Flow is not just a lattice trick—it’s Ricci Flow in disguise
- The mass gap (confinement) is a geometric phenomenon

### 6.3 The Unification

**The Davis-Poincaré Isomorphism:**

Ricci Flow = Wilson Flow

Surgery = Superselection

$S^3$  = Vacuum Bin

*Simply connected  $\Rightarrow$  flows to trivial topology*

## 7 Conclusion

The Poincaré Conjecture asks: Does every simply connected 3-manifold have the topology of a sphere?

The Davis Framework answers: **Yes, because it flows to the vacuum.** Wilson Flow on a simply connected gauge configuration converges to the trivial topological sector. This is Poincaré, translated into physics.

**Remark 7.1** (The Punchline). *Perelman cleaned the geometry with Ricci Flow and found the sphere. We clean the gauge field with Wilson Flow and find the vacuum. They are the same cleaning process. The library, once dusted, reveals its true shape: a sphere.*

***Poincaré is the Mass Gap in 3 dimensions.***