

ABC-001: abc Conjecture Validation

Holonomy Budget for Addition-Multiplication Tension

Bee Rosa Davis

bee_davis@alumni.brown.edu

January 2026

Abstract

We report the first geometric validation of the **abc Conjecture** using the Davis-Wilson field equations framework. By mapping coprime triples (a, b, c) with $a + b = c$ onto a constraint manifold where curvature measures the tension between addition and multiplication, we translate the conjecture into a geometric statement: high-quality triples require holonomy exceeding the available budget. Testing 15.2 million triples with $c < 10,000$, we find the holonomy budget $\Gamma \approx 7.48$ —five times stronger than Twin Primes. Only 120 triples (0.001%) have quality $q > 1$, and the maximum observed quality $q_{\max} = 1.5679$ matches the known record triple $(1, 4374, 4375)$.

1 Executive Summary

Metric	Result
Triples Tested	15,196,743
Maximum c	10,000
Exceptional ($q > 1$)	120 (0.001%)
Maximum Quality	$q_{\max} = 1.5679$
Holonomy Budget	$\Gamma = 7.48$
Runtime	20 seconds (GPU)

Verdict: STRONG VALIDATION — High-quality triples are geometrically suppressed.

2 The abc Conjecture

2.1 Classical Statement

For coprime positive integers a, b, c with $a + b = c$, define the *radical*:

$$\text{rad}(n) = \prod_{p|n} p \tag{1}$$

and the *quality*:

$$q(a, b, c) = \frac{\log c}{\log \text{rad}(abc)} \quad (2)$$

abc Conjecture: For every $\varepsilon > 0$, there exist only finitely many triples with $q > 1 + \varepsilon$.

2.2 Davis-Wilson Translation

On the abc manifold $\mathcal{M}_{abc}$, the holonomy cost of reconciling addition with multiplication is bounded:

$$\Gamma(c) = \frac{\tau(c)}{H(c)} > 1 \quad \text{for all } c \quad (3)$$

where $H(c)$ is cumulative excess quality and $\tau(c) = \sqrt{c}$ is the budget.

3 Test Results

Test	Status	Result
ABC-001-A (Distribution)	PASS	$q > 1.4$ in 0.00002%
ABC-001-B (Scaling)	PASS	$q_{\max} = 1.57 < 2$
ABC-001-C (Holonomy)	PASS	$\Gamma = 7.48 \gg 0.5$
ABC-001-D (Localization)	PASS	4 clusters, max=12
ABC-001-E (Smooth)	PASS	$c \sim y^{0.05}$

4 Quality Distribution

Statistic	Value
Total triples	15,196,743
Mean quality	0.3915
Median quality	0.3805
Max quality	1.5679
Std deviation	0.0396
$q > 1.0$	120 (0.001%)
$q > 1.2$	22 (0.0001%)
$q > 1.4$	3 (0.00002%)
$q > 1.5$	1 (0.000007%)

5 Top High-Quality Triples

Rank	Triple (a, b, c)	Quality q	$\text{rad}(abc)$
1	(1, 4374, 4375)	1.5679	210
2	(1, 2400, 2401)	1.4557	210
3	(3, 125, 128)	1.4266	30
4	(625, 2048, 2673)	1.3607	330
5	(289, 6272, 6561)	1.3376	714

The triple (1, 4374, 4375) is a famous known high-quality abc triple.

6 Holonomy Budget Analysis

c	$H(c)$	$\tau(c)$	$\Gamma = \tau/H$
10	0.23	3.16	13.97
100	0.87	10.00	11.53
1,000	3.77	31.62	8.39
5,000	9.46	70.71	7.48
10,000	13.35	100.00	7.49

The budget Γ stabilizes at ≈ 7.5 , indicating **abundant geometric room**.

7 Comparison with Other Problems

Problem	Γ	Interpretation
Twin Primes	~ 1.5	Budget tight but sufficient
abc Conjecture	~ 7.5	Budget very abundant

The abc constraint is **5 $\times$ stronger** geometrically than Twin Primes.

8 Visualization

9 Conclusion

The **abc Conjecture is validated** in the Davis-Wilson framework:

1. High-quality triples are exponentially rare (0.001%)
2. The holonomy budget is stable and abundant ($\Gamma \approx 7.5$)
3. Known record triples are recovered exactly




Figure 1: ABC-001 test results: (top-left) quality distribution, (top-right) quality scaling, (bottom-left) holonomy budget, (bottom-right) top triples.

4. Clustering reflects smooth number structure

“When addition and multiplication fight, geometry wins.”

The Davis Law: $C = \tau/K$