



PRODUCT REQUIREMENTS DOCUMENT

Nullfeed

A privacy-first browser extension that removes algorithmic short-form distractions while preserving the useful parts of YouTube, Facebook, and Instagram.

VERSION	STATUS	PRIMARY PLATFORM
1.0	Build-ready	Chrome / Chromium

Executive Summary

Nullfeed is a lightweight browser extension that hides high-distraction surfaces on YouTube, Facebook, and Instagram. It does not block the platforms. It removes selected feed modules and routes so users can retain intentional utility such as search, subscriptions, messaging, groups, profiles, and long-form video.

One-line promise

Keep the platforms you need. Remove the feeds that pull you in.

Product Thesis

Most distraction blockers are either too broad or visually dated. Nullfeed wins through selective control, immediate clarity, stable site-specific filtering, restrained permissions, and a polished popup that never becomes another productivity dashboard.

Dimension	Decision
Product type	Manifest V3 browser extension; no web app and no backend.
Primary user	Knowledge workers, designers, students, developers, and anyone who wants intentional access to social platforms.
Core behavior	Hide or redirect selected Shorts, Reels, Stories, Videos, and Explore surfaces.
Business model	Free v1. No account, subscription, payment, upsell, or advertising.
Data posture	Local execution. Store only settings. No browsing history, analytics, telemetry, cookies, or remote processing.
Primary success	The chosen content stays absent across initial load, infinite scroll, and in-app navigation.

Goals

- Let a first-time user understand and configure the extension in under 30 seconds.
- Apply setting changes instantly without requiring a full page reload whenever technically feasible.
- Prevent hidden modules from flashing during normal page load.
- Remain fast, transparent, and resilient as supported websites change their DOM.
- Ship a focused v1 that Antigravity can build and test without ambiguous product decisions.

Non-goals

- Blocking entire websites, setting schedules, timers, streaks, points, focus sessions, or usage reports.
- Mobile apps, account sync outside browser-native storage, cloud backup, communities, AI features, or parental controls.
- Removing ads, changing recommendation algorithms, downloading media, or modifying private messages.

Functional Scope

Nullfeed exposes only controls that map to an implemented filter. The exact v1 behavior is defined below.

ID	Platform	Control	Required behavior	Default
YT-01	YouTube	Shorts	Hide Shorts shelves/cards in Home, Search, Subscriptions, channel pages, and related recommendations.	On
YT-02	YouTube	Shorts navigation	Hide Shorts entries in desktop side navigation and compact navigation.	On
YT-03	YouTube	Shorts routes	Redirect /shorts and /shorts/{id} to the YouTube home page.	On
FB-01	Facebook	Reels	Hide Reels trays, cards, feed units, and Reels navigation entry.	On
FB-02	Facebook	Stories	Hide Stories tray and story entry points in the home feed.	On
FB-03	Facebook	Videos	Hide video feed units and Watch/Video navigation entry; redirect dedicated video routes.	Off
IG-01	Instagram	Reels	Hide Reel posts, Reels navigation, Reels trays, and redirect /reels routes.	On
IG-02	Instagram	Stories	Hide Stories tray and story launch entry points.	On
IG-03	Instagram	Explore	Hide Explore navigation and redirect /explore routes to home.	On

Global controls

ID	Requirement	Acceptance criteria
GL-01	Master Protection switch	Off restores all supported content without deleting granular preferences. Turning it on reapplies the saved preferences.
GL-02	Persistent settings	Preferences survive browser restart and sync between signed-in Chrome profiles when browser sync is enabled.
GL-03	Live updates	A changed toggle updates every open supported tab within 500 ms after storage propagation.
GL-04	Protected status	Popup header clearly displays Protected or Paused based on the master state.
GL-05	LinkedIn link	Footer opens the owner's LinkedIn profile in a new tab using a fixed HTTPS URL.
GL-06	Fail-open behavior	If a selector or adapter fails, the host site remains usable; Nullfeed logs only to local developer console in development builds.

Routing policy

When a blocked route is opened directly, Nullfeed should use `location.replace()` to move to the platform home page, avoiding a Back-button loop. Route handling must run on initial load and on single-page-app navigation events. Redirects are controlled by the relevant route toggle and never occur when master protection is paused.

Name, Positioning and Identity

Nullfeed combines “null” (remove, neutralize, zero out) with “feed” (the algorithmic stream). It is abstract enough to be ownable while clearly implying the product outcome.

Element	Specification
Name	Nullfeed
Descriptor	Distraction filter for social feeds
Tagline	Keep the platform. Null the feed.
Store subtitle	Hide Shorts, Reels, Stories, Videos, and Explore.
Voice	Calm, precise, direct, non-judgmental. Never use guilt, addiction claims, or exaggerated productivity promises.
Brand attributes	Quiet control, trustworthy, lightweight, modern, intentional.

Logo direction

Use a simple circular “null” mark interrupted by one clean diagonal opening, suggesting a feed being switched off without using a prohibited/slash cliché too literally. The mark must remain legible at 16 px. Avoid platform logos, play buttons, brains, clocks, shields, lightning, and dopamine imagery.


Token	Value	Usage
Ink	#141719	Primary text and dark surfaces
Muted	#646B70	Secondary text
Canvas	#FFFFFF	Popup background
Soft	#F4F6F5	Grouped controls and selected neutral surfaces
Focus Green	#16A36A	On states, protection status, active accents
Deep Green	#0E6C49	Accessible accent text and hover states
Mint	#DDF6EB	Selected tabs and lightweight callouts
Border	#DDE2DF	Dividers and control boundaries
Danger	#D94B4B	Reserved for errors only, never for paused state

Typography and geometry

- UI font: Inter, system-ui, -apple-system, BlinkMacSystemFont, Segoe UI, sans-serif. Bundle no remote fonts.
- Popup title 18/24 px, status 11/16 px, row label 14/20 px, supporting text 12/16 px.
- 4 px base spacing system. Popup outer padding 16 px. Section gaps 12 px. Row height 48 px minimum.
- Corner radius: 8 px for grouped surfaces, 999 px for toggles/status pills. Avoid oversized cards and nested cards.
- Icons: Lucide, stroked at 1.75 px, bundled locally. Platform tabs may use text labels; do not copy third-party brand marks into the core identity.

Popup UX Specification

The popup is the entire product interface. No onboarding carousel and no separate options page are required for v1. On first open, all recommended filters are already active; the UI communicates this state without interruption.



Area	Specification
Viewport	360 px wide; content-height responsive, target 440-520 px. Never require horizontal scrolling.
Header	Nullfeed mark + name on left. Text status on right: Protected in green or Paused in muted gray.
Protection block	Master switch, short status sentence, no alarm language.
Tabs	YouTube, Facebook, Instagram. Remember last selected tab locally.
Toggle rows	One label and one native-feeling switch. Entire row is clickable. No descriptions unless a label would be ambiguous.
Footer	Made by Nur Farhad + LinkedIn external-link action. No donation, review, share, version, or settings links.
Theme	Follow browser/OS color scheme. v1 may ship light-only if dark mode would delay reliability; no visible theme control.

Interaction rules

- Toggles save optimistically and expose a visible state change within 100 ms.
- Keyboard order: master switch, tabs left-to-right, current platform toggles top-to-bottom, LinkedIn.
- Arrow keys may move between tabs; Enter/Space activates tab and switches.
- Do not show toast messages for successful toggles. State itself is confirmation.
- On storage failure, revert the toggle and show one compact inline error: "Could not save. Try again."
- When protection is paused, granular switches remain visible but disabled at 55% opacity so saved preferences are understandable.

Core User Flows

Flow	Steps	Outcome
Install	Install extension → defaults are created → matching content scripts read settings → distracting modules disappear.	Immediate value without onboarding.
Change one filter	Open popup → choose platform tab → toggle setting → storage updates → open tabs receive change → DOM is re-evaluated.	Content appears/disappears without manual reload where possible.
Pause protection	Open popup → disable Protection → all Nullfeed-added attributes/styles are removed → blocked-route redirects stop.	Sites return to native behavior while choices remain saved.
Resume protection	Enable Protection → saved platform preferences are reapplied → current route is checked.	Previous personalized filtering returns.
Direct blocked URL	Open blocked URL → adapter recognizes route → replace with platform home.	No blocked short-form viewer is displayed.
Website markup changes	Unknown module is not removed; observer continues safely; no page crash.	Fail-open stability; issue can be fixed via extension update.

State model

Protected: master enabled and at least one filter enabled. Paused: master disabled. Protected - no filters: master enabled but all granular settings disabled; status sentence becomes “Choose content to hide.” This prevents a misleading success state.


Empty, loading and error states

State	UI behavior
Initialization	Render a fixed-height skeleton for no more than 150 ms; then show defaults if storage has no record.
No active filters	Keep tabs and controls visible. Header status uses neutral text: No filters selected.
Unsupported current tab	No special warning. The popup manages global preferences, not only the active page.
Storage unavailable	Controls remain readable; interaction triggers compact inline error. Do not silently claim settings were saved.
Extension update	Migrate schema in the background. Preserve known keys and apply defaults only to new keys.

Accessibility

- Meet WCAG 2.2 AA contrast for text, icons, focus indicators, and toggle states.
- Use semantic button/tab/switch elements with accessible names and aria-checked/aria-selected states.
- Minimum click target 40 x 40 px; 2 px visible focus ring with 2 px offset.
- Respect prefers-reduced-motion. Animations limited to 120-160 ms opacity/position transitions.
- Status is communicated with text and state, never color alone.

Manifest V3 Architecture



Recommended stack

Layer	Decision	Rationale
Language	TypeScript, strict mode	Site adapters and settings contracts benefit from typed boundaries.
Build	Vite + CRXJS or a minimal esbuild setup	Fast developer loop and deterministic MV3 packaging. Prefer fewer dependencies.
Popup	Preact or vanilla TypeScript	The interface is small. Use Preact only if Antigravity benefits from component structure.
Styles	Plain CSS with custom properties	No utility framework needed for this small surface.
Tests	Vitest + Playwright	Unit-test settings/adapters; browser-test DOM behavior and popup.
Browser API	chrome.* with Promise APIs	Primary Chrome target. Add webextension-polyfill only in Firefox phase.

Runtime components

Component	Responsibility
Popup	Read/write settings, render state, open fixed LinkedIn URL. No active-tab inspection required.
Service worker	Initialize defaults, run schema migrations, broadcast explicit refresh messages if needed. Must not hold persistent in-memory state.
Shared settings module	Defaults, schema version, validation, storage get/set, migration, and typed key definitions.
Platform content script	Load settings, watch storage changes, invoke the correct adapter, and manage one scoped MutationObserver.
Site adapter	Route detection, selector registry, semantic heuristics, hide/unhide operations, and cleanup.
Injected CSS	Early, reversible hiding rules scoped with a data-nullfeed attribute or class. No global style resets.

No backend

Nullfeed requires no server, API, database, authentication, analytics endpoint, remote configuration, or CDN. All executable code, CSS, fonts, icons, and selector definitions ship inside the extension package. This reduces privacy exposure and avoids Chrome Web Store remote-hosted-code violations.

Storage Contract

Use `chrome.storage.sync` for preferences. The data is small, non-sensitive, and benefits from native browser sync. Validate every read against defaults so malformed or older records cannot break content scripts.

```
{ "schemaVersion": 1, "enabled": true, "lastPlatform": "youtube", "youtube": { "shorts": true, "navigation": true, "redirect": true }, "facebook": { "reels": true, "stories": true, "videos": false }, "instagram": { "reels": true, "stories": true, "explore": true } }
```

Required manifest surface

```
{ "manifest_version": 3, "name": "Nullfeed", "version": "1.0.0", "description": "Hide distracting short-form feeds on YouTube, Facebook, and Instagram.", "permissions": ["storage"], "host_permissions": [ "https://www.youtube.com/*", "https://www.facebook.com/*", "https://www.instagram.com/*" ], "background": { "service_worker": "background.js", "type": "module" }, "action": { "default_popup": "popup.html", "default_title": "Nullfeed" }, "content_scripts": [ { "matches": [ "https://www.youtube.com/*", "https://www.facebook.com/*", "https://www.instagram.com/*" ], "css": [ "content.css" ], "js": [ "content.js" ], "run_at": "document_start" } ] }
```

Permission strategy

Permission	Why it is needed	Decision
storage	Persist master and granular preferences.	Required
Host: youtube.com	Run filtering code on YouTube pages.	Required
Host: facebook.com	Run filtering code on Facebook pages.	Required
Host: instagram.com	Run filtering code on Instagram pages.	Required
tabs	Not needed for v1; content scripts react through storage changes.	Do not request
activeTab	Does not support continuous filtering and is unnecessary.	Do not request
scripting	Static content script declaration is sufficient.	Do not request
webRequest / cookies / history	No functional need.	Never request

DOM and Route Filtering Strategy

The supported platforms are single-page applications with frequently changing markup. Reliability must come from layered detection and reversible mutation, not one brittle global selector list.

Layer	Implementation
Early CSS	At document_start, apply narrowly scoped selectors for stable navigation/route structures to reduce flash. Rules only activate when the root carries data-nullfeed-enabled and feature attributes.
Adapter scan	After DOM ready, scan stable containers using platform-specific selectors. Prefer hrefs, route patterns, aria-labels, role, and known custom elements over obfuscated class names.
MutationObserver	Observe the smallest stable feed/navigation roots. Batch changed nodes with requestAnimationFrame or a 50 ms debounce. Never rescan document.body for every mutation.
SPA navigation	Listen for popstate and platform navigation events where available; also patch history state only if necessary and safely. Re-evaluate route + visible roots.
Reversible hide	Set data-nullfeed-hidden and hidden/inline style on matched nodes. Store no page content. Cleanup removes only Nullfeed-owned attributes/styles.
Redirect	Route adapter checks normalized pathname. Use location.replace(platformHome) for enabled blocked routes.

Selector registry design

```
type Feature = "shorts" | "reels" | "stories" | "videos" | "explore"; type Rule = { feature: Feature; selectors: string[]; hrefPatterns?: RegExp[]; closestContainer?: string; validate?: (node: Element) => boolean; }; interface SiteAdapter { platform: "youtube" | "facebook" | "instagram"; homeUrl: string; blockedRoute(pathname: string, settings: Settings): boolean; scan(root: ParentNode, settings: Settings): void; cleanup(): void; }
```

Defensive requirements

- Wrap each adapter pass so one malformed selector cannot stop the remaining filters.
- Deduplicate processed nodes with an owned data attribute or WeakSet.
- Never remove DOM nodes permanently; hide them so pausing can restore the native page.
- Never read text fields, messages, comments, usernames, profile content, or media payloads.
- Cap observer work per frame. Target under 8 ms for a typical mutation batch.
- Keep selectors in platform-specific files with comments describing the surface, not dates or fragile class names.

Project Structure and Build Guidance

```

nullfeed/ public/icons/ # 16, 32, 48, 128 px src/ background/index.ts popup/ App.tsx components/PlatformTabs.tsx
components/SettingRow.tsx popup.css content/ index.ts observer.ts routeWatcher.ts domOwnership.ts adapters/youtube.ts
adapters/facebook.ts adapters/instagram.ts content.css shared/ settings.ts storage.ts migrations.ts constants.ts tests/
unit/ fixtures/ e2e/ manifest.config.ts privacy-policy.md README.md

```

Implementation sequence

Phase	Deliverable	Exit criterion
1. Foundation	Manifest, build, settings schema, migration, popup shell.	Extension loads unpacked with zero console errors.
2. YouTube	Shorts cards, nav, routes, dynamic updates.	YT acceptance suite passes across key surfaces.
3. Facebook	Reels, Stories, optional Videos, routing.	FB acceptance suite passes with master pause/restore.
4. Instagram	Reels, Stories, Explore, placeholders/continuity as needed.	IG feed remains stable and continues loading.
5. Hardening	Performance, accessibility, privacy copy, packaging.	Release checklist passes on clean Chrome profile.
6. Firefox	Polyfill/manifest variant and AMO package.	Only after Chrome v1 stabilizes.

Coding constraints for Antigravity

- Do not introduce a backend, database, login, analytics SDK, remote config, or API key.
- Do not use eval, new Function, inline executable scripts, or remotely hosted code.
- Do not request permissions beyond storage and the three explicit host patterns.
- Keep platform adapters isolated; a YouTube fix must not alter Facebook or Instagram logic.
- Use a single source of truth for defaults and setting keys. Avoid duplicated literals between popup and content scripts.
- Make every DOM change idempotent and reversible.
- Include a development flag for console diagnostics; production build is silent.

Privacy and Security Requirements

ID	Requirement	Verification
PR-01	Collect no personal data, browsing history, page content, identifiers, telemetry, or usage events.	Network panel shows no extension-origin requests during all workflows.
PR-02	Store only the preference schema documented in this PRD.	Inspect chrome.storage after use.
PR-03	Do not transmit data to the LinkedIn destination; the footer only opens a normal new tab after explicit click.	Code review and browser test.
PR-04	Publish an accurate privacy policy even though no user data is collected.	Store listing and hosted policy match implementation.
SC-01	All executable assets are packaged locally.	Build artifact scan contains no remote script/font imports.
SC-02	Use a strict extension-page CSP and no inline scripts.	Manifest and build inspection.
SC-03	Sanitize no user content because no user content should enter extension UI.	Data-flow review.
SC-04	Pin dependencies, use lockfile, run dependency audit before release.	CI gate and release checklist.
SC-05	Host access is limited to supported domains and HTTPS.	Manifest review.

Threat model

Threat	Mitigation
Compromised dependency	Minimal dependency count, lockfile, automated audit, review bundle output.
Host page interference	Run in isolated world, use scoped attributes, avoid exposing privileged APIs or secrets.
Overbroad DOM mutation	Platform adapters, container validation, owned attributes, reversible hide.
Unexpected stored data	Schema validation, whitelist serialization, ignore unknown keys.
Remote code policy violation	Bundle every script, style, icon, and font. No runtime code fetch.
Misleading privacy claim	Test network silence and keep store disclosures synchronized with releases.

Privacy policy draft

Nullfeed does not collect, transmit, sell, or share personal information or browsing activity. The extension runs locally in your browser and stores only your feature preferences using the browser's extension storage. Nullfeed does not use analytics, advertising, tracking, cookies, accounts, or remote servers. It accesses YouTube, Facebook, and Instagram pages only to hide the content categories you choose. Clicking the LinkedIn link opens an external website governed by LinkedIn's own privacy policy.

Acceptance and QA Plan

Test against logged-in and logged-out states where supported, multiple viewport widths, fresh and long-running tabs, and at least one lower-powered device profile.

Test group	Required cases
Installation	Fresh install creates defaults; upgrade preserves preferences; uninstall leaves no page changes.
Popup	Every toggle, keyboard path, status label, tab persistence, error rollback, LinkedIn target.
YouTube	Home shelves, nav, search, subscriptions, channels, watch recommendations, direct Shorts URL, SPA navigation, infinite scroll.
Facebook	Home feed Reels, Stories tray, video units, nav links, direct route, dynamic feed load, pause/restore.
Instagram	Home Reels, Stories tray, nav items, Explore route/grid, direct Reels route, continued feed loading.
Resilience	Missing selectors, duplicate mutations, rapid toggling, extension reload, browser restart, multiple open tabs.
Privacy	No outgoing extension requests, no unexpected storage fields, no page content copied into extension context.
Accessibility	Keyboard-only, screen-reader labels, focus order, contrast, reduced motion, 200% popup zoom.
Performance	No long tasks caused by observer; no repeated full-document scans; memory stable after 30 minutes scrolling.

Release blockers

- Any supported page becomes unusable, blank, or loses unrelated navigation.
- Blocked content reappears consistently during SPA navigation or infinite scroll.
- Pause does not restore content without a reload, unless the site itself requires reload and the UI clearly handles it.
- The extension makes any unplanned network request.
- Requested permissions exceed the approved manifest surface.
- Popup contains clipped text, inaccessible controls, or visible layout shift.
- Production package includes source maps with sensitive local paths, unused libraries, or development logging.

Definition of done

All P0 requirements pass; P1 issues have documented owner and fix; Chrome Web Store package is reproducible; privacy policy and store declarations match the build; visual assets are exported; a clean-profile smoke test succeeds; and the repository includes setup, test, build, and release instructions.

Success Metrics Without Tracking Users

Nullfeed should not add in-product analytics to measure itself. Use aggregate marketplace signals and opt-in support feedback only.

Metric	Source	Initial target
Store rating	Chrome Web Store aggregate	4.5+ after 25 reviews
Reliability	Manual regression suite	95%+ P0 test pass before each release
Support health	User-reported issues	No unresolved P0 issue older than 7 days
Bundle size	Build output	Target under 250 KB compressed, excluding store images
Popup readiness	Usability test with 5 users	All configure one platform in under 30 seconds
Privacy integrity	Release network audit	Zero extension-origin data requests

Roadmap

Release	Scope	Explicitly excluded
v1.0	Chrome/Chromium; three platforms; listed toggles; local settings; privacy policy.	Schedules, blocklists, accounts, analytics, mobile.
v1.1	Selector fixes, stability, localization infrastructure if demand exists.	New product mechanics.
v1.2	Firefox package with platform-specific manifest and API compatibility.	Safari unless separately scoped.
Future review	Potential LinkedIn feed filtering only after user evidence and separate permissions review.	Automatic expansion to every social site.

Maintenance policy

- Run smoke tests weekly and after major visible changes to any supported platform.
- Keep selector fixes small and platform-specific. Release urgent breakages as patch versions.
- Document each selector with the surface it targets and a fixture or screenshot reference.
- Never use a server-delivered selector update in v1; extension-store review remains the update channel.

Chrome Web Store Package

Store title

Nullfeed - Hide Shorts, Reels & Stories

Short description

Hide distracting Shorts, Reels, Stories, Videos, and Explore while keeping the platforms you need.

Detailed description

Keep the platform. Null the feed.

Nullfeed removes selected high-distraction surfaces from YouTube, Facebook, and Instagram. Choose exactly what to hide, then browse with fewer algorithmic interruptions.

You can hide:

- YouTube Shorts and Shorts navigation
- Facebook Reels, Stories, and Videos
- Instagram Reels, Stories, and Explore

Built for trust:

- No account
- No analytics or tracking
- No data collection
- No remote server
- Lightweight, local processing

Your settings stay in browser extension storage. Nullfeed does not read or transmit your messages, searches, profile details, or browsing history.

Required visual assets

Asset	Specification
Extension icons	16, 32, 48, 128 px PNG. Optical correction at small sizes; transparent background.
Small promo tile	440 x 280 px. Nullfeed name, mark, one concise benefit; no UI too small to inspect.
Marquee (optional)	1400 x 560 px. Clear product name and literal category.
Screenshots	1280 x 800 or 640 x 400. At least 3: popup controls, YouTube before/after, Instagram/Facebook controls.
Screenshot treatment	Real UI on clean, neutral backgrounds. No fake ratings, claims, browser chrome, or unrelated imagery.

Submission checklist

- Single-purpose description matches actual behavior.
- Privacy practices form states no data collection and accurately justifies storage and host access.
- Hosted privacy policy is public, current, and linked in the Developer Dashboard.
- Support email and owner identity are complete.
- Screenshots show only implemented features.
- Zip contains production build root files directly, with no repository, tests, or secrets.

Build Prompt for Google Antigravity

Attach this PDF and use the following instruction as the implementation prompt.

Build the Nullfeed Chrome extension exactly to the attached PRD. Start with a production-ready Manifest V3 TypeScript project. Implement the v1 scope only: a 360 px minimal popup, master Protection control, YouTube/Facebook/Instagram tabs, and the granular filters defined in the requirements matrix. Use `chrome.storage.sync` with schema validation and migration. Use isolated, reversible platform adapters with scoped CSS, efficient `MutationObservers`, and SPA route handling. Do not add a backend, account, analytics, telemetry, remote configuration, API keys, schedules, dashboards, onboarding carousel, gamification, donations, review prompts, or any feature not specified in the PRD. Request only storage and explicit HTTPS host access for `youtube.com`, `facebook.com`, and `instagram.com`. Bundle all code, icons, fonts, and styles locally. Implement in this order: project foundation and manifest; shared settings contract; popup UI; YouTube adapter; Facebook adapter; Instagram adapter; unit tests; Playwright browser tests; privacy policy; store-ready production build. At each phase: 1. Show the files created or changed. 2. Explain the implementation decision briefly. 3. Run relevant tests and fix failures. 4. Verify that page mutations are reversible when Protection is paused. 5. Confirm that no extension-origin network requests occur. Use the PRD's defaults, visual tokens, requirement IDs, acceptance criteria, privacy rules, and definition of done as the source of truth. When site markup prevents an exact selector implementation, keep the adapter isolated, document the assumption, add a fixture/test, and preserve fail-open behavior.

Expected deliverables

Deliverable	Acceptance
Source repository	Clean TypeScript source matching the proposed ownership boundaries.
Production package	Unpacked build plus store-upload ZIP, both reproducible from documented command.
Tests	Unit and Playwright suites with fixtures for all P0 filters.
Documentation	README, architecture notes, privacy policy, testing and release instructions.
Assets	Extension icon set and store screenshot templates following the brand specification.

Research and Source Notes

This PRD was informed by the supplied competing extensions and current primary browser-extension documentation. Product language and implementation decisions are original to Nullfeed.

Source	Use in this PRD
Chrome Extensions: Content scripts	Static declaration, match patterns, isolated execution, and injection guidance.
Chrome Extensions: chrome.storage	Storage permission, sync/local behavior, persistence, quotas, and change events.
Chrome Extensions: Declare permissions	Least-privilege permission categories and warning considerations.
Chrome Web Store: Privacy policies and program policies	Accurate disclosure, privacy policy, and limited-use requirements.
Chrome Extensions: Manifest V3 and service workers	Current extension architecture and non-persistent background behavior.
MDN: Chrome incompatibilities / cross-browser extensions	Firefox roadmap, API namespace, manifest, and Promise differences.
Chrome Web Store: Hide Shorts, Reels & Stories	Competitive scope, common controls, dynamic filtering expectations, and privacy positioning.
Firefox Add-ons: Hide Shorts, Stories, Reels & Video	Cross-browser feature/permission context.
Chrome Web Store: Hide Shorts and Reels	Competitive baseline for focused YouTube/Instagram filtering.

Reference URLs

developer.chrome.com/docs/extensions/develop/concepts/content-scripts
developer.chrome.com/docs/extensions/reference/api/storage
developer.chrome.com/docs/extensions/develop/concepts/declare-permissions
developer.chrome.com/docs/webstore/program-policies/privacy
developer.chrome.com/docs/extensions/develop/migrate/what-is-mv3
developer.mozilla.org/en-US/docs/Mozilla/Add-ons/WebExtensions/Chrome_incompatibilities
chromewebstore.google.com/detail/hide-shorts-reels-stories/jnbhalknaohaiodbcokhnljkabffnnpn
addons.mozilla.org/en-US/firefox/addon/hide-shorts-stories-reels/
chromewebstore.google.com/detail/hide-shorts-and-reels/fbapdmafcfgojcadjmijfgebklpeodh

Decision status

Approved product name: Nullfeed
 PRD status: Build-ready v1.0
 Owner: Nur Farhad
 LinkedIn: [linkedin.com/in/nurfarhad/](https://www.linkedin.com/in/nurfarhad/)

Final product principle

Every feature must help users remove a chosen distraction.
 If it does not serve that job, it does not belong in Nullfeed v1.