

tdJamaat

DOCUMENTATION

CONTENTS

00 Read this first

01 What the website does

02 How a week works

03 How the scoring works

04 Decide first: what will be different in your version

05 How it is built — in plain words

06 What you need before you start

07 Setting it up, step by step

08 Making it yours

09 The routine, one page each

10 Privacy and safety

11 When something goes wrong

12 Looking after it

13 Glossary

14 Appendix

PART 00

Read this first

What this is. tdJamaat is a private website for a community that is split into small teams ("houses"). Once a week each team's captain enters what every member did that week — pages of Quran read, nights of tahajjud, fasting days, and so on. The website turns those numbers into scores, rankings, awards and charts that the captains and the admin can see, and into pictures that can be shared in a WhatsApp or Telegram group.

The short version.


- It is a normal website. There is nothing to install for the people who use it; they open a link on their phone or laptop and log in.
- It is private. Nobody can see any results without logging in — the database itself refuses to show them, not only the screen.
- It costs nothing to run for a community of this size (free plans of Supabase and Vercel — see section 5).
- Setting it up is a one-time job for one person comfortable with a computer. After that, the weekly routine needs no technical skill.
- The *rules* of the competition (what is counted, how many points each thing is worth, who gets which target) are the community's own. The website can carry yours; some changes are a settings screen, some are a text edit, and some need a developer. Section 4 and section 8 say exactly which is which.


Honest effort table. These are estimates, not promises.


WHAT YOU WANT	WHO CAN DO IT	ROUGH TIME
Just look around	anyone	10 minutes (screenshots below)
The same system with your houses, members, passwords and targets	someone who can follow written steps and copy–paste	2–4 hours the first time
Also rename the things you count, translate the texts, change colours and name	the same person, editing a few text files	1–2 days
Different things to count (more or fewer than 8 personal and 7 team items), a different scoring formula, different roles	a web developer (React + TypeScript)	several days

PART 01

What the website does









(Invented demo data, light theme, Kyrgyz interface — an English version and a black-and-gold dark theme are built in.)

1.1

The people who use it

PERSON	WHAT THEY DO	WHAT THEY CAN SEE	WHAT THEY CAN CHANGE
Admin (one or two people)	Opens each new week, sets targets, manages houses and members, ends the season, takes backups	Everything	Everything
Captain (one per house)	Once a week, enters the results of the members of their own house	The results of all houses and people	Only their own house's numbers (the database enforces this)
Everyone else	—	Nothing. They have no login.	—

Each house has **one password**, shared by whoever is its captain. The admin has a separate password. There are no individual accounts and no email addresses to collect.

Inside a house, every member has a **role** — *captain*, *deputy* or *member* — and the role decides how high their targets are (a captain is expected to do more than a new member). The roles are labels for the targets; they do not give anyone extra access on the website.

1.2

The screens

The site has five sections, from the closest view to the widest:

SECTION	KYRGYZ NAME	WHAT IS ON IT
Week	Апта	Your house first (place, rating, change since last week, what is missing to reach the plan), the "house of the week", the top three people, tables of all houses and all people
Houses	Үйлөр	One house at a time: every member as a heat-table of the week, the team activities, and *where the points came from*
Season	Сезон	Season tables, the rating week by week, the race for places, four-week reports
Awards	Сыйлыктар	About 18 badges (star of the week, perfect plan, streaks, biggest leap, house of the month…), each earned automatically and shown with the exact reason
Community	Жамаат	What the whole community did together: every item added up, this week against last week, season records, a hall of fame

Other things you will meet:

- **Profile page** for every person: score trend, how close they are to each target, best week, streaks, badges, a week-by-week history, and a "season summary".
- **Compare** two people or two houses side by side.
- **Shareable pictures** — the week's results, or a person's season, drawn as an image (dark or light) to send to a group chat. Drawn in the browser; no server involved.
- **"Week as a story"** — a full-screen animated recap for the weekly meeting.
- **Big-screen mode** — larger type and stronger contrast for a projector.
- **Goal hints** in the entry form: under each person it says what is still missing to reach the plan and how many points it would add, updating as you type.
- **Typo warning**: a number ten times the plan and three times what the person normally enters asks "are you sure?" before saving.
- **Excused weeks**: a captain can mark someone as excused (ill, travelling). They are left out of the average and the ranking for that week, and their streak is neither broken nor extended.
- **Seasons**: the admin ends a season with one button; results are archived and the next season starts again at week 1.
- **Change history and locking**: every save is recorded (who, when, before → after), and the admin can lock a finished week.
- **Installable on a phone** like an app (home-screen icon), refreshes by itself every couple of minutes, keeps showing the last numbers if the connection drops.
- **Two languages** (Kyrgyz and English), light and dark themes.
- **Prayer-time features** — a header that follows the time of day, and a prayer-times page for the chosen city, calculated on the device. (These are optional extras; see section 8.)

1.3

What it deliberately does not do

- It does not let members log in or enter their own numbers. The captain enters them (that is the design: one trusted person per house).
- It does not send notifications or emails.
- It does not make anything public. There is no public leaderboard.

PART 02

How a week works

1. **Admin opens the week.** Menu → Админ панели → Апталар → Жаңы апта ачуу. Captains can only fill in weeks that exist, so nothing can be entered by mistake in a future week.
2. **During the week,** members do their things and tell their captain what they did, in whatever way the community already uses.
3. **Captain enters the results.** The captain logs in, taps Маалымат кошуу, and the form opens on the latest week. For each member of the house they type what was done (Факт) next to the plan (План, locked — only the admin changes plans). The form shows live what is still missing for each person. They also fill in the house's team activities (the "mini-card"). They tap Сактоо. They can come back and correct it any time until the admin locks the week.
4. **Everyone sees the result** as soon as it is saved. The Week tab shows which houses have already entered. A house that has not entered yet shows "—" and is not counted as zero while the week is open, so a house that is simply late does not look like it collapsed.
5. **Meeting.** The community looks at the Week tab or the "week as a story" on a screen, and the results image goes to the group chat.
6. **Admin locks the finished week** (optional) and opens the next one.
7. **Once a week, the admin downloads a backup:** Админ панели → Камдык көчүрмө. It is a single file with the whole database.
8. **At the end of a season,** the admin ends it, names the next one, moves people to their new houses, and opens week 1.

PART 03

How the scoring works

You do not have to keep the original scoring. But you should understand it, because it is the part most communities want to adjust.

3.1

One person's score

The website measures eight personal items. Each has a **plan** (the minimum expected that week, which depends on the person's role) and a **weight** (the points earned at exactly 100% of the plan).

1. **Percentage of plan** = done ÷ plan × 100. If an item has no plan (0), it earns 0 — never a free 100%.
2. **Credited percentage.** Up to 100%, the percentage counts as it is. Above 100% it still earns more, but with *diminishing returns*: `credited = 100% × (1 + ln(done ÷ plan))`. Every doubling of the work adds the same +69% of plan:

DONE	100%	200%	400%	800%	1600%
Counted as	100%	169%	239%	308%	377%

   This is so that one thing done many times over (for example a counter that is quick to multiply) cannot carry a whole week.
3. **Points for the item** = credited percentage ÷ 100 × weight.
4. **Score of the person** = the sum over all eight items. Doing exactly 100% of everything gives 220 points with the original weights.

The original eight items, with their weights and the units they are counted in:

CODE	MEANING	WEIGHT	PLAN: CAPTAIN / DEPUTY / MEMBER
К-К	Quran reading (pages)	45	20 / 10 / 7
СВТ	Salawat (count)	10	2100 / 1400 / 700
КТП	Book reading (pages)	30	70 / 40 / 30
ТХЖ	Tahajjud prayer (nights)	30	2 / 1 / 1
ДТА	Voluntary fasting (days)	50	1 / 1 / 1

CODE	MEANING	WEIGHT	PLAN: CAPTAIN / DEPUTY / MEMBER
ИСТГ	Istighfar and dhikr (count)	10	700 / 350 / 200
НФ	Nafl prayers (days)	20	7 / 7 / 7
ТСП	Tasbihat (days)	25	10 / 7 / 7

(Weights are the same for everyone; what changes with the role is the plan. The units in the second column are only an example — your community decides its own.)

A worked example. A regular member, plans as in the table (К-К 7, СВТ 700, КТП 30, ТХЖ 1, ДТА 1, ИСТГ 200, НФ 7, ТСП 7). In one week they read 7 pages, said 1400 salawat, read 15 pages of a book, prayed tahajjud once, did not fast, and did the rest exactly to plan:

ITEM	DONE / PLAN	PERCENT	COUNTED	× WEIGHT	POINTS
К-К	7 / 7	100%	100%	45	45.0
СВТ	1400 / 700	200%	169.3%	10	16.9
КТП	15 / 30	50%	50%	30	15.0
ТХЖ	1 / 1	100%	100%	30	30.0
ДТА	0 / 1	0%	0%	50	0.0
ИСТГ	200 / 200	100%	100%	10	10.0
НФ	7 / 7	100%	100%	20	20.0
ТСП	7 / 7	100%	100%	25	25.0
				Score	161.9

3.2

A house's rating

House rating = the average score of its members + the team-activities bonus.

- It is the average, not the total, so a house of five can compete fairly with a house of eight.
- Members marked *excused* that week are left out of the average.
- The team activities ("mini-card") are seven things the house does together (for example, a shared prayer, a group book, sport). Each one earns up to 5 points at 100% of its target, and never more than that — a house cannot "overdo" one. The bonus is therefore at most 35.

Example, the same week: two members scored 161.9 and 172.1 → average 167.0. The house did its seven activities as 7/7, 5/7, 7/7, 6/5, 0/1, 7/7, 7/7 → the points are 5 + 3.6 + 5 + 5 (capped) + 0 + 5

+ 5 = 28.6. House rating: 167.0 + 28.6 = 195.6.

3.3

A week a house has not entered

While the week is open, such a house shows “—” and is left out of every ranking and average. Once the admin locks the week, a house that never entered counts as 0 for it.

3.4

Who sets the plans

Plans (targets) are set by the admin only, per role, in the website (Админ панели → Пландар). A person’s plan carries forward from their previous week within a season, so the admin can give one person a custom plan (for example during an illness) by changing it for that week. A captain cannot change a plan — and this is enforced by the database, not just hidden on the screen, so a captain cannot lower their own house’s plans to improve their percentages.

Past weeks keep the plan they were saved with; changing a plan later never rewrites history.

PART 04

Decide first: what will be different in your version

Before anyone touches a computer, the community should agree on this worksheet. It takes one meeting. Everything later follows from it.


#	QUESTION	IN THE ORIGINAL	WHERE THIS IS CHANGED
1	**Name** of the website	tdJamaat	Text files (section 8.1)
2	How many **houses** (teams), and their names	a handful of named houses	Seed file / admin screen
3	The **members** of each house and who is **captain** / **deputy**	5–8 per house	Seed file / admin screen
4	What do you **count** personally each week? (the original has 8 things)	Quran, salawat, book, tahajjud, fasting, dhikr, nafl, tasbihat	Names: text files. A different *number* of things: developer
5	What do the houses do **together**? (the original has 7 things)	Fajr, Isha, a book, sport…	Same as above
6	The **plans** (minimum per role) for each thing	table in 3.1	**Admin screen** — no code
7	The **weights** — how many points each thing is worth	table in 3.1	One file (section 8.3)
8	The **roles** and their names	captain, deputy, member	Labels: one file. A different number of roles: developer
9	**Language** of the screens	Kyrgyz + English	Section 8.2
10	**Cities** (for prayer times)	two cities	One file (8.4), or remove the feature
11	**Admin**(s) — who, and who holds the password	—	Setup step F
12	**Season rhythm** — how long is a season?	about a year	Decided by the admin, no code
13	**Photos**?	allowed	See section 10 before you decide
14	**Privacy**: who may see everybody's results?	captains + admin	Section 10

Write the answers down. Keep this page: it is the "specification" of your website and the first thing a helper will ask for.

PART 05

How it is built — in plain words

You do not need this to use the website, but it helps to know who does what, what it costs, and what can break.



PART	WHAT IT IS	COST
The website	A React + TypeScript app, built with Vite. Everything runs in the visitor's browser. There is no server of your own to maintain.	free
Supabase	Hosts the database (PostgreSQL), the login accounts and the photo storage. The most important part: its *row-level security rules* decide who may read and write what.	free plan (at the time of writing: 500 MB database, far more than a community needs — check Supabase's current limits)
Vercel	Hosts the website files and gives you the web address. Also runs the daily keep-alive (below).	free "Hobby" plan — check Vercel's current terms for non-commercial use
GitHub	Stores the code; Vercel can publish it automatically.	free
A domain name	Optional: `yourname.com` instead of `yourname.vercel.app`.	about 10–15 € a year, optional

Why there is a keep-alive. Supabase's free plan *pauses* a project after seven days without activity, and a paused site shows errors. The website has a small job that reads one row from the database once a day, so that a quiet week (a holiday, a break between seasons) cannot pause it.

Why security does not depend on the website. The rules that say "a captain may only write their own house" live inside the database. Even if someone bypassed the website and talked to

the database directly, the database would refuse. This is the most valuable property of the design — please do not weaken it when you customise (see section 8.7).

Two keys, very different. Supabase gives you an *anon* key and a *service-role* key. The anon key is **meant to be public** (it ships inside the website; the rules protect the data). The service-role key is a **master key**: it is used once, on your own computer, to create the login accounts, and must never be put in the website, in GitHub, in a chat or in an email.

PART 06

What you need before you start

People

- A coordinator who owns the decisions (section 4) and will be the admin.
- A helper who is comfortable with a computer: can install programs, use a text editor, and follow numbered instructions exactly. Needs no programming knowledge for the basic version. For section 8.5 (changing *what* is counted), a web developer.

Accounts (all free; use an email the community will keep)

1. GitHub — github.com
2. Supabase — supabase.com (you can sign in with GitHub)
3. Vercel — vercel.com (sign in with GitHub)

Use a shared community email, or at least tell a second person which account owns each of these. If the one person who owns them leaves, the website goes with them.

On the helper's computer (Windows, macOS or Linux)

1. Node.js version 22 or newer — nodejs.org (the "LTS" download).
2. Git — git-scm.com.
3. A code editor — Visual Studio Code is fine. Plain Notepad also works for the small edits, but an editor shows you what you are editing.
4. A password manager, or at least one safe place, for the passwords below.

PART 07

Setting it up, step by step

Do the steps in order. Where a step has a check ("you should see…"), do the check before moving on.

A Get a clean copy of the code

Start from a clean copy of the code — the files only, without version history (whoever sent you this documentation will provide it). Do not "fork" someone else's repository: its history can contain another community's names and early development data, and a clean start is better for you.

Create a new private repository on GitHub (the green *New* button → name it → Private) and put the code in it. Then, on the helper's computer:

```
git clone https://github.com/YOUR-ACCOUNT/YOUR-REPOSITORY.git
cd YOUR-REPOSITORY
npm install
```

YOU SHOULD SEE: a folder with files such as `package.json`, `src`, `supabase`, and the install finishing without a red error.

B Make your first edits (before you run anything)

Do the minimum now; you can polish later (section 8).

1. Open `supabase/seed.sql` and replace the example houses and members with yours. It has a pattern you copy for each house:

```
insert into houses (name, slug, display_order) values
  ('North', 'north', 1),
  ('South', 'south', 2);

insert into members (house_id, name, role, display_order)
select id, m.name, m.role, m.ord
from houses, (values
  ('Member 1', 'imam',   1),
  ('Member 2', 'zam',    2),
  ('Member 3', 'member', 3)
) as m(name, role, ord)
where houses.slug = 'north';
```

- `slug` is the house's **login name**: lowercase Latin letters, no spaces. Choose it carefully; do not change it later.
- `role` is `imam` (captain), `zam` (deputy) or `member`. These three words are internal; the screens show *Капитан / Орун басар / Мүчө* (or *Captain / Deputy / Member*). The word *imam* never appears on screen — see 8.3 if you want different labels.
- Names may be in any script. Consider using first names or nicknames (section 10).
- At least one house must exist, otherwise the account script in step F refuses to run.

You can also add or change houses and members later in the website (**Админ панели → Курам**), so a small start is fine.

2. **Optional: the plans.** `supabase/season-2026-09.sql` contains the starting plans per role and for the team activities (the JSON near the top). If you already know your plans, put them there. If not, leave them — the admin can change every plan in the website afterwards.
3. Open `index.html` and `public/manifest.webmanifest` and replace the name (`tdJamaat`) and the description with yours (see 8.1 for the full list).

Commit these edits (`git add -A`, `git commit -m "My community"`, `git push`) so that they are saved on GitHub.

C Create the Supabase project

1. On supabase.com choose **New project**. Name it, pick the region nearest to your members (for privacy law reasons it is best to stay in the same region as your members, for example EU for Europe), and set a database password. Put that password in your password manager now — Supabase will not show it again.
2. Wait about two minutes until the project is ready.
3. Open **Project Settings → API** and write down three things:

- the Project URL (looks like `https://abcdefgh.supabase.co`)
- the anon / public key
- the service_role key — *secret!* (the master key from section 5)

D Create the database tables and rules

In Supabase open **SQL Editor** → **New query**. For each file below, in this order: open the file from your `supabase` folder, copy all of it, paste it into the editor, press **Run**. Each should end with *"Success"*.

#	FILE	WHAT IT DOES
1	`schema.sql`	Creates the tables (houses, members, weeks, results) and the first security rules
2	`seed.sql`	Puts your houses and members in (the file you edited)
3	`photo-upload-setup.sql`	Creates the photo storage — **read section 10 before running**. You may skip it if nobody will upload photos; the "add photo" button in the entry form then shows an error if someone taps it.
4	`season-2026-09.sql`	Stores the plans in the database; makes plans admin-only; makes "open a week" admin-only
5	`add-babh-2026-09.sql`	*Not needed on a new project* — step 4 already includes it. Harmless if run.
6	`kitep-target-5-2026-10.sql`	*Not needed on a new project* — same reason. Harmless if run.
7	`history-and-locks-2026-10.sql`	Change history and week locking
8	`seasons-2026-10.sql`	Seasons (the first one is named "2026–27"; you can rename it in the website)
9	`excused-weeks-2026-10.sql`	The "excused" switch
10	`roster-changes-2026-11.sql`	Moving people between houses and changing roles during a season
11	`private-site-2026-11.sql`	Makes the site private — nothing readable without login

Do not run `update-2026-09-names.sql`: it is a one-time repair of the original community's old data, and is not for new projects.

This exact sequence was run on an empty test database with a different roster (a local copy that imitates Supabase) and completed with no errors. If a file does report an error in *your* project, stop, and send the error text and the name of the file to your helper — do not skip ahead, because later files depend on earlier ones.

Then, in Supabase: Authentication → Sign In / Providers → Email and turn off "Allow new users to sign up".

YOU SHOULD SEE: under Table Editor the tables `houses`, `members`, `weeks`, `weekly_metrics`, `house_activity`, `seasons`, `season_settings`, `audit_log`, and your houses and members inside `houses` and `members`.

E Connect the website to Supabase

In the code folder, copy the file `.env.example` to a new file named `.env` and fill in the first two values from step C:

```
VITE_SUPABASE_URL=https://abcdefgh.supabase.co
VITE_SUPABASE_ANON_KEY=the anon key
```

(`.env` is already excluded from Git; never remove that exclusion.)

F Create the logins (admin + one per house)

1. Copy `scripts/syr_sozdor.example.json` to `scripts/syr_sozdor.json` (the name means "secret words"; it is also excluded from Git) and replace every `REPLACE-…` with a real, different, hard-to-guess password: one for `admin` and one for each house slug from step B. Long is better than clever: four unrelated words work well and are easy to read out to a captain.
2. Copy `.env.admin.example` to `.env.admin` and fill in the Project URL and the service_role key from step C.
3. Run:

```
node --env-file=.env.admin scripts/create-auth-users.js
```

YOU SHOULD SEE `Created admin` and `Created <House name>` for each house. You can run the script again any time: it updates passwords of existing accounts, which is how you give a house a new password later.

4. Give every captain **their own house's password only**, privately. The admin password stays with the admin(s).

Behind the scenes each house gets an account with an invisible technical address, `<slug>@tdjamaat.internal`. It is not a real mailbox and nobody ever types it. Leave that part as it is — changing it later would lock everyone out.

G Look at it on your own computer

```
npm run dev
```

Open the address it prints (normally `http://localhost:5173`). You should see the login screen. Choose **Admin**, type the admin password, and you should be in. Then:

1. Menu → **Admin panel** → **Apartments** → **Open new week** — open week 1.
2. Menu → **Enter data** — enter some test numbers for a house.
3. Look at the Week, Houses and Season tabs.
4. Log out, log in as **Captain**, choose a house, use its password; check that they can enter their own house but cannot change plans.

Stop the server with `Ctrl + C`. (The test numbers live in your real database; to clear them, delete the rows in Supabase's Table Editor, or ask your helper — they are not harmful.)

H Publish it

1. On vercel.com choose **Add New** → **Project**, pick your GitHub repository, and **Import**.
2. Before pressing Deploy, open **Environment Variables** and add the same two values as in `.env`: `VITE_SUPABASE_URL` and `VITE_SUPABASE_ANON_KEY`. Do not add the service-role key here — ever.
3. Press **Deploy**. After a minute you get an address like `https://your-project.vercel.app`.
4. In the project's **Settings** → **Deployment Protection** make sure Vercel's own login wall is off for the production site; otherwise captains meet a Vercel login before the website's own one.

5. Open `https://your-project.vercel.app/api/keepalive` — it should show `"ok": true`. That is the daily keep-alive working.
6. Open the site on a phone, log in as a captain, then use the browser menu → **Add to Home Screen** to install it like an app.

From now on, every time you push a change to GitHub, Vercel publishes it automatically.

I Hand it over

Send each captain: the web address, their **house name**, their **password**, and the one-page "weekly routine" from section 9. Keep a copy of the passwords and of this setup in the community's safe place. Done.

PART 08

Making it yours

Everything below is about the code. Edit the files in the folder, test with `npm run dev`, then push to GitHub to publish. Each item says how big the job is.

8.1

Name, icon, colours — SMALL

WHAT	WHERE
The page title, short description	`index.html` (`<title>` , `description` , `apple-mobile-web-app-title`)
The installed-app name and description	`public/manifest.webmanifest`
The logo / icon	`public/favicon.svg` , `public/apple-touch-icon.png` , and the three PNGs in `public/icons/` (192, 512, maskable 512). The in-page mark is drawn in `src/components/Ornament.tsx` (component `Mark`).
The address printed on the share pictures	`src/utils/shareCards.ts` — it uses the real address of the site automatically; the text after `||` is only a fallback
Package name, homepage	`package.json`
Colours	`src/index.css` , top of the file: a block of named colour tokens for the light theme (`--gold` , `--page-plane` , `--surface` …) and a second block for the dark theme. Change the tokens, not the components. The original look is *black-and-gold, one metal, lots of air*; if you want your own mood, change the gold tokens (for example to a rose-gold or a deep green) and keep the contrast between text and background high — the file notes the contrast ratios that were checked.
House colours	`--team-color-1…8` and `--role-*` tokens in the same file — chosen so the houses stay distinguishable, including for colour-blind readers
Fonts	`package.json` (the `@fontsource/…` packages), `src/main.tsx` (imports) and the `--font-*` lines in `src/index.css` . The original fonts cover Latin and Cyrillic.
Ornaments	`src/components/Ornament.tsx` , `src/components/motion.tsx` , `src/utils/ornament.ts` and `src/utils/sky.ts` . The original uses Kyrgyz motifs (түндүк — the crown of a yurt, тумар — an amulet shape, кочкор мүйүз — a ram's horn) drawn as thin gold lines. **Replace these with motifs of your own community**; they are what makes the site feel like *yours*.

8.2

Language — MEDIUM

All screen texts are written once, in Kyrgyz, in the code, through a function `t('…')`. The English version is a dictionary in `src/i18n/en.ts` (about 700 lines, keyed by the Kyrgyz text). When the website is in English it looks the text up there; anything missing falls back to Kyrgyz, so a label can never be empty. A test (`npm test`) fails if a text has no translation or a translation is unused, which keeps the dictionary honest.

To get another language, the simplest and safest way is:

1. Keep the keys exactly as they are. Replace the values in `en.ts` with your language.
2. In `src/i18n/index.ts`, make that language the default (the function `read()` decides; today it returns `'ky'` unless `'en'` is stored).
3. Change the language button's label in `src/components/AppHeader.tsx`.
4. Adjust the test `src/i18n/en.test.ts` — it currently insists that English texts contain no Cyrillic letters, which is wrong if your language uses Cyrillic.
5. Also translate the English maps in `src/utils/metrics.ts` (see 8.3).
6. Right-to-left languages (Arabic, Urdu, Persian) are not supported by the current layout; they need real design work (a developer).

Numbers, dates and the Hijri date follow the browser/language automatically.

8.3

What things are called — SMALL TO MEDIUM

WHAT	FILE	NOTES
Names of the 8 personal items and 7 team activities	`src/utils/metrics.ts`	Four maps: Kyrgyz names, English names/codes, for both lists. The *stored keys* (K-K, CBT…) stay as they are inside the database and the code; only what people see is mapped here.
Names of the roles	`ROLE_LABEL` in `src/utils/insights.ts` (and the role filter in `src/components/views/Standings.tsx`)	The internal words `imam / zam / member` never show on screen.
Weights (points per item)	`weights` in `src/utils/scoring.ts`	One table. If you change them, the tests in `src/utils/scoring.test.ts` (and a few others) will fail on purpose — update the expected numbers. The "formula" sheet and the plan-score (220) update themselves.
Points per team activity	`MINI_CARD_POINTS` in the same file	The original uses 5.

WHAT	FILE	NOTES
The over-plan curve	`creditedPercentage` in the same file	Replace it by a flat cap (`Math.min(pct, 100)`) if you do not want any extra credit above 100%.
Cities, houses-per-city grouping	`src/utils/standings.ts` (top)	Which house belongs to which city, for the "city" filter on the Week and Season tabs (in the template: `north` and `east` are city A, every other house is city B). If you have one place, you can delete the filter.
The "known names" for house transliteration	`src/utils/houseName.ts`	The original shows house names in Latin letters. Remove or replace the table with your names.
The formula sheet's worked example	`src/components/FormulaDisplay.tsx`	A short example in the "Формула" window; adjust to your items.

Keeping the 8 + 7 slots but giving them your own meaning is the cheap way to a different rule set: relabel each slot in `metrics.ts`, set your plans in the admin screen, set your weights in `scoring.ts`. If you have *fewer* than eight things, give the unused slot a weight of 0 and a plan of 0 — it earns nothing and cannot distort anything (it will still appear as a box in the entry form; hiding it needs a developer).

8.4

Prayer times and the sky — OPTIONAL

The header's tint that follows the time of day, the "next time" line, and the prayer-times page are computed on the device, with no service to pay for. They are in `src/utils/prayer.ts` (the cities with latitude/longitude and time zone, the calculation method, the madhab for Asr, and a minute-by-minute adjustment table `ADJUST` to match a local mosque's timetable), `src/utils/sky.ts` and `src/components/PrayerSheet.tsx`. The template ships with two placeholder cities (A and B) on the equator: their times are not real. Replace them before you use this feature. Edit the city list and the calculation settings, or ask a developer to remove the feature if your community does not want it (it is not needed for the scoring).

8.5

Different things to count — DEVELOPER

If you need more or fewer than 8 personal items or 7 team activities, or different scoring logic, this is a developer's task of a few days. The good news: the database stores the items as flexible JSON, so no table needs to change — only the *default plans* in `season-2026-09.sql` and the code. The places to touch (found by searching the code for the item codes):

- ◇ `src/types/index.ts` — the list of items (`MetricValues` , `MiniCard`)
- ◇ `src/utils/scoring.ts` — weights and the scoring functions

- `src/utils/metrics.ts` — names
- `src/services/dataService.ts` — the starting values for a new week
- `src/components/DataEntryForm.tsx`, `src/components/FormulaDisplay.tsx`, `src/components/WeekStory.tsx` — where items are shown or listed
- `src/test/factory.ts` and the `*.test.ts` files — test data
- `supabase/season-2026-09.sql` — default plans (before running it)

After the change run `npm test` and `npm run build`: the type-checker points at every place that still assumes the old list. Having the tests is the reason this is a safe change.

8.6

Roles — DEVELOPER

Three roles (captain, deputy, member) with different plans is built in. More or fewer roles touch the database's allowed values (`schema.sql`, the `role` column check), the admin screens and the plan table — a developer's task.

8.7

Rules you must not break

When customising, do not:

- put the service-role key into the website, a `.env` that is committed, Vercel variables, or any chat;
- remove the `.gitignore` entries for `.env`, `.env.admin` and `scripts/syr_sozdor.json`;
- turn off row-level security on any table, or add a policy that says `using (true)` for writing;
- turn "Allow new users to sign up" back on;
- change the technical email part `@tdjamaat.internal` after launch.

PART 09

The routine, one page each

9.1

For the admin

Every week

1. Menu → Админ панели → Апталар → Жаңы апта ачуу — open the new week.
2. After captains have entered, look at the Week tab: houses that have not entered are listed.
3. When the week is final, lock it on the same screen (optional).
4. Download the backup (Камдык көчүрмө) and keep the file somewhere safe — this is a copy of everything, and the only way back if anything is ever lost.

When something changes

SITUATION	WHAT TO DO
A captain changes	Give the house a new password: edit `scripts/syr_sozdor.json` and run `node --env-file=.env.admin scripts/create-auth-users.js` again. The old password stops working at once. A phone that is already logged in stays logged in until the captain logs out, so ask them to log out.
A new member joins	Курам → add the member to a house with a role. They count from the week they join; they are never shown as a zero for earlier weeks.
Someone leaves	Курам → take them off the roster. Their history stays in past weeks.
Someone moves house or changes role mid-season	Курам → change house/role from a chosen week. Earlier weeks stay where they were earned; a new captain starts from the captain plans.
A new house is added	Курам → add house (name + login name), then create its login: add its slug to `syr_sozdor.json` and run the script again.
A plan has to change for everyone	Пландар — it applies from then on (optionally from a chosen week); saved weeks keep their plan.
A plan has to change for one person (illness…)	Open that house and week, change their План, save. It carries forward to later weeks.
Someone is ill or away	The captain ticks them as excused for that week.

SITUATION	WHAT TO DO
The season ends	Сезон → end the season and name the next one (finished weeks are archived and can be locked). Then, in Курам, move people to their new houses/roles and open week 1.

9.2

For a captain

1. Open the web address. Choose **Капитан**, choose **your house**, type your house's password. (The list shows house names only.)
2. Tap **Маалымат кошуу**. The form opens on the latest week.
3. For each member type what they did next to **Факт**. The plan (**План**) is locked. Under each name you see what is still missing to reach the plan.
4. Fill in the house's team activities.
5. Tap **Сактоо**. You can come back and fix a mistake until the admin locks the week.
6. If a number looks wrong the form asks *"are you sure?"* — read it, it is usually a typo.
7. Never share your password with anyone outside the captain role. If you think it has been shared, tell the admin and get a new one.

PART 10

Privacy and safety

You are going to store personal information about acts of worship. That is sensitive. The website was built carefully for it, but the community must also decide what to collect.

What the original protects

- Nothing is visible without logging in, and the database itself returns nothing to a visitor. The site also asks search engines not to index it.
- A captain can only write their own house. The admin can write everything.
- Passwords are stored by Supabase (hashed); they are never in the website's code.

What you should know

1. **All captains see all houses.** A captain reads every house's and every person's results; they only write their own. If your community wants each house to see *only itself*, that is a design change (a developer).
2. **Photos are not private in this version.** The photo bucket is public: a person who has, or guesses, a photo's address can open it. For a private community we recommend **not using photos**: agree that nobody uploads any (or skip `photo-upload-setup.sql` in step D). A private-photo version is a straightforward improvement for a developer (private storage bucket and signed links).
3. **Use first names or nicknames** if the community prefers, and agree that with everyone. Nobody needs a surname to be ranked.
4. **Collect the minimum and ask first.** Tell members exactly what is recorded about them, who sees it, and that they may ask to be removed. If the community is in the European Union (or anywhere with a data-protection law), data about religious practice is a *special category* with stricter rules — read your local rules, or ask someone who knows them, before you launch. Choosing the EU region in Supabase (step C) is a good start.
5. **Passwords.** One password per house means it travels to whoever is the captain. Give it privately, never in a group chat, and change it when the captain changes (section 9.1). A strong admin password and **two admins** who both know how to recover the system are worth more than any feature.
6. **Backups contain everything.** The backup file has every name and every number. Keep it somewhere only the admin can open. Do not email it, and do not keep it in a shared folder.
7. **The repository.** Keep your GitHub repository **private**. The code contains no passwords if you followed step B–F, but a private repository is one more lock for free.
8. **The anon key is public on purpose; the service-role key is never.** See section 5.

PART II

When something goes wrong

WHAT YOU SEE	USUAL CAUSE	WHAT TO DO
A white page, or “Missing Supabase…” in the browser console	The two `VITE_…` variables are missing (locally in `.env`, or on Vercel)	Add them (step E / H). On Vercel, redeploy after adding.
The login screen’s house list is empty	The houses are not in the database, or `private-site-2026-11.sql` was run before the houses existed, or the URL/anon key is wrong	Check the houses table in Supabase’s Table Editor; check the two variables
“Invalid login credentials”	The script in step F was not run, the password differs from `syr_sozdor.json`, or the house’s login name (slug) was changed	Run the script again; check the slug in the `houses` table
Login works but the screen stays empty or says an error	The account was created before the privacy file, or by an older script	Run the script again (it repairs the account), then log out and in
Captain: “week not open” / cannot save	The admin has not opened the week	Admin: Жаңы апта ачуу
Captain: a permission error when saving	They are logged into a different house than the data they are editing, or the week is locked	Check the house shown in the header; ask the admin about the lock
A page of Vercel’s own login before the website	Deployment Protection is on	Settings → Deployment Protection → off for production
The site stopped working after a quiet period	Supabase paused the free project	Open the project in Supabase and Restore; then check `/api/keepalive` and that the Vercel cron job exists
“New version available” button	A new version was published	Tap it. It never reloads by itself, so nothing being typed is lost.
The numbers look wrong after you changed weights	The tests and the formula sheet were not updated	Run `npm test`; update the expected values deliberately
A new item shows zeros everywhere	It has no plan (a missing plan earns 0, by design)	Set its plan in Пландар

WHAT YOU SEE	USUAL CAUSE	WHAT TO DO
An SQL file reports an error	A file was skipped or run out of order	Run them in the order of step D; send the exact error text to your helper

PART 12

Looking after it

- **Weekly:** the backup (9.1). Test a restore once, calmly, in a *separate* Supabase project, before you ever need it.
- **At each season end:** archive happens automatically; check the new season's name and roster.
- **Every few months:** check that Supabase and Vercel emails are going to a mailbox someone reads. They warn you about paused projects and expiring keys.
- **Updating the code:** the website works as it is; there is no need to update unless you want a new feature. If you do, change one thing at a time, run `npm test` and `npm run build`, and push — Vercel keeps previous versions, so a bad change can be rolled back from the Vercel dashboard.
- **Continuity:** two admins, two people with access to GitHub, Supabase and Vercel, and the password manager shared between them.

PART 13

Glossary

WORD	MEANING
Үй (house)	A team of members with one captain
Капитан	The leader of a house (internally `imam`); enters its numbers
Орун басар	Deputy captain (internally `zam`)
Мүчө	Member
Админ	The administrator
Апта	Week
Сезон	A season: a run of weeks, with its own archive
Факт / План	Done / Plan (target)
Мини-карта	The house's seven team activities
Курам	The roster (admin screen for people and houses)
Пландар	The plans (targets) screen
Камдык көчүрмө	Backup
Маалымат кошуу	"Add information": the weekly entry form
Сыйлыктар	Awards (badges)
Жамаат	The community (the whole-community tab)
Чоң экран	"Big screen": the projector mode
RLS (row-level security)	The rules inside the database that decide who may read or write which rows
Anon key / service-role key	The public key (in the website) / the master key (one computer, never shared)
Slug	A house's short login name in Latin letters, for example `north`
Supabase / Vercel / GitHub	The database + accounts / the web host / the code store
Deploy	Publishing the website
SQL Editor	The page in Supabase where you paste the `.sql` files

PART 14

Appendix

14.1

The folders

```
src/                 the website's code
  components/        screens and windows (header, profile, entry form, admin…)
  components/views/  the five sections
  utils/             scoring, rankings, awards, seasons, share images, prayer times
  services/          the only code that talks to Supabase
  i18n/              Kyrgyz / English texts
  hooks/             who is logged in, loading data, theme, keyboard…
supabase/            the SQL files (run in order — step D)
scripts/             create-auth-users.js (makes the logins)
api/keepalive.js     the daily job that keeps Supabase awake
public/              icons, manifest, the offline helper
docs/                this guide and its screenshots
SETUP.md, README.md  the technical documents
```

14.2

The commands

```
npm install     # once: downloads what the website needs
npm run dev     # run it on your computer (http://localhost:5173)
npm test        # automatic tests: scoring, rankings, awards, translations…
npm run lint    # code-quality check
npm run build   # build exactly what Vercel publishes
node --env-file=.env.admin scripts/create-auth-users.js   # create / update logins
```

14.3

Technology (for the developer you ask for help)

React 19, TypeScript, Vite, Tailwind CSS 4, Recharts, Lucide icons, `adhan` (prayer times), Vitest; Supabase (PostgreSQL with row-level security, Supabase Auth, Storage); Vercel. No custom server. The frontend talks to Supabase directly; the database policies enforce who may do what.

14.4

What each SQL file is for

- `schema.sql` — tables, helper functions `is_admin()` and `current_house_id()`, and the original security rules. The rules read the signed-in user's role and house from the login token.
- `season-2026-09.sql` — plans per role stored in one row; a database trigger makes plans admin-only (it replaces any value a captain sends); opening a week becomes admin-only.
- `history-and-locks-2026-10.sql` — the change log table filled by triggers (logging can never block a save) and the week lock.
- `seasons-2026-10.sql` — seasons, a snapshot of each person's house and role with every saved row, and the "end season" function.
- `excused-weeks-2026-10.sql`, `roster-changes-2026-11.sql` — excused weeks; moves and new roles during a season (a saved week stays editable by the house it was earned in).
- `private-site-2026-11.sql` — reading is limited to logged-in captains and the admin (only house names and week numbers stay readable, for the login screen and the keep-alive), and the role moves to `app_metadata`, which a user cannot change about themselves.

14.5

Questions to ask before you copy anything

1. Do we really need houses and a competition, or only a private personal tracker? (Competition motivates some and pressures others — decide on purpose, and consider a version without rankings for people who prefer it.)
2. Who is the admin, and who is the second?
3. What will we do when a number is disputed? (The change history shows who changed what and when.)
4. What happens to the data if the community stops using it? (Backups; delete the Supabase project to delete the data.)

Written against the original tdJamaat website, November 2026.