

Nama: Nuryansyah Saputra Wiganda
MPM: 232310039
Kelas: TI-23-KA


Project ini merupakan implementasi microservice sederhana untuk mengelola data pengguna menggunakan:

- Node.js
- Express.js
- MongoDB
- Mongoose ODM
- RESTful API

Service ini memiliki fitur CRUD:

1. Menambahkan user
2. Menampilkan seluruh user
3. Menampilkan detail user berdasarkan ID
4. Mengupdate user
5. Menghapus user

Create User



Get All User

The screenshot shows a REST client interface with a GET request to `http://localhost:3001/api/users`. The response body is displayed in raw format, showing a JSON object with the following structure:

```
1 {
2   "success": true,
3   "count": 1,
4   "data": [
5     {
6       "_id": "6a05d927988dc3933562edb1",
7       "name": "Nuryansyah",
8       "email": "nuryansyahsw27@gmail.com",
9       "age": 21,
10      "phone": "08123456789",
11      "address": "Bogor",
12      "is_active": true,
13      "createdAt": "2026-05-14T14:16:07.600Z",
14      "updatedAt": "2026-05-14T14:16:07.600Z",
15      "__v": 0
16    }
17  ]
18 }
```

Get User By ID

The screenshot shows a REST client interface with the following details:

- Method:** GET
- URL:** `http://localhost:3001/api/users/6a05d927988dc3933562edb1`
- Body Tab:** Selected, showing a JSON response.
- Response Format:** JSON
- JSON Content:**

```
1 {
2   "success": true,
3   "data": {
4     "_id": "6a05d927988dc3933562edb1",
5     "name": "Nuryansyah",
6     "email": "nuryansyahsw27@gmail.com",
7     "age": 21,
8     "phone": "08123456789",
9     "address": "Bogor",
10    "is_active": true,
11    "createdAt": "2026-05-14T14:16:07.600Z",
12    "updatedAt": "2026-05-14T14:16:07.600Z",
13    "__v": 0
14  }
15 }
```

Update User

The screenshot shows a REST client interface with a PUT request to `http://localhost:3001/api/users/6a05d927988dc3933562edb1`. The request body is a JSON object with `name` and `age` fields. The response body is a JSON object indicating success and providing updated user details.

Request:

```
PUT http://localhost:3001/api/users/6a05d927988dc3933562edb1
```

Body:

```
{
  "name": "Nuryansyah Update",
  "age": 22
}
```

Response:

```
{
  "success": true,
  "message": "User updated successfully",
  "data": {
    "_id": "6a05d927988dc3933562edb1",
    "name": "Nuryansyah Update",
    "email": "nuryansyahsw27@gmail.com",
    "age": 22,
    "phone": "08123456789",
    "address": "Bogor",
    "is_active": true,
    "createdAt": "2026-05-14T14:16:07.600Z",
    "updatedAt": "2026-05-14T14:19:27.970Z",
    "__v": 0
  }
}
```

Delete User

The screenshot shows a REST client interface with a DELETE request to `http://localhost:3001/api/users/6a05d927988dc3933562edb1`. The response body is a JSON object indicating success.

Request:

```
DELETE http://localhost:3001/api/users/6a05d927988dc3933562edb1
```

Response:

```
{
  "success": true,
  "message": "User deleted successfully"
}
```