

Assignment-7.

**Configuring Backup and Recovery: Set up a backup and recovery plan.
Configuring Monitoring and Alerting. How to use Event Viewer. View
Shutdown and Reboot log from Event Viewer.**


Bolatbekov Nurzhas CS-2424

Part 1.


Configuring and Scheduling Windows Server Backup.

First we start installation of the feature:


Here we choose Win Server Backup:




After that we proceed next till installation process:




Next in tools bar I open Win Backup:




After We go to backup schedule and set some settings that we want:




Then I choose where to save our backup I did it in network folder WSA:




Then here I must enter as a admin:




Then I just proceed to installation:




Now I configure backup process:



Now let's try to backup once:




After we go to Recover button and choose the server and push next and choose date of the recovery, item, recovery option and finish the recovery process:




Part 2.

Backup and restore group policy objects.


Step 1. Open Group Policy Management. Right click on Group Policy Objects and select “Back up All”.




Step 2. Type the location – any existing folder where you will save the backup. Write the description of the back up as GPOBackup. Press Back up.




Step 3. Go the folder from Step 2 and see what files now are in that folder.




Step 4. Now let's make some changes in order to see the result of restoring for the next steps. Click on Printers GPO and in Delegation tab add or remove any user or group. (I added a user Biba)



Step 5. Now let's restore the backup of GPOs. In Group Policy Management right click on Group Policy Objects and select "Manage backups".




Step 6. Choose the created backup from step 2 and restore GPOs. I did it for all GPOs 6 times one per each




Step 7. Show the Delegates tab of Printer GPO.


Because the changes made in Delegation were removed after restoring, and the original configuration was recovered. My user Biba has been removed




Step 8. Create a backup for single GPO (any GPO which you created in previous assignments).



Step 9. Make changes in Delegates again. I added Baha




Step 10. Then restore that exact GPO from the backup. Show the Delegates tab again and make sure that the initial list is shown there. Now my user Baha had been removed from the list:




Part 3.

Configuring Monitoring and Alerting. How to use Event Viewer.


Step 1. Run Win+R -> type “eventvwr”




Step2. Event Viewer window will be opened




On the left panel click on Windows Logs -> System. In the middle panel you will see the list of events that occurred while the windows was running.




Step 3. Sort the events list by Event ID by clicking on that column.



Step 4. Now let's filter this list. On the right panel click on Filter current log:



Step 5. In “All event IDs” field type the following IDs: 41, 6005, 1074, 6006, 6008, 6009, 6013. These IDs are labeled to search all shutdown, reboot and startup logs. Let's also specify the time limit to Last 7 days.



Step 6. Analyze the obtained results.

The screenshot shows the Windows Event Viewer interface. The top pane displays a list of events filtered by 'Log: System; Source: ; Event ID: 41, 6005, 1074, 6006, 6008, 6009, 6013' for the last 7 days. The bottom pane shows the details for Event 6013, which is an 'Information' event from 'EventLog' with the message 'The system uptime is 14 seconds.'

Level	Date and Time	Source	Event ID	Task Category
Information	4/28/2026 3:25:50 PM	EventLog	6013	None
Information	5/2/2026 2:04:25 PM	EventLog	6013	None
Information	4/28/2026 3:36:37 PM	EventLog	6013	None
Information	5/2/2026 2:21:15 PM	EventLog	6013	None
Information	5/2/2026 2:04:25 PM	EventLog	6009	None
Information	4/28/2026 3:36:37 PM	EventLog	6009	None
Information	5/2/2026 2:21:15 PM	EventLog	6009	None
Information	4/28/2026 3:25:50 PM	EventLog	6009	None
Error	5/2/2026 2:04:25 PM	EventLog	6008	None
Error	4/28/2026 3:25:50 PM	EventLog	6008	None
Information	4/28/2026 3:35:00 PM	EventLog	6006	None
Information	5/2/2026 2:18:56 PM	EventLog	6006	None
Information	4/28/2026 3:25:50 PM	EventLog	6005	None
Information	5/2/2026 2:21:15 PM	EventLog	6005	None
Information	5/2/2026 2:04:25 PM	EventLog	6005	None
Information	4/28/2026 3:36:37 PM	EventLog	6005	None
Information	5/2/2026 2:18:49 PM	User32	1074	None
Information	4/28/2026 3:34:55 PM	User32	1074	None
Critical	4/28/2026 3:25:38 PM	Kernel-Power	41	(63)

Event 6013, EventLog

General Details

The system uptime is 14 seconds.

Log Name: System

Part 4.

Tasks.

1. Create a backup of all GPOs using PowerShell.

The screenshot shows a Windows PowerShell terminal window with the following output:

```
PS C:\WINDOWS\system32> Backup-GPO -All -Path "\\Windowsserver\wsa" -Comment "Full GPO Backup"
```

The output displays details for three GPOs:

```
DisplayName : Default Domain Policy
GpoId       : 31b2f340-016d-11d2-945f-00c04fb984f9
Id          : 22a02613-399d-4324-8d82-ca69df324c19
BackupDirectory : \\Windowsserver\wsa
CreationTime : 5/2/2026 3:41:22 PM
DomainName   : ws.local
Comment      : Full GPO Backup

DisplayName : Session Control Policy
GpoId       : 3e3c10e6-f560-439c-b98b-75f11f1ef1d6
Id          : 13065638-16a3-43be-b141-0ddca30fb814
BackupDirectory : \\Windowsserver\wsa
CreationTime : 5/2/2026 3:41:25 PM
DomainName   : ws.local
Comment      : Full GPO Backup

DisplayName : BGInfo Policy
GpoId       : 40639b41-cfd7-4d5e-929c-bf663d768cab
Id          : 472051f1-bcba-43fd-ac02-3081c2be6884
BackupDirectory : \\Windowsserver\wsa
CreationTime : 5/2/2026 3:41:25 PM
DomainName   : ws.local
```

System Type: Domain Controller, Primary, Terminal Server
User Name: administrator
Volumes: C:\ 49.13 GB NTFS

Windows Server 2025 Standard Evaluation
Windows License valid for 146 days
Build 26100.ge_release.240331-143

2. Provide the description of each event ID that was shown in the task from Part 3 - what exactly each event shows us: 41, 6005, 1074, 6006, 6008, 6009, 6013.

41

→ System rebooted unexpectedly (no proper shutdown)

6005

→ Event Log service started (system startup)

1074

→ Shutdown/restart initiated by user or application

6006

→ Clean/normal shutdown

6008

→ Unexpected shutdown (crash, power loss)

6009


→ Displays system version information at startup

6013

→ Shows system uptime (how long system was running)


These Event IDs help analyze system behavior, including startup, shutdown, and unexpected failures using Event Viewer

3. Find in Event Viewer where the login and logoff events are shown.




4. Create a basic task for the event of login to “Start a program”, and choose any appropriate program from C:\Program Files (x86). Check the applied changes by logging off and then login back to Admin account, and make sure the chosen program is executed.


I opened task scheduler:




Then I configured settings:



Then I have chosen path that I want:



I created a scheduled task that triggers on user login and starts a selected program. This demonstrates how automation can be configured based on system events.



THE END