

Assignment 6 CS-2424 Bolatbekov Nurzhas

Part 1.


Configure Remote Desktop Service.


Go to Add roles and features -> Next.

In Select Installation type - choose Role-based or feature-based Installation.




In Server Roles step choose Remote Desktop Services. In Role Services step choose first four options and add features for each of them:






Go further till Install button appears and restart you VM Windows Server.




Part 2. Enabling Remote Desktop


Go to Group Policy Management. On Group Policy Objects right click -> New




Let's name new GPO - "Enable Remote Desktop"




Right click on newly created GPO -> Edit. Go to Computer Configuration -> Policies -> Administrative templates -> Windows Components -> Remote Desktop Services -> Remote Desktop Session Host -> Connections.




Enable the feature “Allow users to connect remotely by using Remote Desktop Services”.




At the same Remote Desktop Session Host -> go to Security.




Enable “Require user authentication for remote connections by using Network Level Authentication”




Now let's set some inbound firewall rules. Go back to Computer Configuration -> Policies -> Windows Settings -> Security Settings -> Windows Defender ... -> Windows Defender .. -> Inbound Rules




Right click on Inbound Rules -> New Rule




Select Predefined-> and in the list choose Remote Desktop -> Next -> Next -> Finish.



Link the GPO Enable Remote Desktop to any Organizational Unit that you have. In my case it is CS OU. Go to Group Policy Management and choose CS OU, right click on it and select Link with existing GPO, and then choose the GPO Enable Remote Desktop





Open the command prompt (cmd) and run the command “gpupdate /force”.

```
Microsoft Windows [Version 10.0.26100.32230]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Administrator>gpupdate /force
Description: Updates multiple Group Policy settings.

Syntax: Gpupdate [/Target:{Computer | User}] [/Force] [/Wait:<value>]
        [/Logoff] [/Boot] [/Sync]

Parameters:

Value      Description
/Target:{Computer | User} Specifies that only User or only Computer
                        policy settings are updated. By default,
                        both User and Computer policy settings are
                        updated.

/Force      Reapplies all policy settings. By default,
            only policy settings that have changed are
            applied.

/Wait:{value} Sets the number of seconds to wait for policy
              processing to finish. The default is 600
              seconds. The value '0' means not to wait.
              The value '-1' means to wait indefinitely.
              When the time limit is exceeded, the command
              prompt returns, but policy processing
              continues.

/Logoff     Causes a logoff after the Group Policy settings


Service Pack: No service pack
Snapshot Time: 4/1/2026 10:35 PM
Subnet Mask: 255.255.255.0
System Type: Domain Controller, Primary, Terminal Server
User Name: administrator
Volumes: C:\ 49.13 GB NTFS
```

Part 3.


Tasks:

1. Check user's access to the Server machine using Remote Desktop. Login in to one of the existing users account. Win+R -> type "mstsc". Use "localhost" as the computer name, enter user's password in Remote Desktop window. Use the Administrator's credentials or any user (different from the current user) to login to the Server. When getting access to the Server, check the Users who connected to the server through Task Manager.


Opened Remote Desktop Connection tool using mstsc command.




Connecting to the local server using Remote Desktop.



Logging into server using different user credentials.




Verified active remote sessions in Task Manager.




2. Check another way of giving permission for remote desktop access for some exact user, instead of GPO. Create new user on Windows Server and name it RDSUser. Give access to that user using Active Directory Users and Computers. Check access to Remote Desktop for the created user.


Created a new domain user named RDSUser.



Added RDSUser to Remote Desktop Users group to grant remote access permissions.




Successfully logged in using RDSUser via Remote Desktop.




3. Disconnect and Logoff IDLE Remote sessions on Windows Server. For that purpose, create new GPO and in its properties find the appropriate settings. Link that GPO to the main OU where your users are assigned.


Created a new Group Policy Object for managing idle sessions.




Navigated to session time limit settings for Remote Desktop.




Configured timeout for idle active sessions.




Configured timeout for disconnected sessions.



Enabled automatic logoff after session timeout.



Linked session control policy to the Organizational Unit.



Applied Group Policy changes using gpupdate.

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\Administrator\Desktop> gpupdate /force
Description: Updates multiple Group Policy settings.

Syntax:  Gpupdate [/Target:{Computer | User}] [/Force] [/Wait:<value>]
        [/Logoff] [/Boot] [/Sync]

Parameters:

Value                Description
-----
/Target:{Computer | User} Specifies that only User or only Computer
                        policy settings are updated. By default,
                        both User and Computer policy settings are
                        updated.

/Force                Reapplies all policy settings. By default,
                        only policy settings that have changed are
                        applied.

/Wait:{value}         Sets the number of seconds to wait for policy
                        processing to finish. The default is 600
                        seconds. The value '0' means not to wait.
                        The value '-1' means to wait indefinitely.
                        When the time limit is exceeded, the command
                        prompt returns, but policy processing
                        continues.
```

THE END

