

FileAm Backend API Changes Summary

Date: 7 September 2026 | **Base path:** /api/v1/mobile | **Envelope:** { status, message, data }

Deploy: Run `npx prisma migrate deploy (migration 20260907120000_undo_and_prospective_terms)` before using undo / terms features.

Table of contents

1. Standard response envelope
2. CIT/PIT monthly computation fix
3. Expense list counts
4. Employee taxComputation
5. Sales & expense undo
6. Inventory sale undo
7. Liability undo
8. Asset undo
9. Payer & beneficiary undo
10. Employee & employer prospective terms
11. Shared undo types

1. Standard response envelope

All mobile routes return:

```
{
  "status": true,
  "message": "Human-readable message",
  "data": { /* payload */ }
}
```

Errors: status: false, HTTP 4xx/5xx, message explains the failure. Undo conflicts return **409**.

2. CIT/PIT monthly computation fix

Behavior change Source: *CIT_PIT_Bug_Report.pdf*

CIT and PIT now use **only the requested month's** sales and expenses (voided/reversed rows excluded). Each month returns a distinct value; multi-month ranges sum per-month amounts.

Method	Path	Change
GET	/tax-computation? period=YYYY-MM	data.cit.periodAmount and data.pit.periodAmount are monthly estimates from that month's books. Optional: range=month quarter year — CIT/PIT summed across included months.
GET	/tax-payables?period=YYYY-MM&page=1&limit=20	CIT/PIT payable rows sync per book month (not December-only). data.totals.cit / data.totals.pit match the requested period computation.

GET /tax-computation — key response fields (unchanged shape, new logic)

```
{
  "status": true,
  "message": "Tax computation retrieved",
  "data": {
    "period": { "year": 2026, "month": 5, "range": "month", "label": "May 2026" },
    "overview": { "totalIncome": 5000000, "totalExpenses": 1000000, "netProfit": 4000000 },
    "cit": {
      "periodAmount": 12345.67,
      "monthlyProfit": 4000000,
      "annualizedProfit": 48000000,
      "totalCitLiability": 148148.04
    },
    "pit": {
      "periodAmount": 8901.23,
      "monthlyProfit": 4000000,
      "annualizedProfit": 48000000,
      "estimatedAnnualPit": 106814.76
    },
    "vat": { "periodAmount": 375000, "netVatPayable": 375000 },
    "wht": { "periodAmount": 250000 },
    "paye": { "periodAmount": 45000, "applicable": true }
  }
}
```

3. Expense list counts

Changed Source: *EXPENSE_LIST_COUNTS_API.pdf*

Method	Path	Change
GET	/expenses?status={status}&page=&limit=	New query status: all Paid Pending Partial Overdue IN_PROGRESS Voided Reversed New response field data.counts (same keys as sales). status=all excludes voided/reversed rows. Summary/topCategories use live rows only.

GET /expenses — response (added counts)

```
{
  "status": true,
  "message": "Expenses retrieved",
  "data": {
    "summary": { "totalExpenses": 1200000, "vatClaimable": 85000 },
    "counts": {
      "all": 40,
      "paid": 20,
      "pending": 8,
      "partial": 4,
      "overdue": 3,
      "in_progress": 5,
      "voided": 2,
      "reversed": 1
    },
    "topCategories": [ { "category": "Rent", "amount": 400000,
      "percentageOfTotal": 33.3 } ],
    "expenses": [ /* ExpenseItem[] */ ],
    "total": 40,
    "page": 1,
    "limit": 20,
    "totalPages": 2
  }
}
```

4. Employee taxComputation

Changed Source: *EMPLOYEE_TAX_COMPUTATION_API.pdf*

No new routes. taxComputation added to employee detail (GET, and returned after POST/PATCH).

Method	Path	Change
GET	/employees/:id	Response includes data.taxComputation
POST	/employees	Same detail shape on create
PATCH	/employees/:id	Same detail shape on update

Added field on employee detail

```
"taxComputation": {
  "chargeableIncome": 5152000,
  "pensionableEmoluments": 4800000,
  "effectiveTaxRate": 12.45
}
```

effectiveTaxRate is percent (12.45 = 12.45%), not 0–1. All three keys always present; use 0 when zero.

5. Sales & expense undo

Changed **New routes** Source: *SALES_AND_EXPENSE_UNDO_API.pdf*

Method	Path	Type	Description
GET	/sales?status=...	Changed	Status adds Voided, Reversed. Counts add voided, reversed. Summary excludes undone.
GET	/sales/:id	Changed	Adds undo when voided/reversed
GET	/sales/:id/undo	New	Returns action backend will run
POST	/sales/:id/undo	New	Executes void or reverse
GET	/expenses?status=...	Changed	Same status/count rules as sales
GET	/expenses/:id	Changed	Adds undo
GET	/expenses/:id/undo	New	Undo check
POST	/expenses/:id/undo	New	Execute undo (409 if converted to asset)

GET /sales/:id/undo — response

```
{ "status": true, "message": "Sale undo check", "data": { "action": "void" | "reverse" } }
```

POST /sales/:id/undo — request

```
{ "reason": "Created by mistake" | "Duplicate sale" | "Wrong amount" | "Wrong customer" | "Wrong product" | "Wrong date" | "Sale cancelled" | "Other" }
```

POST /sales/:id/undo — response

```
{
  "status": true,
  "message": "Sale undone",
  "data": {
    "action": "void" | "reverse",
    "status": "voided" | "reversed",
    "data": { /* full SaleDetail with undo populated */ }
  }
}
```

POST /expenses/:id/undo — request reasons

```
"Created by mistake" | "Duplicate expense" | "Wrong amount" | "Wrong expense category" | "Wrong supplier" | "Wrong date" | "Expense cancelled" | "Other"
```

Detail undo block (sales & expenses)

```
"undo": {
  "at": "2026-09-07T11:30:00.000Z",
```

```
"reason": "Wrong amount",
"reversingEntry": { "id": "ledger-tx-uuid", "date": "2026-09-07" } | null
}
```

Rules: No ledger → void. Ledger posted → reverse. Voided/reversed records cannot be edited, paid, or undone again.

6. Inventory sale undo

Changed **New routes** Source: *INVENTORY_UNDO_API.pdf*

Method	Path	Type	Description
DELETE	/inventory/items/:id	Changed	409 if item ever had an inventory sale (including reversed)
GET	/inventory/sales?status=all Reversed	Changed	Adds counts.all, counts.reversed, row status, saleId, undo
GET	/inventory/sales/:id	New	Inventory sale detail with lines
GET	/inventory/sales/:id/undo	New	Always action: "reverse"
POST	/inventory/sales/:id/undo	New	Reverses inventory sale + linked Sales record + restores stock
POST	/sales/:id/undo	Changed	Also reverses linked inventory sale when sale came from inventory sell

GET /inventory/sales/:id — response

```
{
  "data": {
    "id": "uuid",
    "soldAt": "2026-05-15T10:00:00.000Z",
    "totalAmount": 250000,
    "customerName": "Acme Ltd",
    "customerId": null,
    "status": "live" | "reversed",
    "saleId": "linked-sales-uuid",
    "undo": null | { "at": "...", "reason": "...", "reversingEntry": { "id":
    "...", "date": "..." } },
    "lines": [{
      "inventoryItemId": "uuid",
      "itemName": "Widget A",
      "category": "Electronics",
      "quantity": 5,
      "unitSellingPrice": 50000,
      "unitCost": 30000,
      "lineTotal": 250000
    }]
  }
}
```

POST /inventory/sales/:id/undo — request

```
{ "reason": "Created by mistake" | "Duplicate sale" | "Wrong quantity" | "Wrong customer" | "Wrong product" | "Wrong date" | "Sale cancelled" | "Other" }
```

7. Liability undo

Changed **New routes** Source: *LIABILITY_UNDO_API.pdf*

Method	Path	Type	Description
GET	/liabilities? status=all Voided Reversed	Changed	counts, recordStatus, undo on rows
GET	/liabilities/:id	Changed	recordStatus, undo when undone
GET	/liabilities/repayments? status=all Reversed	Changed	counts, recordStatus, undo
GET	/liabilities/:id/undo	New	409 if live repayments exist
POST	/liabilities/:id/undo	New	Void or reverse financing liability
GET	/liabilities/repayments/:id/undo	New	Always reverse
POST	/liabilities/repayments/:id/undo	New	Reverse repayment; restores parent balance

POST /liabilities/:id/undo — request

```
{ "reason": "Created by mistake" | "Duplicate liability" | "Wrong amount" | "Wrong creditor" | "Wrong date" | "Not a business liability" | "Other" }
```

Undo response envelope (liabilities)

```
{  
  "data": {  
    "action": "void" | "reverse",  
    "status": "voided" | "reversed",  
    "data": { /* LiabilityDetail or RepaymentDetail */ }  
  }  
}
```

recordStatus is sibling to payment status (ACTIVE | voided | reversed). Undo repayments before undoing parent liability.

8. Asset undo

Changed **New routes** Source: *ASSET_UNDO_API.pdf* (core surfaces)

Method	Path	Type	Description
GET	/assets? status=all Voided Reversed	Changed	counts.all/voided/reversed, summary excludes undone
GET	/assets/:id	Changed	undo when voided/reversed
GET/POST	/assets/:id/undo	New	Acquire asset void/reverse
GET	/assets/sales? status=all Reversed	Changed	Counts + undo on rows
GET/POST	/assets/sales/:id/undo	New	Reverse asset sale
GET	/assets/disposals? status=all Reversed	Changed	Counts + undo
GET/POST	/assets/disposals/:id/undo	New	Reverse disposal
GET	/assets/transfers? status=all Voided Reversed	Changed	Counts + undo
GET/POST	/assets/transfers/:id/undo	New	Void/reverse transfer

Extended surfaces (cash/bank/receivable user rows, unit-attributions, production records) are specified in the full Asset Undo PDF but not covered in this deployment pass.

9. Payer & beneficiary undo

Changed **New routes** Source: *PAYERS_AND_BENEFICIARY_UNDO_API.pdf*

Method	Path	Type	Description
GET	/payers?status=VOIDED	Changed	New filter; rows have voided: boolean
GET	/payers/:id	Changed	voided, undo; transactions include undone with undo
GET/POST	/payers/:id/undo	New	Void only if zero transactions
GET/POST	/payers/:id/transactions/:transactionId/undo	New	Void/reverse transaction
GET	/beneficiaries?type=VOIDED	Changed	New filter; voided on rows

GET	/beneficiaries/:id	Changed	voided, undo; rollups exclude undone txns
GET/POST	/beneficiaries/:id/undo	New	Void if zero transactions
GET/POST	/beneficiaries/:id/transactions/:transactionId/undo	New	Void/reverse; remittance reversed in same action

Legacy transaction status void is returned as voided.

10. Employee & employer prospective terms

Behavior change Source: *EMPLOYEE_AND_EMPLOYER_PROSPECTIVE_TERMS.pdf*

No new routes. PATCH behaviour changes only. Calendar uses **Africa/Lagos**.

Method	Path	Change
PATCH	/employees/:id	Salary/relief changes apply from effectiveMonth (current Lagos month, or next if current PAYE is PAID/COMPLETED). Frozen payroll months never recompute.
PATCH	/employers/:id	Remuneration changes prospective; past income-history rows immutable once frozen.
GET	/payee?period=YYYY-MM	Past closed periods return frozen snapshots after PATCH.
GET	/employers/:id/income-history?year=YYYY	Past months frozen; current month may remain projection.

Request/response payloads for PATCH are unchanged. Annual totals use frozen months + open remainder (not 12 × new salary).

11. Shared undo types

```

type RecordUndoAction = "void" | "reverse"
type RecordUndoStatus = "voided" | "reversed"
type RecordUndo = {
  at: string          // ISO datetime
  reason: string | null
  reversingEntry?: { id: string; date: string } | null // null after void
}
type UndoCheckResponse = { action: RecordUndoAction }
type UndoResponse<T> = { action: RecordUndoAction; status: RecordUndoStatus; data: T }

```

Quick reference — all new routes

Route	Method
/sales/:id/undo	GET, POST
/expenses/:id/undo	GET, POST
/inventory/sales/:id	GET
/inventory/sales/:id/undo	GET, POST
/liabilities/:id/undo	GET, POST
/liabilities/repayments/:id/undo	GET, POST
/assets/:id/undo	GET, POST
/assets/sales/:id/undo	GET, POST
/assets/disposals/:id/undo	GET, POST
/assets/transfers/:id/undo	GET, POST
/payers/:id/undo	GET, POST
/payers/:id/transactions/:transactionId/undo	GET, POST
/beneficiaries/:id/undo	GET, POST
/beneficiaries/:id/transactions/:transactionId/undo	GET, POST

FileAm Backend API v2 — Generated 7 September 2026. Auth: Bearer token required on all /mobile routes unless noted.