S3 data protection

AWS Academy modules remain the main lesson. Use this short guide for Local 04.

WEEK 07

Versioning

Keep prior object versions after an overwrite or ordinary delete.

WEEK 07

Lifecycle

Current and noncurrent versions need different transition actions.

WEEK 08

Replication

Live replication covers new or updated objects; existing data needs a separate job.

Local 04: use your assigned Part only · No extra AWS lab

Versioning keeps prior versions

T0 · ORIGINAL

report.pdf · v1

The first upload is the current version.

T1 · OVERWRITE

report.pdf · v2

The new upload becomes current. v1 remains noncurrent.

T2 · DELETE

Delete marker becomes current

An ordinary delete hides the object. Earlier versions can still be restored.

After enabling versioning, you can suspend it; you cannot return the bucket to unversioned.

Lifecycle needs two actions

CURRENT VERSION

Transition

Example: move the current object to a colder storage class after its age reaches 30 days.

NONCURRENT VERSION

NoncurrentVersionTransition

Separate action: count from when a version became noncurrent. A current-version rule does not cover it.

A lifecycle rule never restores a version that was permanently deleted.

Replication does not backfill old data

BEFORE THE RULE

Existing objects

Live replication does not automatically copy objects already in the source bucket.

AFTER THE RULE

New and updated objects

Live replication copies eligible new writes. Use S3 Batch Replication for existing objects.

Recovery check: verify which versions exist at the destination, then test the restore path.

Local 04 Q3: a replication rule alone is not a full backup of two years of old objects.