

1. Overview

This plugin implements an achievement system in your game.

You can configure the name, description, category, image or icon, progress conditions, completion conditions, rewards, and other settings for each achievement.

- The Achievement screen can be displayed from the title screen and the main menu.
- You can unlock a specified achievement using a plugin command.
- Achievement checks can be triggered by variable changes, switch changes, gold obtained, item/weapon/armor acquisition, enemy defeats, level ups, battle start, victory, escape, or party defeat.
- Progress gauges, achievement completion rate, unlock date and time, and rewards can be displayed.
- The extension plugin NUUN_AchievementIndicator can display an Achievement Unlocked notification.

2. Installation

1. Place NUUN_AchievementSystem.js in the project's js/plugins folder.
2. Enable NUUN_AchievementSystem in the Plugin Manager.
3. To use achievement notifications, also add NUUN_AchievementIndicator.js and place it below the main plugin in the Plugin Manager.
4. Configure [Achievement settings] and [Achievement category settings].

Achievement unlock data is saved to data/AchievementSystem.json. If the file does not exist, the plugin starts with the initial achievement data.

3. Basic Settings

Setting	Description
Achievement settings	Registers the achievements used in the game. For each achievement, you can configure its name, description, category, completion conditions, progress, image or icon, rewards, and other settings.
Achievement category settings	Registers the categories displayed on the achievement screen. You can specify an identifier and display name for each category and classify achievements into categories such as Story, Battle, and Collection.
Achievements unlocked variable	Specifies the game variable used to store the total number of unlocked achievements. Set to 0 to disable this feature.
Show achievement in menu	Specifies whether to display a command for opening the achievement screen in the menu.
Show achievement on title	Specifies whether to display a command for opening the achievement screen on the title screen.
Achievement command name	Specifies the name of the achievement command displayed on the menu and title screens.

4. Registering Achievements

Setting	Trigger timing
Identifier	Specifies an optional name used to identify the achievement. It can be used instead of the achievement setting list ID in plugin commands and other settings.
Category symbol	Specifies the category to which the achievement belongs. Enter the same string as the Identifier specified in Achievement Category Settings.
Achievement name	Specifies the name of the achievement. It is displayed in the achievement list, details window, achievement unlock notifications, and other locations.
Achievement text	Specifies the description of the achievement. Enter the text displayed to the player, such as the achievement requirements or details.
Achievement trigger timing	Specifies when the achievement unlock condition is checked. Multiple timings can be specified.

5. Achievement Trigger Timing

Setting	Trigger timing
None	No automatic check is performed. Use a plugin command or another method to check the achievement.
Variable change	When the specified progress variable changes.
Switch change	When the specified judgment switch changes.
Gold obtained	When gold is obtained.
Item obtained	When an item is obtained.
Weapon obtained	When a weapon is obtained.
Armor obtained	When armor is obtained.
Enemy defeated	When an enemy is defeated.
Skill/Item Use	When a skill or item is used
Level up	When an actor levels up.
Battle start	When a battle starts.
Victory	When the party wins a battle.
Escape	When the party escapes from battle.
Party defeated	When the party is defeated.

If [Achievement check common event] is specified, the plugin does not perform the unlock check directly at that timing. Instead, the specified common event is reserved. Configure the achievement unlock process inside the common event.

6. Progress and Completion Conditions

Setting	Description
Show progress gauge	Displays a gauge showing the achievement's progress in the achievement details.
Show progress as percentage	Displays the current progress as a percentage (%) instead of the current value / maximum value.
Maximum progress	Specifies the target progress value required to unlock the achievement. The progress condition is met when the value of the Progress Variable or Progress Evaluation Formula is equal to or greater than this value.
Progress variable	Uses the value of the specified game variable as the achievement's progress value. The condition is met when the variable's value is equal to or greater than the Maximum Progress.
Progress evaluation formula	Uses a JavaScript evaluation formula to obtain the achievement's progress value. The condition is met when the evaluation result is equal to or greater than the Maximum Progress.
Switch	Specifies the game switch used as an achievement completion condition. The condition is met when the specified switch is ON.

If [Progress Variable], [Progress Evaluation Formula], and [Switch] are set at the same time, the achievement is unlocked when all specified conditions are met.

7. Configuration Examples

Unlocking a Story Achievement with a Switch

- Achievement trigger timing: Switch change.
- Switch: The switch used for the relevant story progression.

Unlocking when a variable reaches 100

- Achievement trigger timing: Variable change.
- Maximum progress: 100
- Progress variable: The target game variable.

Checking the current value with JavaScript

Example progress evaluation formula: `$gameParty.gold()`

If Maximum progress is set to 10000, the condition is met when the party has 10,000 gold or more at the time of the check.

Unlocking after winning a battle for the first time

- Achievement trigger timing: Victory
- Maximum progress: 1
- Example progress evaluation formula: `$gameSystem._winCount`

Unlocking after collecting all medals

- Achievement trigger timing: Item obtained (not required if <Achievement:achievementId> is set in the target item's Note field)
- Maximum progress: Any value
- Example progress evaluation formula: `achievement.statisticsGainItems[itemId]`

Unlocking After Opening 50 Treasure Chests

- Achievement trigger timing: Variable change.
- Progress variable: The target game variable
- Maximum progress: 50

Event Setup

Use the event command [Control Variables] to add to the game variable specified as the Progress variable.

If Achievement trigger timing is set to [Variable change], the achievement check is automatically performed when the specified variable changes.

8. Achievement Unlock Checks Using Note Tags

You can enter the following tag in the Notes field of items, weapons, and armors.

<AchievementGainItem:achievementId>

When an item, weapon, or armor with this tag is obtained, the specified achievement is checked for unlocking. Specify the list ID or identifier from the Achievement Settings for achievementId.

You can enter the following tag in the Notes field of items and skills.

<AchievementUseItem:achievementId>

When an item or skill with this tag is used, the specified achievement is checked for unlocking.

Specify the list ID or identifier from the Achievement Settings for achievementId.

<AchievementApplyItem:achievementId>

When an item or skill with this tag is used and its effect is applied, the plugin checks whether the achievement with the specified ID can be unlocked.

For achievementId, specify either the list ID or the identifier from the Achievement settings.

9. Locked Achievements

Setting	Description
Locked achievement text	Specifies the text displayed instead of the achievement text when viewing a locked achievement in the details window.
Locked achievement display name	Specifies the name displayed instead of the achievement name when the achievement name is hidden. If left blank, "?" is displayed.
Secret locked achievements	Hides the achievement name until the achievement is unlocked. When enabled, the name specified in [Locked Achievement Display Name] is displayed while the achievement is locked.
Hide locked achievements	Hides the achievement from the achievement list until it is unlocked. Once unlocked, the achievement will appear in the achievement list.

10. Achievement Images and Icons

Setting	Description
Locked achievement image	Specifies the image displayed for locked achievements when [Achievement Image Mode] is set to [Image].
Unlocked achievement image	Specifies the image displayed for unlocked achievements when [Achievement Image Mode] is set to [Image]. If left blank, the [Locked Achievement Image] is used.
Locked achievement icon	Specifies the icon displayed for locked achievements when [Achievement Image Mode] is set to [Icon].
Unlocked achievement icon	Specifies the icon displayed for unlocked achievements when [Achievement Image Mode] is set to [Icon]. If left blank, the [Locked Achievement Icon] is used.
Achievement Image Mode	Specifies how achievement images or icons are displayed. [Icon] Displays the specified icon from the RPG Maker MZ icon set. [Image] Displays the image specified for each achievement. The display width of the image can be limited by [Maximum Image Width]. [None] Does not display achievement images or icons.

11. Actions and Rewards on Achievement Completion

Setting	Description
Achievement completion common event	Reserves the specified common event when the achievement is unlocked for the first time.
Gold reward	Grants the specified amount of gold when the achievement is unlocked.
Item rewards	Grants each specified item when the achievement is unlocked.
Weapon rewards	Grants each specified weapon when the achievement is unlocked.
Armor rewards	Grants each specified armor when the achievement is unlocked.
Reward text	Specifies the heading displayed in the reward section of the achievement details window.

Because the same achievement can only be unlocked once, the completion common event, notification, and rewards are executed only on the first unlock.

When specifying multiple items, configure them as follows.

パラメータ

×

アイテムのリスト

テキスト

アイテム報酬 (RewardsItems):

17

27

37

4

実績達成時に獲得するアイテムを指定します。

OK

キャンセル

12. Category Settings

Setting	Description
Identifier	Specifies a name used to identify the category. Enter the same string as the [Category Symbol] in the achievement settings to assign the achievement to this category. A category with all specified displays all achievements.
Category name	Specifies the name displayed in the category window on the achievement screen.

Achievements are categorized by matching the Category symbol in the achievement settings with the Identifier in the category settings.

13. Window and Display Settings


Setting	Description
Category Window	Configures the X coordinate, Y coordinate, width, transparency, number of columns, and number of rows of the category window.
Achievement category window	Specifies the X and Y coordinates, width, transparency, number of columns, and number of rows for the category window.
Achievement window	Specifies the X and Y coordinates, width, height, and transparency for the window that displays the achievement list.
Completion rate window	Specifies the X and Y coordinates, width, and transparency for the window that displays the achievement completion rate.
Achievement details window	Specifies the width, number of rows, and transparency for the window that displays details of the selected achievement. The minimum number of rows is 4.
Statistics gauge	Specifies the colors for the left and right sides of the achievement completion rate gauge.
Progress gauge	Specifies the colors for the left and right sides of the achievement progress gauge.
Decimal places	Specifies the number of decimal places displayed when completion rates and progress rates are shown as percentages (%).
Date and time format	Specifies the display format for the date and time when an achievement was unlocked. Select from Default, Japanese Date, Japanese Era, U.S. Format, or U.K. Format.
Include Hidden Achievements in Statistics	Specifies whether achievements with [Hide Locked Achievement] enabled are included in statistics such as the achievement completion rate.

14. Background Image

Setting	Description
Background Image	Specifies the background image displayed on the achievement screen. If a scroll speed is configured, the background image scrolls.
Background Image 2	Specifies an image displayed between the background image and each window.
Background Size Mode	Fits the background image size to the UI. This setting is disabled when background scrolling is configured.
Horizontal Scroll Speed	Specifies the horizontal scroll speed of the background image. Positive values scroll right; negative values scroll left.
Vertical Scroll Speed	Specifies the vertical scroll speed of the background image. Positive values scroll down; negative values scroll up.

15. Details Window

- The number of rows in the window can be set to a minimum of 4. If set to 4 rows, rewards will not be displayed.
- The details window is displayed in the center of the screen.



16. Plugin Commands

Command	Description
Show Achievement Window	Opens the achievement screen.
Achievement Unlock Check	Checks the conditions of the specified achievement and unlocks it if the conditions are met. For Achievement Setting ID, specify a list ID or identifier. If the ID is left blank, all achievements are checked.
Clear Achievements	Clears unlock data for the specified achievement. For Achievement Setting ID, specify a list ID or identifier. If the ID is left blank, all achievements are cleared.
Achievement Unlock Check (Store in Switch)	Checks whether the specified achievement has been unlocked and stores the result in the specified switch.

17. Reference Parameters for Evaluation Formulas

v: Game variables Example : v[6] Value of variable 6

system: \$gameSystem

achievement: \$gameSystem.achievementSystem

achievement.statisticsGainGold – Total amount of gold obtained

achievement.statisticsGainItems[itemId] – Total number of the specified item obtained

achievement.statisticsGainWeapons[itemId] – Total number of the specified weapon obtained

achievement.statisticsGainArmors[itemId] – Total number of the specified armor obtained

17. Notes

- Achievement unlock processing is not performed during Battle Test.
- The Identifier is used as a key for identifying saved achievement data. Be careful when changing it after the game has already been released or save data has been created.

When [Achievement check common event] is specified, configure the achievement unlock process inside the common event.

Terms of Use

Credit: Optional

Commercial Use: Allowed

Adult Content: Allowed

Modifications: Allowed

Redistribution: Not allowed, even with modifications

Support is not available for unofficial distribution or modified versions.

Log

2026/9/19 Ver.1.0.2

Added and revised processing related to applying Nuun_AchievementItemContents.

9/13/2026 Ver.1.0.1

Added the ability to check all achievements for unlocking when no ID is specified in the Check Achievement Unlock command.

9/12/2026 Ver.1.0.0

First edition.

1. Overview

NUUN_AchievementIndicator is an extension plugin that requires NUUN_AchievementSystem. It displays an Achievement Unlocked notification on the map screen or battle screen when an achievement is unlocked.

Setting	Description
Indicator Width	Specifies the width of the achievement unlocked indicator. Default: 360.
Indicator Height	Specifies the height of the achievement unlocked indicator. Set to 0 for one line of height.
Transparent Window	Specifies whether the achievement unlocked indicator window background is transparent.
Achievement Unlocked Text	Specifies the text displayed with the achievement name when an achievement is unlocked. Default: "Achievement Unlocked".
Margin	Specifies the spacing between indicators when multiple achievement unlocked indicators are displayed at the same time. Default: 16.
Maximum Notifications	Specifies the maximum number of achievement unlocked indicators that can be displayed on screen at the same time. Set to 0 to calculate it automatically from the screen size.
Easing Duration (Frames)	Specifies the easing duration in frames when the indicator moves onto or off the screen. Default: 30 frames.
Display Duration (Frames)	Specifies how long the indicator remains stationary on screen, in frames. Default: 120 frames.
Achievement Unlocked SE	Specifies the SE played when the achievement unlocked indicator is displayed. You can specify the SE file, volume, pitch, and pan.
Image File	Specifies an optional image displayed in the achievement unlocked indicator. By making the window background transparent, the image can be used as a custom notification background.
Image Relative Coordinates X / Y	Adjusts the display position of the image specified in [Image File] relative to the indicator's base position.
Indicator Display Position	Specifies whether achievement unlocked indicators appear from the bottom or top of the screen.
Achievement Unlocked Text X Coordinate	Specifies the relative X coordinate of the achievement unlocked text.
Achievement Unlocked Text Y Coordinate	Specifies the relative Y coordinate of the achievement unlocked text.
Achievement Name Y Coordinate	Specifies the relative Y coordinate of the achievement name.
Achievement Name Font Size	Specifies the achievement name font size in the indicator as an offset from the main font size.

Terms of Use

Credit: Optional

Commercial Use: Allowed

Adult Content: Allowed

Modifications: Allowed

Redistribution: Not allowed, even with modifications

Support is not available for unofficial distribution or modified versions.

Log

2026/9/19 Ver.1.1.0

Added the ability to display achievement unlocked indicators from the top or bottom of the screen.

Fixed automatic calculation of the maximum number of notifications so that the configured indicator height is taken into account.

2026/9/17 Ver.1.0.1

Added the ability to specify the achievement name font size.

Added the ability to specify the achievement unlocked indicator height.

Added the ability to specify the X/Y coordinates of the achievement unlocked text.

Added the ability to specify the Y coordinate of the achievement name.

9/12/2026 Ver.1.0.0

First edition.

1. Overview

This is an extension plugin that requires NUUN_AchievementSystem.

You can customize the contents displayed in the achievement list and achievement details window.

2. Installation

1. Place NUUN_AchievementItemContents.js in your project's js/plugins folder.
2. Enable NUUN_AchievementItemContents in the Plugin Manager and register it below NUUN_AchievementSystem.

3. Basic Settings

Setting	Description
Achievement List Contents Settings	Specifies the items and layout displayed in the achievement list.
Achievement List Contents Max Columns	Specifies the maximum number of columns for achievement list contents. Default: 1.
Achievement Details Contents Settings	Specifies the items and layout displayed in the achievement details window.
Achievement Details Contents Max Columns	Specifies the maximum number of columns for achievement details contents. Default: 1.
Achievement Details Window Rows	Specifies the number of rows in the Achievement Details window. When this setting is used, the Achievement Details Window Rows setting in NUUN_AchievementSystem is ignored.

4. Display Items

Select the contents to display in the achievement list or achievement details from [Display Item]. Symbols such as (x) and (y) shown in item names indicate the settings used by that item.

Display Item	Description
None	Displays nothing.
Name Only	Displays an arbitrary name.
Achievement Image	Displays the image configured for the achievement. Achievement Image Mode is ignored.
Achievement Icon	Displays the icon configured for the achievement. Achievement Image Mode is ignored.
Achievement Name	Displays the achievement name.
Achievement Description	Displays the achievement description.
Achievement Unlocked Date	Displays the date and time the achievement was unlocked.
Progress Gauge	Displays the achievement progress gauge.
Rewards	Displays the rewards configured for the achievement.
Image	Displays an arbitrary image.
Fill	Fills the area with the specified color.
Line	Displays a horizontal line.

5. Display Position and Format

Item	Description
X Display Column Position (x)	Specifies the column position where the item is displayed.
Y Display Row Position (y)	Specifies the row position where the item is displayed.
X Coordinate (Relative) (xc)	Specifies the relative X coordinate based on the X display column position.
Y Coordinate (Relative) (yc)	Specifies the relative Y coordinate based on the Y display row position.
Item/Gauge Width (iw)	Specifies the width of the item or gauge. Set to 0 for the default width.
Item Name Width (sw)	Specifies the width of the item name. Set to 0 for the default width.
Name (pn)	Specifies the name displayed when [Name Only] is selected.
Item Name Color (sc)	Specifies the color used for item names and similar text. A color code can be entered in the Text tab.
Alignment (a)	Specifies text alignment: left, right, or center.
Item Display Mode (w)	When the maximum number of columns is 2 or more, specifies whether the item uses 1-column or 2-column display.
Font Size (fs)	Specifies the font size as an offset from the main font size.
Item Name Font (ff)	Specifies the font used for item names and similar text.
Value Font (vf)	Specifies the font used for numeric values.
Show Only After Unlock (lk)	When enabled, displays the item only after the achievement has been unlocked.
Opacity (o)	Specifies the opacity of images and filled areas.

6. Image Settings

Item	Description
Image (im)	Specifies the image file displayed when [Image] is selected.
Image Height (h)	Specifies the display height of the image. Set to 0 to use the image's original height.
Display in Grayscale (gs)	Displays this item in grayscale when the achievement has not yet been unlocked.

Terms of Use

Credit: Optional

Commercial Use: Allowed

Adult Content: Allowed

Modifications: For private use only

Redistribution: Not allowed, including modified versions

Support is not available for downloads from unofficial distribution sites or for modified versions.

Update History

2026/9/19 Ver.1.0.0

First release.