

1. Overview

Plays voice audio when a battle is won.

This is an extension plugin for NUUN_ResultEx. Use it together with NUUN_ResultEx.

2. Installation

1. Place NUUN_ResultVoice.js in your project's js/plugins folder.
2. Enable **NUUN_ResultVoice** in the Plugin Manager.
3. Place it below **NUUN_ResultEx** in the Plugin Manager.

3. Basic Settings

Item	Description
Voice Settings	Configures the voice audio played for each actor when a battle is won or when the actor levels up.

4. Voice Settings

Select an actor and register the voice audio used when that actor wins a battle or levels up.

Voice files are selected as SE files from the audio/se folder.

Item	Description
Actor	Specifies the actor to which this setting applies.
Victory Voice	Registers the voice (SE) played when the battle is won. If multiple voices are registered, one is selected at random.
Level-Up Voice	Registers the voice (SE) played when this actor levels up on the result screen. If multiple voices are registered, one is selected at random.

5. SE Settings

Item	Description
SE	Specifies the audio file to play from the audio/se folder.
Volume	Sets the playback volume.
Pitch	Sets the pitch of the audio. 100 is the standard value.
Pan	Sets the left/right pan. -100 is left, 0 is center, and 100 is right.

Terms of Use

Credit: Optional

Commercial Use: Allowed

Adult Content: Allowed

Modifications: Allowed

Redistribution: Not allowed, even with modifications

Support is not available for unofficial distribution or modified versions.

Log

4/22/2026 Ver.1.0.2

Fixed victory voices so that voices from incapacitated actors are not played.

4/18/2026 Ver.1.0.1

Fixed an issue where the voice of an actor with no voice configured could be selected at random.

3/7/2026 Ver.1.0.0

First release.

1. Overview

An extension plugin that displays an actor who performed prominently in battle on the result screen after victory.

The displayed actor can be selected as either the last actor to attack or the actor with the highest MVP points.

Choose which method to use with the Target Mode plugin parameter.

Use the included NUUN_ResultVoice plugin.

This is an extension plugin for NUUN_ResultEx. Use it together with NUUN_ResultEx.

2. Installation

1. Place NUUN_ResultActor.js in your project's js/plugins folder.
2. Enable NUUN_ResultActor in the Plugin Manager.
3. Place it below NUUN_ResultEx in the Plugin Manager.

3. How the MVP Actor Is Calculated

MVP points are calculated as Total Damage Dealt + Defeat Points + Incapacitation Points + Break Points. The points for defeats, incapacitations, and breaks can be adjusted in the plugin parameters. **NUUN_BreakDamage** is required to use Break Points.

For example, if total damage dealt is 1500, 2 enemies are defeated, the actor is incapacitated 3 times, and 1 break occurs:

The calculation is $1500 + (100 * 2) + (-300 * 3) + (50 * 1)$. These values are the defaults.

4. Note Tags

<MvpDefeatPoint:[point]>

Enter this tag in an enemy's Note field. It specifies the MVP defeat points added when that enemy is defeated. If set to 0 or omitted, the plugin parameter setting is used.

5. Basic Settings

Item	Description
Target Mode	Selects how the actor displayed on the result screen is determined. Choose Last Actor to Attack or MVP Actor.
Displayed Actor Bonus EXP	Sets the EXP multiplier for the actor selected for the result screen as an integer percentage. 100 gives the normal amount.
Result Actor Display Switch ID	Specifies the switch used as the condition for displaying the result actor. Set to 0 to always display the actor.
Actor Settings	Sets the Victory ME and Victory BGM for each actor. Configure the actor image itself in NUUN_ResultEx .
Actor Effect	Configures effects such as movement, scale, opacity, and rotation for the actor image shown in the result. The first entry in the list is used as the initial state, so its frame count is ignored.
Enemy Defeat Points	Sets the points added to the MVP calculation each time one enemy is defeated. This can also be specified individually for each enemy with a note tag.
Incapacitation Points	Sets the points added to the MVP calculation when an actor is incapacitated by an attack. Use a negative value to apply a penalty.
Target Mode	Selects how the actor displayed on the result screen is determined. Choose Last Actor to Attack or MVP Actor.

6. Actor Settings

Item	Description
Actor	Specifies the actor to which this setting applies.
Victory ME	Specifies the Victory ME used when this actor is selected for display on the result screen.
Victory BGM	Specifies the Victory BGM used when this actor is selected for display on the result screen.

7. BGM Settings

Item	Description
BGM	Specifies the BGM file to play.
Volume	Sets the playback volume.
Pitch	Sets the pitch of the audio. 100 is the standard value.
Pan	Sets the left/right pan. -100 is left, 0 is center, and 100 is right.

8. ME Settings

Item	Description
ME	Specifies the ME file to play.
Volume	Sets the playback volume.
Pitch	Sets the pitch of the audio. 100 is the standard value.
Pan	Sets the left/right pan. -100 is left, 0 is center, and 100 is right.

9. Actor Effect Settings

項目	説明
Frames	Specifies the number of frames before transitioning to the next effect state.
Horizontal Position	Moves from the current position to the specified X-coordinate state.
Vertical Position	Moves from the current position to the specified Y-coordinate state.
Horizontal Scale	Specifies the horizontal scale. It changes from the current scale to the specified value. 100 is the original size.
Vertical Scale	Specifies the vertical scale. It changes from the current scale to the specified value. 100 is the original size.
Opacity	Specifies image opacity from 0 to 255. It changes from the current opacity to the specified value. 0 is transparent and 255 is opaque.
Rotation	Specifies the image rotation angle. During the effect, it changes from the current angle to the specified rotation state.
Easing	Selects the transition speed of the effect: Linear, Slow Start, Slow End, or Slow Start and End.

Terms of Use

Credit: Optional

Commercial Use: Allowed

Adult Content: Allowed

Modifications: Allowed

Redistribution: Not allowed, even with modifications

Support is not available for unofficial distribution or modified versions.

Log

6/10/2026 Ver.1.1.0

Changed the MVP calculation specifications.

Added the ability to set an EXP multiplier for the actor displayed as the last actor to attack or the MVP actor.

5/2/2026 Ver.1.0.1

Fixed an issue where the plugin did not work due to a misspelling in the plugin name.

3/7/2026 Ver.1.0.0

First release.

1. Overview

At the end of battle, calculates a score from battle performance such as battle time, turn count, weakness attacks, and incapacitation count, then displays the result as a rank on the result screen.

The final score is compared with the configured score requirements and evaluated in five ranks: S, A, B, C, and D. EXP and gold multipliers can also be configured for each rank.

This is an extension plugin for **NUUN_ResultEx**. Use it together with **NUUN_ResultEx**.

2. Installation

1. Place NUUN_ResultBattleEvaluation.js in your project's js/plugins folder.
2. Enable **NUUN_ResultBattleEvaluation** in the Plugin Manager.
3. Place it below **NUUN_ResultEx** in the Plugin Manager.

3. Basic Settings

Item	Description
Rank Variable ID	Specifies the game variable that stores the rank determined at the end of battle. Stored values are S=4, A=3, B=2, C=1, and D=0. Set to 0 to disable storage.
Score Variable ID	Specifies the game variable that stores the final score calculated by the battle evaluation. Set to 0 to disable storage.
Rank S Bonus Reward	Sets the bonus multipliers for EXP and gold when Rank S is achieved.
Rank A Bonus Reward	Sets the bonus multipliers for EXP and gold when Rank A is achieved.
Rank B Bonus Reward	Sets the bonus multipliers for EXP and gold when Rank B is achieved.
Rank C Bonus Reward	Sets the bonus multipliers for EXP and gold when Rank C is achieved.
Rank D Bonus Reward	Sets the bonus multipliers for EXP and gold when Rank D is achieved.
Display Rank Window	When ON, displays the battle evaluation rank window on the result screen.
Rank Window Settings	Sets the X/Y coordinates, width, and number of rows of the rank window.
Rank Window Display Contents Settings	Configures the rank, various scores, images, and other items displayed in the rank window, along with their layout.

Transparent Rank Window	When ON, makes the rank window background transparent.
Base Target Time	Sets the target time used as the basis for battle-time evaluation in mm:ss:ms format. Leave blank to disable battle-time evaluation.
Target Time Variable	Sets the variable ID used to specify the target time from a game variable. When configured, the variable's value is used as the target time.
Target Time Adjustment Rate	Sets, as a percentage, the adjustment rate used when reflecting the difference between the target time and actual battle time in the score.
Battle Time Base Addition	Sets the base value added to the score calculated from battle time. It is added after the time adjustment calculation.
Base Target Turns	Sets the target turn count used as the basis for turn-count evaluation. Set to 0 to disable turn-count evaluation.
Target Turn Variable	Sets the variable ID used to specify the target turn count from a game variable.
Target Turn Adjustment Addition	Sets the adjustment value for the turn score calculated from the target turn count and actual turn count.
Target Turn Base Addition	Sets the base value added to the score calculated from the turn count.
Overkill Rate	Sets the remaining-HP threshold below which an enemy is treated as overkilled. Set to 0 to disable overkill evaluation.
Overkill Score Rate	Sets the multiplier for the score added by overkills.
Strength Adjustment	When ON, adjusts the overkill score based on the difference in ATK and MAT between allies and enemies.
Strength Adjustment Rate	Sets the adjustment multiplier used by Strength Adjustment.
No-Damage Score	Sets the score added when the battle is won without taking damage.
Incapacitation Score	Sets the score based on the number of times allies become incapacitated. It is calculated as incapacitation count x configured value, so use a negative value for a penalty.
Simultaneous Defeat Score	Sets the score for defeating multiple enemies with a single action. It is calculated by multiplying the applicable defeat count by the configured value.
Weakness Attack Score	Sets the score based on the number of times enemy weaknesses are exploited. It is calculated as weakness attack count x configured value.
Resistance Attack Score	Sets the score based on the number of attacks using elements the enemy resists. Use a negative value for a penalty.
No-Item-Use Score	Sets the score added when the battle is won without using any items.

Break Score	Sets the score based on the number of times enemies are broken. It is calculated as break count x configured value. NUUN_BreakDamage is required.
Required Score for Rank S	Sets the minimum score required for Rank S.
Required Score for Rank A	Sets the minimum score required for Rank A.
Required Score for Rank B	Sets the minimum score required for Rank B.
Required Score for Rank C	Sets the minimum score required for Rank C. Scores below this are Rank D.
Rank S Text	Specifies the text displayed for Rank S.
Rank A Text	Specifies the text displayed for Rank A.
Rank B Text	Specifies the text displayed for Rank B.
Rank C Text	Specifies the text displayed for Rank C.
Rank D Text	Specifies the text displayed for Rank D.
Rank Image Effect	Configures effects such as movement, scale, opacity, and rotation when displaying the rank as an image.
Rank S Image	Specifies the image file used to display Rank S.
Rank A Image	Specifies the image file used to display Rank A.
Rank B Image	Specifies the image file used to display Rank B.
Rank C Image	Specifies the image file used to display Rank C.
Rank D Image	Specifies the image file used to display Rank D.

4. Window Settings

Item	Description
Window X Coordinate	Specifies the X coordinate of the rank window.
Window Y Coordinate	Specifies the Y coordinate of the rank window.
Window Width	Specifies the width of the rank window. Set to 0 to use the UI screen width.
Window Rows	Specifies the height of the rank window in rows.

5. Rank Bonus Reward Settings

You can apply multipliers to EXP and gold rewards according to the rank determined by the battle evaluation. Multipliers are specified as percentages, with 100 as the standard value.

Item	Description
EXP Multiplier	Sets the EXP multiplier for this rank as a percentage. 100 is normal and 130 gives 130%.
Gold Multiplier	Sets the gold multiplier for this rank as a percentage. 100 is normal and 150 gives 150%.

6. Rank Window Display Contents Settings

You can freely arrange the rank, final score, battle-time score, turn score, and other items in the rank window. Symbols such as (x) and (y) indicate the layout and display settings available for each item.

Display Item	Description
None	Displays nothing.
Name Only	Displays a custom name.
Rank	Displays the rank determined by the battle evaluation.
Score	Displays the final battle score.
Dynamic Score	Displays the final battle score with an animated changing-number effect.
Battle Time Score	Displays the score calculated from battle time.
Turn Score	Displays the score calculated from the number of battle turns.
Incapacitation Penalty	Displays the score based on the number of ally incapacitations.
Simultaneous Defeat Score	Displays the score based on the number of simultaneous enemy defeats.
Weakness Attack Score	Displays the score based on the number of weakness attacks.
Resistance Attack Score	Displays the score based on the number of attacks using resisted elements.
Overkill Score	Displays the score earned from overkills.
Break Score	Displays the score based on the number of times enemies are broken. NUUN_BreakDamage is required separately.
No-Damage Score	Displays the score awarded for winning without taking damage.
No-Item-Use Score	Displays the score awarded for winning without using items.
Rank Image	Displays the image corresponding to the determined rank.
Image	Displays a custom image.
Line	Displays a horizontal line.

7. Display Item Settings

Item	Description
X Display Column (x)	Specifies the display column.
Y Display Row (y)	Specifies the display row.
X Coordinate (Relative) (xc)	Specifies the relative X coordinate based on the X display column.
Y Coordinate (Relative) (yc)	Specifies the relative Y coordinate based on the Y display row.
Item/Gauge Width (iw)	Specifies the width of the item or gauge. Set to 0 for the default width.
Item Name Width (sw)	Specifies the width of the item name. Set to 0 for the default width.
Name (n)	Sets the item name to display.
Item Name Text Color (sc)	Specifies the text color of the item name. A color code can be entered on the Text tab.
Item Display Mode (w)	Sets the display width of the item. Choose one-column or two-column display.
Alignment (a)	Sets text alignment. Choose Left, Right, or Center.
Font Size (fs)	Specifies the font-size offset from the main font.
Item Name Font (ff)	Sets the font used for the item name.
Value Font (vf)	Sets the font used for numeric values.
Icon	Sets the icon to display.
Icon Y Offset	Adjusts the icon's Y coordinate by a relative value.
Image (im)	Specifies the image to display.
Image Height (h)	Specifies the displayed image height.

8. Rank Effect Settings

Item	Description
Frames	Specifies the number of frames before transitioning to the next effect state.
Horizontal Position	Moves from the current position to the specified X-coordinate state.
Vertical Position	Moves from the current position to the specified Y-coordinate state.
Horizontal Scale	Specifies the horizontal scale. It changes from the current scale to the specified value. 100 is the original size.
Vertical Scale	Specifies the vertical scale. It changes from the current scale to the specified value. 100 is the original size.
Opacity	Specifies image opacity from 0 to 255. It changes from the current opacity to the specified value. 0 is transparent and 255 is opaque.
Rotation	Specifies the image rotation angle. During the effect, it changes from the current angle to the specified rotation state.
Easing	Selects the transition speed of the effect: Linear, Slow Start, Slow End, or Slow Start and End.

Terms of Use

Credit: Optional

Commercial Use: Allowed

Adult Content: Allowed

Modifications: Allowed

Redistribution: Not allowed, even with modifications

Support is not available for unofficial distribution or modified versions.

Log

9/16/2026 Ver.1.0.1

Updated to support image-based display for the dynamic battle score.

6/21/2026 Ver.1.0.0

First release.

Overview

Displays a victory effect using a specified image between winning the battle and displaying the result screen. You can combine movement, scaling, opacity, rotation, and easing to configure the effect.

This is an extension plugin for **NUUN_ResultEx**. Use it together with **NUUN_ResultEx**.

2. Installation

1. Place NUUN_ResultEffect.js in your project's js/plugins folder.
2. Enable NUUN_ResultEffect in the Plugin Manager.
3. Place it below NUUN_ResultEx in the Plugin Manager.

3. Basic Settings

Item	Description
Post-Victory Image	Specifies the image file used for the effect between victory and the result screen.
Post-Victory Effect	Configures an effect that changes the Post-Victory Image's position, scale, opacity, rotation, and other properties over time. If multiple entries are registered, they are executed from top to bottom.
Disable Victory Effect Switch	While the specified switch is ON, the post-victory image effect is not executed. Set to 0 to disable switch-based suppression.

4. Post-Victory Effect Settings

Item	Description
Frames	Specifies the number of frames before transitioning to the next effect state.
Horizontal Position	Moves from the current position to the specified X-coordinate state.
Vertical Position	Moves from the current position to the specified Y-coordinate state.
Horizontal Scale	Specifies the horizontal scale. It changes from the current scale to the specified value. 100 is the original size.
Vertical Scale	Specifies the vertical scale. It changes from the current scale to the specified value. 100 is the original size.
Opacity	Specifies image opacity from 0 to 255. It changes from the current opacity to the specified value. 0 is transparent and 255 is opaque.
Rotation	Specifies the image rotation angle. During the effect, it changes from the current angle to the specified rotation state.
Easing	Selects the transition speed of the effect: Linear, Slow Start, Slow End, or Slow Start and End.

Terms of Use

Credit: Optional

Commercial Use: Allowed

Adult Content: Allowed

Modifications: Allowed

Redistribution: Not allowed, even with modifications

Support is not available for unofficial distribution or modified versions.

Log

3/7/2026 Ver.1.0.5

First release.

1. Overview

Displays the changing Earned EXP and Battle Score values on the result screen using custom digit images instead of normal text.

NUUN_ResultBattleEvaluation.js, included with this plugin set, is required to display the battle score as images. It is not required when only Earned EXP is displayed as images. This is an extension plugin for **NUUN_ResultEx**. Use it together with **NUUN_ResultEx**.

2. Installation

1. Place NUUN_ResultValueImage.js in your project's js/plugins folder.
2. Enable **NUUN_ResultValueImage** in the Plugin Manager.
3. Place it below **NUUN_ResultEx** in the Plugin Manager.

3. Image Specifications

Create the digit image as a single image with digits 0 through 9 arranged horizontally from left to right. The plugin divides the total image width into 10 equal sections to extract each digit, so every digit cell from 0 through 9 must have the same width.



Digits 0 through 9 cannot be specified as separate image files. Prepare a single image with all digits arranged in one horizontal row using image-editing software.

To use digit images for the battle score, also enable NUUN_ResultBattleEvaluation.js and place **NUUN_ResultValueImage** below it.

4. Basic Settings

Item	Description
Digit Image (ExpValueImg)	Specifies the 0-9 digit image used for the dynamic Earned EXP display. Arrange digits 0 through 9 in one horizontal row with equal width for each digit.
Digit Image (RankScoreValueImg)	Specifies the 0-9 digit image used for the dynamic battle score display. NUUN_ResultBattleEvaluation.js is required.

Terms of Use

Credit: Optional

Commercial Use: Allowed

Adult Content: Allowed

Modifications: Allowed

Redistribution: Not allowed, even with modifications

Support is not available for unofficial distribution or modified versions.

Log

3/7/2026 Ver.1.0.5

First release.