

1. Overview

This plugin implements an achievement system in your game.

You can configure the name, description, category, image or icon, progress conditions, completion conditions, rewards, and other settings for each achievement.

- The Achievement screen can be displayed from the title screen and the main menu.
- You can unlock a specified achievement using a plugin command.
- Achievement checks can be triggered by variable changes, switch changes, gold obtained, item/weapon/armor acquisition, enemy defeats, level ups, battle start, victory, escape, or party defeat.
- Progress gauges, achievement completion rate, unlock date and time, and rewards can be displayed.
- The extension plugin NUUN_AchievementIndicator can display an Achievement Unlocked notification.

2. Installation

1. Place NUUN_AchievementSystem.js in the project's js/plugins folder.
2. Enable NUUN_AchievementSystem in the Plugin Manager.
3. To use achievement notifications, also add NUUN_AchievementIndicator.js and place it below the main plugin in the Plugin Manager.
4. Configure [Achievement settings] and [Achievement category settings].

Achievement unlock data is saved to data/AchievementSystem.json. If the file does not exist, the plugin starts with the initial achievement data.

3. Basic Settings

Setting	Description
Achievement settings	Registers the achievements used in the game. For each achievement, you can configure its name, description, category, completion conditions, progress, image or icon, rewards, and other settings.
Achievement category settings	Registers the categories displayed on the achievement screen. You can specify an identifier and display name for each category and classify achievements into categories such as Story, Battle, and Collection.
Achievements unlocked variable	Specifies the game variable used to store the total number of unlocked achievements. Set to 0 to disable this feature.
Show achievement in menu	Specifies whether to display a command for opening the achievement screen in the menu.
Show achievement on title	Specifies whether to display a command for opening the achievement screen on the title screen.
Achievement command name	Specifies the name of the achievement command displayed on the menu and title screens.

4. Registering Achievements

Setting	Trigger timing
Identifier	Specifies an optional name used to identify the achievement. It can be used instead of the achievement setting list ID in plugin commands and other settings.
Category symbol	Specifies the category to which the achievement belongs. Enter the same string as the Identifier specified in Achievement Category Settings.
Achievement name	Specifies the name of the achievement. It is displayed in the achievement list, details window, achievement unlock notifications, and other locations.
Achievement text	Specifies the description of the achievement. Enter the text displayed to the player, such as the achievement requirements or details.
Achievement trigger timing	Specifies when the achievement unlock condition is checked. Multiple timings can be specified.

5. Achievement Trigger Timing

Setting	Trigger timing
None	No automatic check is performed. Use a plugin command or another method to check the achievement.
Variable change	When the specified progress variable changes.
Switch change	When the specified judgment switch changes.
Gold obtained	When gold is obtained.
Item obtained	When an item is obtained.
Weapon obtained	When a weapon is obtained.
Armor obtained	When armor is obtained.
Enemy defeated	When an enemy is defeated.
Skill/Item Use	When a skill or item is used
Level up	When an actor levels up.
Battle start	When a battle starts.
Victory	When the party wins a battle.
Escape	When the party escapes from battle.
Party defeated	When the party is defeated.

If [Achievement check common event] is specified, the plugin does not perform the unlock check directly at that timing. Instead, the specified common event is reserved. Configure the achievement unlock process inside the common event.

6. Progress and Completion Conditions

Setting	Description
Show progress gauge	Displays a gauge showing the achievement's progress in the achievement details.
Show progress as percentage	Displays the current progress as a percentage (%) instead of the current value / maximum value.
Maximum progress	Specifies the target progress value required to unlock the achievement. The progress condition is met when the value of the Progress Variable or Progress Evaluation Formula is equal to or greater than this value.
Progress variable	Uses the value of the specified game variable as the achievement's progress value. The condition is met when the variable's value is equal to or greater than the Maximum Progress.
Progress evaluation formula	Uses a JavaScript evaluation formula to obtain the achievement's progress value. The condition is met when the evaluation result is equal to or greater than the Maximum Progress.
Switch	Specifies the game switch used as an achievement completion condition. The condition is met when the specified switch is ON.

If [Progress Variable], [Progress Evaluation Formula], and [Switch] are set at the same time, the achievement is unlocked when all specified conditions are met.

7. Configuration Examples

Unlocking a Story Achievement with a Switch

- Achievement trigger timing: Switch change.
- Switch: The switch used for the relevant story progression.

Unlocking when a variable reaches 100

- Achievement trigger timing: Variable change.
- Maximum progress: 100
- Progress variable: The target game variable.

Checking the current value with JavaScript

Example progress evaluation formula: `$gameParty.gold()`

If Maximum progress is set to 10000, the condition is met when the party has 10,000 gold or more at the time of the check.

Unlocking after winning a battle for the first time

- Achievement trigger timing: Victory
- Maximum progress: 1
- Example progress evaluation formula: `$gameSystem._winCount`

Unlocking after collecting all medals

- Achievement trigger timing: Item obtained (not required if <Achievement:achievementId> is set in the target item's Note field)
- Maximum progress: Any value
- Example progress evaluation formula: `achievement.statisticsGainItems[itemId]`

Unlocking After Opening 50 Treasure Chests

- Achievement trigger timing: Variable change.
- Progress variable: The target game variable
- Maximum progress: 50

Event Setup

Use the event command [Control Variables] to add to the game variable specified as the Progress variable.

If Achievement trigger timing is set to [Variable change], the achievement check is automatically performed when the specified variable changes.

8. Achievement Unlock Checks Using Note Tags

You can enter the following tag in the Notes field of items, weapons, and armors.

<AchievementGainItem:achievementId>

When an item, weapon, or armor with this tag is obtained, the specified achievement is checked for unlocking. Specify the list ID or identifier from the Achievement Settings for achievementId.

You can enter the following tag in the Notes field of items and skills.

<AchievementUseItem:achievementId>

When an item or skill with this tag is used, the specified achievement is checked for unlocking.

Specify the list ID or identifier from the Achievement Settings for achievementId.

<AchievementApplyItem:achievementId>

When an item or skill with this tag is used and its effect is applied, the plugin checks whether the achievement with the specified ID can be unlocked.

For achievementId, specify either the list ID or the identifier from the Achievement settings.

9. Locked Achievements

Setting	Description
Locked achievement text	Specifies the text displayed instead of the achievement text when viewing a locked achievement in the details window.
Locked achievement display name	Specifies the name displayed instead of the achievement name when the achievement name is hidden. If left blank, "?" is displayed.
Secret locked achievements	Hides the achievement name until the achievement is unlocked. When enabled, the name specified in [Locked Achievement Display Name] is displayed while the achievement is locked.
Hide locked achievements	Hides the achievement from the achievement list until it is unlocked. Once unlocked, the achievement will appear in the achievement list.

10. Achievement Images and Icons

Setting	Description
Locked achievement image	Specifies the image displayed for locked achievements when [Achievement Image Mode] is set to [Image].
Unlocked achievement image	Specifies the image displayed for unlocked achievements when [Achievement Image Mode] is set to [Image]. If left blank, the [Locked Achievement Image] is used.
Locked achievement icon	Specifies the icon displayed for locked achievements when [Achievement Image Mode] is set to [Icon].
Unlocked achievement icon	Specifies the icon displayed for unlocked achievements when [Achievement Image Mode] is set to [Icon]. If left blank, the [Locked Achievement Icon] is used.
Achievement Image Mode	Specifies how achievement images or icons are displayed. [Icon] Displays the specified icon from the RPG Maker MZ icon set. [Image] Displays the image specified for each achievement. The display width of the image can be limited by [Maximum Image Width]. [None] Does not display achievement images or icons.

11. Actions and Rewards on Achievement Completion

Setting	Description
Achievement completion common event	Reserves the specified common event when the achievement is unlocked for the first time.
Gold reward	Grants the specified amount of gold when the achievement is unlocked.
Item rewards	Grants each specified item when the achievement is unlocked.
Weapon rewards	Grants each specified weapon when the achievement is unlocked.
Armor rewards	Grants each specified armor when the achievement is unlocked.
Reward text	Specifies the heading displayed in the reward section of the achievement details window.

Because the same achievement can only be unlocked once, the completion common event, notification, and rewards are executed only on the first unlock.

When specifying multiple items, configure them as follows.

パラメータ

×

アイテムのリスト

テキスト

アイテム報酬 (RewardsItems):

17

27

37

4

実績達成時に獲得するアイテムを指定します。

OK

キャンセル

12. Category Settings

Setting	Description
Identifier	Specifies a name used to identify the category. Enter the same string as the [Category Symbol] in the achievement settings to assign the achievement to this category. A category with all specified displays all achievements.
Category name	Specifies the name displayed in the category window on the achievement screen.


Achievements are categorized by matching the Category symbol in the achievement settings with the Identifier in the category settings.

13. Window and Display Settings

Setting group	Description
Achievement category window	Specifies the X and Y coordinates, width, transparency, number of columns, and number of rows for the category window.
Achievement window	Specifies the X and Y coordinates, width, height, and transparency for the window that displays the achievement list.
Completion rate window	Specifies the X and Y coordinates, width, and transparency for the window that displays the achievement completion rate.
Achievement details window	Specifies the width, number of rows, and transparency for the window that displays details of the selected achievement. The minimum number of rows is 4.
Statistics gauge	Specifies the colors for the left and right sides of the achievement completion rate gauge.
Progress gauge	Specifies the colors for the left and right sides of the achievement progress gauge.
Decimal places	Specifies the number of decimal places displayed when completion rates and progress rates are shown as percentages (%).
Date and time format	Specifies the display format for the date and time when an achievement was unlocked. Select from Default, Japanese Date, Japanese Era, U.S. Format, or U.K. Format.

14. Details Window

- The number of rows in the window can be set to a minimum of 4. If set to 4 rows, rewards will not be displayed.
- The details window is displayed in the center of the screen.



15. Plugin Commands

Command	Description
Show achievement window	Opens the Achievement screen.
Check achievement unlock	Checks the specified achievement and unlocks it if all conditions are met. The Achievement setting ID can be either the list ID or the Identifier.
Clear all achievements	Clears all achievement unlock data and resets the Achievements unlocked variable to 0.
Check achievement unlocked (store in switch)	Checks whether the specified achievement is already unlocked and stores the result in the specified switch.

16. Reference Parameters for Evaluation Formulas

v: Game variables Example : v[6] Value of variable 6

system: \$gameSystem

achievement: \$gameSystem.achievementSystem

achievement.statisticsGainGold – Total amount of gold obtained

achievement.statisticsGainItems[itemId] – Total number of the specified item obtained

achievement.statisticsGainWeapons[itemId] – Total number of the specified weapon obtained

achievement.statisticsGainArmors[itemId] – Total number of the specified armor obtained

17. Notes

- Achievement unlock processing is not performed during Battle Test.
- The Identifier is used as a key for identifying saved achievement data. Be careful when changing it after the game has already been released or save data has been created.

When [Achievement check common event] is specified, configure the achievement unlock process inside the common event.

Terms of Use

Credit: Optional

Commercial Use: Allowed

Adult Content: Allowed

Modifications: Allowed

Redistribution: Not allowed, even with modifications

Support is not available for unofficial distribution or modified versions.

Log

9/13/2026 Ver.1.0.1

Added the ability to check all achievements for unlocking when no ID is specified in the Check Achievement Unlock command.

9/12/2026 Ver.1.0.0

First edition.

1. Overview

NUUN_AchievementIndicator is an extension plugin that requires NUUN_AchievementSystem. It displays an Achievement Unlocked notification on the map screen or battle screen when an achievement is unlocked.

Setting	Description / Default
Achievement Indicator Width	Specifies the width of the Achievement Unlocked indicator. The default is 360.
Transparent Achievement Indicator Window	Specifies whether to make the window background of the Achievement Unlocked indicator transparent.
Achievement Unlocked Text	Specifies the text displayed together with the achievement name when an achievement is unlocked. The default is "Achievement Unlocked".
Achievement Indicator Margin	Specifies the spacing between indicators when multiple Achievement Unlocked indicators are displayed at the same time. The default is 16.
Maximum Achievement Notifications	Specifies the maximum number of Achievement Unlocked indicators that can be displayed on the screen at the same time. Set to 0 to calculate the maximum automatically based on the screen size.
Easing duration	Specifies the duration, in frames, of the easing animation when the indicator moves onto and off the screen. The default is 30 frames.
Stationary Duration	Specifies the duration, in frames, that the indicator remains stationary on the screen. The default is 120 frames.
Achievement unlocked SE	Specifies the SE played when the Achievement Unlocked indicator is displayed. You can specify the SE file, volume, pitch, and pan.
Image file	Specifies an optional image displayed on the Achievement Unlocked indicator. By making the window background transparent, the image can be used as a custom notification background.
Image Relative X / Y	Adjusts the display position of the image specified in [Image File] relative to the indicator's base position.

Terms of Use

Credit: Optional

Commercial Use: Allowed

Adult Content: Allowed

Modifications: Allowed

Redistribution: Not allowed, even with modifications

Support is not available for unofficial distribution or modified versions.

Log

9/12/2026 Ver.1.0.0

First edition.