

Landslide      \-arning. Date/time of the original message: From 16:00 hrs on 07 06 2018 to 16 00hrs on 08 06 2018  
6:oScstO 8€oe g8o epn46r qrel8@      07 06.2018 ez) 16 00.80 0s.06 zora fm 16 00 q2iJor  
Loodrorflq rgiair6)or&urf 6eirs      07062018D5rofl 1600 @efftOpgl 08062018Dooi 1600 'aol  
UpdateS: 1" update:18.00 h on 07.06.2018 to 18.00 h on 08'06'2018

NATIONAL BITILDING RESEARCH ORGANISATION

eit:6 lm @ ctrOrolcfi € o 6oodeo€6 a3 o A Arlt os  
Gpdlu sLgL ggrynul&d \$lgorLootLb  
No.9911, JawattaRoad, Colombo 05  
e0o2o. 9gll, eitO6J6t est6, o2orgo 05  
96D.99/1, gner\$eorp erl\$, Gonqgbq 05

Tele.!!.)t./Glgn.Gu-OI12588946      pax/orF!ad/Gpn'p-0112589943

Warning level 1:  
Color Code:  
qQos6 r:  
O6ee ozsJoos:  
er&sfkidDo LcruD l:  
ornon qgil5\$'

Watch  
Yellow  
SOaeOziS  
Ztret  
9loI9r60flull  
Loqloeit

exceeded 75mm, if the rain  
continues, be watchful on the possibility oflandslides, slope failures, rock falls,  
cutting failures and ground subsidence.

eeff  
zto  
esad  
Eoaeors orla.

925JoOr Et6 ola2tJ, OBes:O  
zoOr Or3oO, (J)eloeed0oo'  
er OtSoO EOerm@ 8@OqO

.d seen GLoer5lqeirangoneb-  
o51q9ora, urdtrp ol1qgeno,  
o-eiroflpear-b ocnuelf\$an

Warning level 2:  
Color Code:  
eqQos6 Z:  
o8g ozsJncs:  
orsafllBo'lo rorrb 2:  
ouneoor qqflu-5@:

Aleft  
Amber  
qOOrtl  
ErOoS  
er&srfl66Do  
GloIbLoqloeit

Since the rainfall within the past 24 hours has exceeded 100 mm, if the rains  
continre, be on alert on the poisibility oflandslides, slope failures, rock.falls, cut  
failures and ground subsidence, being ready to evacuate to a safe location if the  
need arises.

6q:roO orim.

100 L6l.Ld oeoOr Goo5lqeirenponneb-  
@r9frgJ-o5l119ora, unorP-erflq9ora'  
ForileirafIPr;aLI oairuelPP!air  
GpalelGu-rpurgair urrglorrlun6l

@rrrirraqgd;g GtererflGuEuri Furr D16D6Dulfeu @gooqLo'

Warning level 3:  
Color Code:  
qQos6::  
ozsJzlcS:  
ersefl66Do urub 3:  
euneou gflu5@:

Evacuation  
Red  
gOzrJEO 06€6  
6n2  
GtoorflGu-tEl0oo  
dleluq

xceeded 150 mm, if the rains  
continue, evacuate to a safe location to avoid the risk oflandslides, slope failures'  
rockfalls, cutting failures and ground subsidence'

A€, OB  
6 mO  
O1SD

150mm gdoor EtP ALA2IJ  
orpO roor or8O, ctel  
2il€dfl zoOr OIEoO qz:4

Oc6 @O qrdzsSSzl addrnoszr:O csrlm.

a;tpP 24 Loafll\$g5luneon,  
rr6op GlpnL,6Lonu5lai D  
t'lor6err\$enurq 6qPA  
€lunuruioeoot gerilnuuPf





