ශී ලංකා පුජාතාත්තික සමාජවාදී ජනරජයේ ගැසට් පතුය

The Gazette of the Democratic Socialist Republic of Sri Lanka

දංක 1933/27- 2036 ගෙනාකුරේ මත 13 වැනි මුහන්පම්ඤ්දා - 2036.62.83 %: 1953/27 - TPURSDAY, PERCLARY 11.2016

(Fedished by Authorizo)

PART 1: SECTION (I) - GENERAL

Government Notification

IMPORTS AND EXPORTS (CONTROL) ACT, No. 1 OF 1969

RBCRALATRINIS made by the Missister sauter Section 28 costs with Subsection (3) of section 4 and section 14 of the imports and Experts (Control) Act, No. 1 of 1969, as serenised by Act, No. 48 of 1985 and No. 28 of 1987.

Malia Samararana. Minisier de Decembranes Semeraries & Americational Teads.

Colombo 81, 80s# Selmany, 2006,

Regulations

- Yšiene segukasiona may be citati as the hapone (Standardigation and Quasity Control) Regulations No. 51 of 2016 and shell come into operation from 91st of May, 2016.
- We improve shall import the satisfield see one in Column III of the Schedule I(A) hereto unions they conferm to the Slamberds set out in the corresponding energies Column IV of that Schedule I(A) and Schedule I(A)(I).
- Pre-Qualitications

All imposteds who intend to impast any article set out in the adjectable 14A) shall inform Daregar General of Sri Lanka Standards Institution, the assaulacturing specification with respect to each such article.



SUS) shall check the manufacturing specification documents against the translands on our in the more positing every in Colonia (V of the Colonia) I/A) and schodule I/A×i).

If the specifications are in confrantance with the applicable translated, the \$1.50 shall register such imported as a perqualished imported.

- 4. Oute pre-qualified, the importer is permitted to import such article(s) with Set Lunder subject to the fulfillment of the conditions abandaned hereig after.
 - 4.1 The interorder shall furnish to the Director General of Sci Lankin Sundural institution a condition of control interorder in portion by the second set of the second of control important by the solution of the second of
 - 4.2 If the manufacturer has obtained a product compliance confidential for the activities intends to import against a different standard, importer shall consum the standard used to grant the certificate is compatible with the currenpoiding standard set out in the said behought in order to consider thus us an acceptable certificate.
 - \$.3 35 the imposes fails to submit any of such certificate supersioned in the above, such astickels) shall not be permitted for sustant eleganors.
- The article(s) covered nodes these Regulations shall be assessed for employed to Salandok. I(A) and I(A) to the their of residuals conformity assessment procedures and guidelines, is in flows by the Director Constant of the Sri Lanks Standards Institution.
- 6. No importer shall insport, soil, offer for sale, use or distribute ersicles covered make these Regulations unless approval is grapped to him to do so, by the Director General of the fire hanks Standards Institution.
- 7. Witter the articles are found to be not conforming to the sundanis specified in the Schedulesh(A) and I(A) (i), the Education General of the Ssi Lanks Standards lastication shall have the authority to general such issues to be represented under supervision to asset the prescribed standards of to person the importer to reach the consequences to the supervision to asset the prescribed standards of to be supervised to reach the importer to reach the consequences to the consequences and the controller in the controller country of the controller in the controller

The Schedule I(A)

Cidumin I»	Coltana 18-	Column III-	Cahenn IV-
Serial No.	HS Codes	Anticles	Standards
	84.81	Taps, cocks, valves and similar appliances for	·
		pipes, boiler shells, tanks, vars or the like	ĺ
		including pressure-reducing valves and	ļ
	i 	thermostatically controlled values.	
	8481.80	Other applicances	
	8481,86,10	Copper alkey body pisaze valves for float operased	DS)212-1:1998
		valves for disturns	***************************************
	8481,80.20	Copper tilloy body displayed valves for flow	BS 1212-2/1990
		cipreserved valvos štir cissergis	
	8481.80.30	Plustic body displangen valves for Boat openned	BS 4312-3:3996
		valivas ega gesteteis	
	\$481,90,90	Other	
	\$481.9n	Parts	
	8 483,90,10	Placific body compact unit for water sienes for fivel	<u>[</u> BS 1232-4:399]
		inperisted valves for distant	, KRY 12 (2.74. (MY)
	8481,90,30	Copper alloy body for Float operased valves for	BS 1012-1(1996)
		cistems	BS 1212-2:1990
	84 6 3.90.30	Plastic parts for Float operated valves for disterns	BS 1212-2:1990
			88 1212-3:1996
	***************************************		8S 1210-4;1991
			BS 1456:1990
	84 8) .90.90	Oxbar	<u></u>

The Schedule 1(A) (I)

ISO/BS EN Standards of Piozi Operated Valves and their spare parts

- Float operated valves of piston type with copper alloy body, excluding@ost: Standard: RS 1242-1-1990;
 - Part 1. Flaat oppraised valves. Specification for piston type float operated valves (copper alloy body) (excluding floats)
- Float operated valves of displangm type with copper alloy body, excluding float:

Standard: #\$\$ 1212-2-1990:

- Part 2. Float operated valves. Specification for disphragm type flow operated valves (copper alloy body) (excluding floats)
- Float operated valves of thaphragm type with plastic body:

Standard: BS 1212-3-4990:

- Part 3. Final operated valves. Specification for diaphragm type flow operated volves (plastic bodied) for cold water service only (excluding flows)
- Float operated valves of piastic compact type for WC flushing distorast Standard: BS 1212-4-1991;
 - Part 4. Fluot operated vilves. Specification for compact type flust operated values for WC Rushing cistorns (Including floats)
- 5. Plastic ball of float operated valves :

International Standard: BS 2456: 1990: Specification for flows (plastic) forfloat operated valves for cold water service.