

[ Issue 2 (Medium-term) ] : Improvement of Evaluation and Methods

[Measures]

Is it possible to replace the current Ki67 evaluation with the CK8/18 evaluation?

[Method]


From the following image of Mr./Ms.'s CK8/18, we will consider whether it is possible to obtain a result that correlates with the number of Ki67 by obtaining the parameters of cancer morphology.

[What you want to confirm]

Feasibility.

[ Samples that can be provided]

- There is no difference in drug efficacy evaluation in CK8/18, but there is a difference in drug efficacy in Ki67 image data
- Image data with a difference in drug efficacy evaluation in CK8/18 and a difference in drug efficacy in Ki67 (control)







Is it possible to evaluate by parameters such as CK8/18 morphology?

Drug-free (CNT)  
CK8/18 Ki67

Addition of chemicals(Treat)  
CK8/18 Ki67

CK8/18 susceptibility  
Ki67 susceptibility  
(CK+\_Ki+)







CK- Ki+ \_JC011 vs 5FU\_CNT\_CK818.png

CK- Ki+ \_JC011 vs 5FU\_CNT\_Ki67.png

CK- Ki+ \_JC011 vs 5FU\_Treat\_CK818.png

CK- Ki+ \_JC011 vs 5FU\_Treat\_Ki67.png

CK8/18 Non-  
susceptible  
Ki67  
susceptibility(CK-  
\_Ki+)



CK- Ki- \_JC400 vs LOHP\_CNT\_CK818.png

CK- Ki- \_JC400 vs LOHP\_CNT\_Ki67.png

CK- Ki- \_JC400 vs LOHP\_Treat\_CK818.png

CK- Ki- \_JC400 vs LOHP\_Treat\_Ki67.png

CK8/18 is non-  
susceptible  
Ki67Non-susceptible  
(CK-\_Ki-)

