

Nuxeo Issue Tracker

JQL Query: project in (NXP) AND resolution = Fixed AND fixVersion = "5.9.4" AND ("Impact type" = "API change" OR "Upgrade notes" is not EMPTY)

ORDER BY component DESC, key DESC

Sorted by: Component/s descending, then Key descending

1–8 of 8 as at: 05/06/14 15:57

Key	Summary	Upgrade notes	Components
NXP-14473	Login page > Add an height to footer	https://github.com/nuxeo/nuxeo-dm/commit/601a3cf8e9d04209a1c6e27ccf0fdb6c31c3ea7c	Style & CSS
NXP-14411	Add the possibility to send sort info as parameters when invoking a page provider adapter in REST	sortBy (exp: "dc:title" or "dc:title,dc:modified") and sortOrder (exp: "asc" or "desc,asc") parameters can now be used for sorting.	Rest API
NXP-8014	Move packages directory out of data directory	Removed undocumented property "org.nuxeo.connect.update.dataDir". Added new property "nuxeo.mp.dir" to allow packages directory customization. Moved "nxserver/data/packages/" to "packages/".	Packaging
NXP-14460	Importer should allow to configure Transaction timeout	Info to be added in the table of queryString parameters in the "fileImporter/run" topic of the doc	Importer
NXP-14297	Stop using aclOptimizations concurrentUpdate=false	In Nuxeo 5.8, the default template doesn't have concurrentUpdate=false anymore. Any custom repository template should be modified to remove it as well, to REMOVE: <pre><aclOptimizations enabled="true" concurrentUpdate="false"/></pre> <p>In Nuxeo 5.9.4 the configuration will be ignored anyway.</p>	Core SQL Storage
NXP-14036	Document lock > Add info on lock icon in Content Views	A new field is added for the widget "listing_lock_icon". When contributed, it allows to display the info about the user who locked the document and the date it has been locked.	Content Views, Ergonomy & UX
NXP-14023	CMIS bridge to Nuxeo renditions	Renditions from the RenditionService are now exposed as CMIS renditions of kind "nuxeo:rendition" with a name that's based on the Rendition name, for example "nuxeo:rendition:pdf" for the "pdf" rendition. A <renditionDefinition> must now define a <contentType> element if it wants to see it exposed to CMIS.	CMIS
NXP-14498	Improve chains rendering on automation doc	chains category is now "Chain" instead if "chain". chain params default values are now using the "value" tag instead of "values": <pre><param type="string" name="foo"> <value>bar</value> </param></pre>	Automation