

Implementing Zero Trust Architecture For Enhanced Security in Cloud - based Systems

Kathiresan Jayabalan
Independent Researcher
IEEE Senior Member
Missouri, USA
kathiresanj@ieee.org

Rakesh Keshava
Independent Researcher
IEEE Senior Member
California, USA
rakesh.keshava@ieee.org

Sai Krishna Venumuddala
Software Engineer
Independent Researcher
New York, USA
krishna.sai221@gmail.com

Pragya Keshap
Technical architect
Independent Researcher
Austin, Texas, USA
pragyakeshap@ieee.org

Hari Rowtu
Founder and CEO, Futurality
Independent Researcher
IEEE Senior Member
San Francisco, CA, USA
harirowtu@ieee.org

R.Maruthi
Associate Professor
Hindustan Institute of Technology and
Science, Chennai, Tamil Nadu, India
rmaruthi2014@gmail.com

Abstract: Cloud computing has revolutionized enterprise information technology infrastructure but created drastic security issues as a result of dynamic workloads, multi-cloud services and advanced cyber attacks. The increasing threat of insider attacks and lateral movement attacks bypasses the traditional perimeter-based security models that assume that they can trust the inside of a network. This paper will focus on determining how Zero Trust Architecture (ZTA) provides improved security to cloud based systems. This approach was used: to roll out hybrid and multi-cloud infrastructures on the AWS, Azure, and GCP clouds, to integrate modules of Zero Trust Architecture like identity and access management with multi-factor authentication; device trust assessment; micro-segmentation; continuous monitoring; and policy enforcement automation, and to compare to frameworks like the SASE, CSPM, IAP, CWP, and the traditional approach to vaulting its perimeter. Logs, monitoring tools and alerts would be present as a simulation of an attack on the network (both internal and external) and a load test. The quantitative findings showed that ZTA was the most efficient in terms of security efficacy (5/5), excellent scalability (5/5), good cloud-native adaptability (5/5), moderate complexity of implementation (3/5), and acceptable cost-effectiveness (3/5), compared to other frameworks. This article draws the conclusion that ZTA can present an effective, dynamic, and extensible security platform to a cloud setting, which can substantially lower the threats, facilitate compliance, and enhance performance efficiency.

Keywords— Zero Trust Architecture, Cloud Security, Hybrid Cloud, Identity and Access Management, Micro-Segmentation, Continuous Monitoring.

I. INTRODUCTION

Cloud computing has transformed the IT approach including the management and delivery of IT resources giving way to a scalable, flexible, and affordable computing solution to store, process, and share data. The enterprises are deploying more hybrid and multi-cloud environments to improve performance, scale back the cost of their operations and improve business continuity[2]. Such a transition, however, comes with immense security issues. Old perimeter-based security models are based on the trust in the internal network and mostly use firewalls and VPN to secure assets. This cannot be assumed in dynamic cloud settings. Changes in cyber threats like the insider attacks, unauthorized access, ransomware, lateral movement, and the advanced persistent threats (APTs) take advantage of the vulnerabilities and may result in data leaks, operational interferences, and

possible regulatory breaches. Achieving a balance between ensuring that cloud resources are accessed securely and the operational gains thereafter is therefore an issue that cannot be ignored by business enterprises in the modern business environment[2].

Zero Trust Architecture (ZTA) has become a revolutionary approach to security systems solving these drawbacks, as it is based on the assumption that no user, device or application can be trusted. ZTA involves persistent authorization of every access request, the least privilege entitlement, and its dependability on micro-segmentation as a means of limiting the lateral movements of the networks. This methodology does not rely on perimeter-based security but on a new security model based on a comprehensive security of individual resources according to which sensitive data, applications and resources are always secure even when their environment consists of multiple clouds. Empirical research is scant but despite the growing use case articles and white papers in the literature and the industry, ZTA, used to assess its practicality to hybrid and multi-cloud settings, is uncommon[3].

In previous studies, different cloud security models are pointed out including Secure Access Service Edge (SASE)[4], Cloud-Native Security Posture Management (CSPM)[5], Identity-Aware Proxy (IAP) and Cloud workload Protection (CWP)[6]. Such frameworks deal with certain areas of cloud security e.g. traffic inspection, workload protection or identity verification. Nevertheless, they easily lack an overall strategy that integrates continuous validation, policy enforcement and adaptive monitoring of various cloud environments. Experimental research indicates that the combination of ZTA principles with these frameworks can enhance security-related results but little quantitative analysis that compares their effectiveness, scalability, affordability, and flexibility are not available. The abovementioned gap highlights the lack of experimental research involving the implementation of ZTA in reality to cloud environments and quantifying the performance of the same with usual security metrics[1][7].

The research problem of real significance in this study is the fact that there is no quantitative thorough assessment of ZTA in hybrid and multi-clouds environment, especially as compared to the available types of cloud security frameworks.

The proposed research will examine how ZTA can be used to manage the effectiveness of security settings and minimize threats of security breach and horizontal traversal and increase effectiveness with respect to compliance and resilience in cloud based systems. The research question of this study could therefore be: “How well Zero Trust Architecture works to increase security, scale and cloud-native flexibility of hybrid or multi-cloud environments relative to current cloud security models?” The study objectives are as follows

- To apply and conduct assessment of Zero Trust Architecture in hybrid and multi-cloud environments, gauging security effectiveness, scalability, cost-effectiveness and cloud-native compliance.
- To evaluate performance of ZTA and state-of-the-art cloud security models, such as SASE, CSPM, IAP, CWP and classic perimeter based security.
- To make recommendations and best practices to understand how to apply ZTA principles in enterprise cloud deployments to be pro-active in threat-blocking and compliance assurance [8][9].

The rest of the paper has the following structure: Section 2 is the literature review of cloud security frameworks and the concept of Zero Trust. In section 3, the experimental setup, methodology and data collection are described. Results, discussion, limitations and practical implications are given in Section 4, with the conclusion and the future research directions given in Section 5.

II. RELATED WORKS

This transition to new cloud systems has brought to light vulnerabilities in traditional perimeter-based model vulnerabilities that is why there is an increasing shift to Zero Trust Architecture (ZTA). Research has stressed its tenets of never-trust, always-verify and insisting on access control, resilience, and multi-layered protection of secure and scalable and cloud-ready infrastructures as SaaS, PaaS and IaaS products.

Sarkar et al. (2022) discuss the transition between the traditional system and the cloud system due to its security breaches. They discuss zero-trust network architecture (ZTNA) that promotes zero-trust by denying its implicit trust, strengthened visibility, automation of trust evaluation and forecast of threats. The article provides a comparison of models and addresses some of the problems, and proposes future studies that will enhance trust-based cloud security systems.

According to Chinamanagonda (2022), traditional perimeter-based security cannot be used in a cloud environment. He proposes the use of zero trust security that imposes such rules as constant validation, comprehensive access controls, and monitoring. Zero trust is becoming a key component in cloud infrastructure security as organizations can help reduce breaches and the exfiltration of data to meet regulatory requirements by integrating IAM, MFA, and segmentation.

According to Ferretti et al. perimeter-based protection cannot protect modern organizations. They suggest a survivable zero trust architecture that can impose a tight access control policy without implicit trusts. In contrast to the previous models, it presupposes that the components can be weakened, providing the resilience of tolerating the intrusions and recovering them in cloud computing.

He et al. (2022) point out the ageing security perimeter model, suggesting instead applying the zero trust paradigms founded on the idea of never trust, always verifying. The survey was performed on core zero trust technologies such as authentication, access control and trust assessment, covering strong and weak points, challenges and future directions in order to support wider deployment and research.

Dakic et al. (2024) discuss the use of Zero Trust Architecture in mid-sized organisations and list the advantages of the approach: maximising attack surface reduction by verifying at the point of access, enforcing access control, ensuring micro-segmentation. They however state that there appear to be difficulties with practical application, such as complexity, resource drain, and burn out on the part of the user. The paper focuses on a balance between security and ease of use and customization.

Xun et al. (2025) discusses resilient cloud security focusing on SaaS, PaaS, and IaaS in public, private, hybrid and multiclouds. Among risks they mention inappropriate data leakage, risky APIs, threats posed by inside parties, and stress the importance of multi-layered protection, IAM, encryption, AI, blockchain, and zero trust. The research espouses co-provision in secure, future-ready cloud areas.

III. METHODOLOGY

Zero Trust Architecture (ZTA) is a security architecture that is often used in the cloud and its concepts are focused on the continuous identity, device, and application verification. ZTA reduces attack surface, inhibits lateral movement, and has robust and adaptive protection of critical workloads in hybrid and multi-cloud environments by enforcing least-privilege access to resources, micro-segmentation of workloads, and monitoring the activation of automated policies. Figure 1 shows the steps in implementing the ZTA[10]..

1	Identity & Access Mgmt Initial setup of identity and access management
2	Continuous Verification Ongoing verification of user identities
3	Micro-Segmentation & Policies Implementation of micro-segmentation and policies
4	Cloud Assets Management of cloud assets like apps and data
5	User/Device Requests Handling of user and device access requests
6	Monitoring & Analytics Monitoring and analyzing access patterns
7	Automated Policy Enforcement Automated enforcement of access policies

Figure 1 Steps in implementing ZTA

The initial process in Zero Trust Architecture implementation is defining the protection surface through the identification of critical assets which are subsequently considered sensitive data, applications and key services instead of trying to secure the entire network. It is necessary to categorize workloads according to sensitivity, customer data needs, and intellectual property, with resources that

would have the greatest impact should they be compromised and put into a priority category. Knowing where these assets reside in the cloud, either on a Software-as-a-Service (SaaS), Platform-as-a-Service (PaaS) or Infrastructure-as-a-Service (IaaS) environment, is critical in engineering security controls to minimize the exposure and focus protection resources on where it matters the most.

Transaction Flows Mapping: The process of mapping transaction flows is the study of user, device, and application interaction with the critical assets. Leveraging knowledge of how data flows in and out of cloud services, into internal systems, and on to external users, organizations can diagram the routes that a potential attacker may travel to compromise a system. Flow mapping assists secure professionals in revealing vulnerabilities, like unmonitored connectivity or unnecessary privilege, and can enable security teams to discover places of high-risk interaction. This would guarantee that protective mechanisms are used according to the real consumption trends, minimizing the attack plain as well as ensuring efficient operations.

Micro-Segmentation Architecture: Micro-segmentation breaks apart workloads into isolated zones, according to sensitivity and purpose, to limit the lateral movement of the attacker within a network as shown in figure 2. The least-privilege access policies are enforced on each segment and allow only the required resources to be accessed. The software-defined perimeter (SDP) is deployed to surround cloud resources with a perimeter that regains access control dynamically on an identity basis. This architectural strategy increases threat containment and provides the resilience to ensure that in the event of a breach in a single segment, the breach does not extend to mission-critical workloads or sensitive data[11].




Figure 2 Micro Segmentation of workloads

Identity and Access Management (IAM): To Zero Trust, strong identity and access management is key with all users and services subject to active verification at all times. The access security is enhanced with the help of the multi-factor authentication (MFA) and access rules on context, such as device health, geolocations, user behavior, and risk scores also prior to access being granted. As identity providers and cloud platforms also integrate, contextual authorization becomes a reality in which access decisions are constantly changing due to changing levels of risk. This decreases the possibility of unauthorized access and makes it more audit-and-compliant friendly[12].

Analytics and Monitoring: Continuous monitoring and analytics put into operation security solutions enabled with

AI/ML to identify threats on the fly. Evaluation of user behavior, device compliance activity enables organizations to detect the possible security incidents before they increase. Automated incident response processes and alerting help mitigate rapidly and shorten the period of exposure. Through continuous transparency to the cloud environment, this active practice allows dynamic security to respond to these threats and avoid potential vulnerabilities better or through threat protection[13].

Cloud-Native Security Controls: Security controls in the cloud-native system enhance security of workloads and services by application of cloud-native security controls. Cloud Security Posture Management (CSPM) facilitates that configurations are in line with best practices and requirements of compliance. Ensuring sensitive information is secure involves encryption of both data in transit and at rest and extends protection by running workloads container, serverless, and other dynamically generated workloads. Working with native cloud security capabilities will make integration easier and more efficient and the implementation of the security policy in real-time possible with the consideration of the specifics of the cloud environment [14].

Policy Automation of Enforcement: Security should be automated in cloud environments so that it can be maintained consistently and at scale. Policy-as-code frameworks enable an organization to specify, implement and test access controls in an automated way using code and be more accurate and compliant. Automated access request verification, remedial action and logging means the policies are continuously used; deploying DevOps pipelines allows the security validation to be integrated into the software development effort. This will allow enforcement of Zero Trust at any cloud asset and will promote both operations and security agility [15].

IV. RESULTS AND FINDINGS

This experiment in the study measured and compared Zero Trust Architecture (ZTA) in multi cloud and hybrid computing environments to frameworks such as SASE, CSPM, IAP, CWP, and conventional perimeter security. VMs, containerized workloads, web/API applications and databases were hosted on cloud platforms such as AWS, Azure and GCP. ZTA modules applied identity and access management with MFA, device verification, micro-segmentation, continuous monitoring and automated policy enforcement. The simulated attacks were internal unauthorized request, SQL injection, and ransomware, phishing, and lateral movement, and scalability load testing. Logs, monitoring tools, security alerts and cost records were used to generate the metrics, including score-card-derived hierarchy of effectiveness, difficulty, scaling, cost-effectiveness and adaptability-to-cloud-natives, providing a quantifiable measurement of ZTA.

A. Performance Metrics

The performance indicators are used to measure the security framework of clouds by evaluating their effectiveness and efficiency. Efficacy measures threat prevention and detection, implementation complexity rates the deployment effort, scalability rates the capacity to handle progressively growing volume, cost-effectiveness evaluates security benefits in contrast to expenses, and cloud-native adaptability evaluates its ability to be in harmony with the cloud platforms and services.

Security Efficacy: Determines the effectiveness of the framework to prevent, detect and respond to threats.

$$\text{Detection Rate} = \frac{\text{Number of detected attacks}}{\text{Total Attacks attempted}} * 100 \quad (1)$$

$$\text{Mitigation Rate(MR)} = \frac{\text{Number of successfully mitigated attacks}}{\text{Total attacks detected}} * 100 \quad (2)$$

The security efficacy score is given by the average of Dr and MR on a scale of 1-5

Implementation Complexity: Measures effort, time, and resource requirements to deploy the framework. Implementation complexity is calculated by first estimating key aspects such as the steps entailed in configuration, integration that will be necessary in the system and personnel who are required to deploy it. Each factor is then assigned a weight i.e. integration complexity may be 40%, deployment time 30%, and skill or resource requirements 30%. Each of the factors is rated in 1-5 scale, 1 being very easy and 5 very complex. Lastly, a weighted average is calculated to estimate overall complexity of implementation, giving a measurable indicator of effort, time and resources needed to implement this framework successfully.). The complexity score is calculated as follows

$$\text{Complexity Score} = 0.4 * \text{Integration} + 0.3 * \text{Time} + 0.3 * \text{Resources} \quad (3)$$

Scalability: Measures how well the system performs as the number of users, devices, or services increases. The natural element in calculating the scalability is the choice of the scaling parameter: it may be the number of concurrent users, number of devices or workloads. Then there are the load tests where the systems can be subjected to a growing usage and the measures kept such as latency, throughput, and performance breakdowns. These tests are then used to estimate a scalability score that measures efficiency of the system in maintaining both performance and responsiveness with higher loads and can show how well the system is able to support expansion and dynamic workloads in the cloud. The Scalability score is computed as follows

$$\text{Scalability Score} = \frac{\text{Max supported load without degradation}}{\text{Target Load}} * 5 \quad (4)$$

Cost-Effectiveness: Cost-effectiveness compares the levels of expenditure against the benefit assurance of security of a framework. To calculate it, one calculates the total of the cost, which includes implementation cost, maintenance cost, and the licensing cost. Then, the security value is calculated by the measurement of such variables as mitigated incidents or prevented attacks. Lastly, the ratio is calculated between the total cost and security value, giving a quantifiable comparison of the utilization efficiency of resources to result in strong security rates.

$$\text{Cost Effectiveness} = \frac{\text{Security Value Score}}{\text{Total Cost}} * 5 \quad (5)$$

Cloud-native flexibility gauges the simplification of integrating a security framework with the cloud-native services and architecture. In order to calculate it, the target cloud platforms are identified first, e.g. AWS, Azure or GCP. This is followed by evaluation of key features, such as native service integrations, APIs and auto-scaling. According to such appraisals, it is outlined to be scored between 1 to 5 across a scale where 5 implies a complete compatibility to attributes of cloud-native whereby providing a quantifiable basis to gauge the capacity of the framework to function well within contemporary cloud realms.

B. Performance Evaluation

Table 1 offers a numerical comparison of six cloud security frameworks, that is Zero Trust Architecture (ZTA), Secure Access Service Edge (SASE), Cloud-Native Security Posture Management (CSPM), Identity-Aware Proxy (IAP), Cloud Workload Protection (CWP), and Traditional Perimeter Security, using five major characteristics, that is Security Efficacy, Implementation Complexity, Scalability, Cost-Effectiveness, and Cloud-Native Adaptability.

Table 1 Comparative Evaluation of Cloud Security Frameworks Across Key Quantitative Metrics

Framework	Security Efficacy	Implementation Complexity	Scalability	Cost-Effectiveness	Cloud-Native Adaptability
Zero Trust Architecture (ZTA)	5	3	5	3	5
Secure Access Service Edge (SASE)	5	4	5	4	5
Cloud-Native Security Posture Mgmt (CSPM)	4	2	5	5	5
Identity-Aware Proxy (IAP)	4	3	4	4	4
Cloud Workload Protection (CWP)	5	4	5	3	5
Traditional Perimeter Security	2	5	1	2	1

Table 1 compares six security frameworks Zero Trust Architecture (ZTA), Secure Access Service Edge (SASE), Cloud-Native Security Posture Management (CSPM), Identity-Aware Proxy (IAP), Cloud Workload Protection (CWP), and Traditional Perimeter Security—across five key metrics: security efficacy, implementation complexity, scalability, cost-effectiveness, and cloud-native adaptability. Modern frameworks such as ZTA, SASE, CSPM, and CWP consistently demonstrate high security efficacy, strong scalability, and excellent cloud-native adaptability, making them well-suited for contemporary cloud environments. Implementation complexity varies among these frameworks, with CSPM and IAP being relatively easier to deploy, while SASE and CWP are moderately complex. In terms of cost-effectiveness, CSPM stands out due to automation and minimal hardware dependency, whereas traditional perimeter security incurs higher costs and demonstrates low performance across most metrics. IAP performs moderately across the board, offering decent security and cloud adaptability but slightly lower scalability. Traditional perimeter security, designed for legacy systems, scores poorly in security, scalability, cloud adaptability, and cost-effectiveness, highlighting its limitations in modern cloud-based deployments. Overall, the table emphasizes that cloud-native and zero trust frameworks provide more effective,

scalable, and cost-efficient security compared to traditional perimeter-based approaches.




Figure 3 performance comparison (Security Efficacy) of the proposed method versus contrasted methods

Figure 3 shows the comparison of security effectiveness of various frameworks on 1-5 scale. SASE, CWP and TAZ score highest (5), recording high levels of effectiveness. CSPM and IAP rate more or less evenly (4), whereas the Traditional security falls far behind with a score of 2, indicating that it is comparatively ineffective in the modern settings.




Figure 4 Performance comparisons (Implementation Complexity) of the proposed method versus contrasted methods

Figure 4 shows the complexity of the implementation of the various security frameworks on a scale of 1-5. Traditional security achieves the highest (5) which is very complex. The scores of ASE, CWP, and ZTA lie in 4, and the second half of the list belongs to IAP with a 3 on the scale. Of the four, CSPM is the least complicated (2), which makes it easier to adopt.




Figure 5 Performance comparisons (Scalability) of the proposed method versus contrasted methods

Figure 5 represents the scalability of security frameworks on a 1-5 basis. The maximum scalability (5) is displayed by TAZ, SASE, CSPM, and CWP. IAP has a 4 points score indicating that it is well scalable. Traditional security scores the lowest with a one meaning very limited scalability.




Figure 6 Performance comparisons (Cost Effectiveness) of the proposed method versus contrasted methods

The figure 6 are the weightages of the cost effectiveness of security frameworks on a scale of 1 to 5. CSPM has the highest (5) CSPM score thus most cost-effective. Moderate scores (4) are obtained by ASE and IAP. Traditional security is the least cost-effective at 2 with CWP rate lower at 3 and ZTA lower still at 3.




Figure 7 Performance comparisons (Cloud Native Adaptability) of the proposed method versus contrasted methods

Figure 7 explains the scale of cloud-native flexibility of security frameworks rating of 1-5. SASE, SASE, CSPM, and CWP obtained the highest scores related to adaptability (5), since the use of cloud-native environments is highly correlated. IAP scores 4. The lowest rank 1 achieved by traditional security tells a lot about poor adjustments to contemporary cloud-native environments.

C. Discussion

This paper examined Zero Trust Architecture (ZTA) as a measure of implementing it in a cloud-based environment to augment security and counter the changing cyber threats. Legacy perimeter based security models are based on the assumption of trust within the network environment and therefore have become less effective against more advanced attacks and insider threats. ZTA responds to these shortcomings with ongoing user, device, and application request verification to go along with least-privilege access and micro-segmentation of cloud resources. Comparative analysis with modern security systems, including SASE, CSPM, IAP, CWP showed that ZTA can provide high security efficacy and scale as well as be cloud-native-

compatible, but its implementation complexity and cost may be moderate. The quantitative measures demonstrated that ZTA is an excellent method of defence against unauthorized access and lateral movement to cloud environments, stressing its application in hybrid and multi-cloud environments. The methodology includes constant monitoring, automated enforcement of policies, and support with cloud-native services and guarantees a proactive and adaptive security base. In general, the results indicate that the application of ZTA, to a large extent, improves the security of sensitive cloud resources without reducing the operational flexibility and helps enterprises adapt to compliance demands and eliminate both the internal and external risks that enterprises face.

The weakness of the study is associated with the complexity of the work and resources needed. The implementation of ZTA in heterogeneous cloud systems is a configuration process that requires qualified staff and inters battering with other identity management security systems that are used. Also, the initial cost may be high, which can restrict adoption with small and medium enterprises. System efficiency in high load cases can also be affected by performance overhead that is incurred by constant verification and monitoring. Some simulated environments are used during the evaluation, which cannot represent all the scenarios of the attacks present in the real world. Lastly, fast-changing cloud technologies and threat environments necessitate regular policy updates that may prove to be challenging to long-term maintenance and operational continuity.

The use of ZTA in the cloud-based systems arsenal offers organizations greater security, compliance, and operative resilience. Micro-segmentation and least-privilege access policies can help the enterprises eliminate unauthorized access, the threat of breached data, and avoid insider threat. The framework complies with the regulation of safe manipulation with sensitive information. Possible by automated monitoring and policy enforcement, it is possible to manage threats pro-actively and be more efficient in daily operations. An adaptive approach that is cloud-native means that ZTA may rise as the organization grows and hybrid/multi-cloud implementations. Also, the research educates IT administrators and security architects on best practices of integrating ZTA within the existing identity and cloud infrastructure in order to achieve optimized security results.

V. CONCLUSION

The Zero Trust Architecture (ZTA) is an innovative trend in the sphere of cloud security that emphasizes the necessity of the changes in the paradigm of cloud security moving beyond the perimeter defense in order to implement the principles of continuous verification, adaptive policy enforcement, and least-privilege access. This study shows that ZTA in cloud-native and hybrid cloud operating environments has a considerable impact on augmenting security efficacy, scaling, and adaptability. According to numbers, ZTA is superior to conventional perimeter-based paradigms and other more current frameworks when it comes to addressing unauthorized access, lateral movement and insider threats. Although there are related issues to implementation complexity, cost, and performance overhead, the advantages in the security resilience and compliance space, ensure that ZTA is an attractive option to consider by modern businesses. Further investigation is necessary on the automation of the policy deployment with the help of AI/ML

methods to decrease the administrative burden and increase the dynamics of the responses to the threat. The combination of ZTA with the new elements of containerized applications, serverless computing, and edge computing will enhance more cloud safety in hybrid environments. Further, future real scenarios in real-world enterprise implements of longitudinal studies can offer a greater depth of understanding of cost-benefit maximization, efficiency, and user experience. Enhanced behavioral analytics, adaptive risk scoring, and predictive threat intelligence is able to tune real world scenarios of ZTA implementation into a more active, resilient and intelligent paradigm of cloud security against the new threat environment.

REFERENCES

- [1] Yanamala, A. K. Y. (2024). Emerging challenges in cloud computing security: A comprehensive review. *International Journal of Advanced Engineering Technologies and Innovations*, 1(4), 448-479.
- [2] Alouffi, Bader, Muhammad Hasnain, Abdullah Alharbi, Wael Alosaimi, Hashem Alyami, and Muhammad Ayaz. "A systematic literature review on cloud computing security: threats and mitigation strategies." *Ieee Access* 9 (2021): 57792-57807.
- [3] Ahmadi, Sina. "Zero trust architecture in cloud networks: Application, challenges and future opportunities." Ahmadi, S.(2024). *Zero Trust Architecture in Cloud Networks: Application, Challenges and Future Opportunities*. *Journal of Engineering Research and Reports* 26, no. 2 (2024): 215-228.
- [4] Bashi, Zainab Senan Mahmod Attar, Atikah Balqis Basri, and Shayma Senan. "Unified Secure Access Service Edge (SASE): Transforming Security for Hybrid Workforce and Multi-Cloud Environments." *International Journal on Perceptive and Cognitive Computing* 11, no. 2 (2025): 1-7.
- [5] Alotaibi, Abeer F., Mohammed A. AlZain, Mehedi Masud, and N. Z. Jhanjhi. "Cspm: A secure cloud computing performance management model." *Turkish Journal of Computer and Mathematics Education* 12, no. 9 (2021): 2114-2127.
- [6] Kalibjian, Jeff. "Security Considerations When Performing Telemetry Post-Processing and Analysis in Cloud Environments." *International Foundation for Telemetering*, 2023.
- [7] He, Yuanhang, Daochao Huang, Lei Chen, Yi Ni, and Xiangjie Ma. "A survey on zero trust architecture: Challenges and future trends." *Wireless Communications and Mobile Computing* 2022, no. 1 (2022): 6476274.
- [8] Dakić, Vedran, Zlatan Morić, Ana Kapulica, and Damir Regvart. "Analysis of Azure Zero Trust Architecture implementation for mid-size organizations." *Journal of cybersecurity and privacy* 5, no. 1 (2024): 2.
- [9] Xun, Ang Ting, Lim Alan Zhe En, Lim Tze Shen, Ang Ning Xin, Wong Hee Soon, Wong Zi Jun, Harish Ramachandra et al. "Building Trust in Cloud Computing: Strategies for Resilient Security." (2025).
- [10] Fernandez, Eduardo B., and Andrei Brazhuk. "A critical analysis of Zero Trust Architecture (ZTA)." *Computer Standards & Interfaces* 89 (2024): 103832.
- [11] Reddy, Antonim. "Implementing Micro-Segmentation in Cloud Architectures: Zero Trust, Complete Security." *Famous Journal of computer science and Technology* 2, no. 7 (2025): 60-80.
- [12] Potluri, Srinivas. "A Zero Trust-Based Identity and Access Management Framework for Cross-Cloud Federated Networks." *International Journal of Emerging Research in Engineering and Technology* 5, no. 2 (2024): 28-40.
- [13] Tsai, Mengru, Shansin Lee, and Shihpyng Winston Shieh. "Strategy for implementing of zero trust architecture." *IEEE Transactions on Reliability* 73, no. 1 (2024): 93-100.
- [14] Arshad, Nayab. "A Comprehensive Review of Emerging Challenges in Cloud Computing Security." *Journal of Engineering and Computational Intelligence Review* 2, no. 1 (2024): 27-37.
- [15] Rao, Atul, and Virender Ranga. "Zero Trust Security Implementation: A Brief Study." In *2025 International Conference on Electronics, AI and Computing (EAIC)*, pp. 1-6. IEEE, 2025.