LabelCheck QA Plan: Stakeholder Requirements

Oct 23, 2026 · @Great Works

This plan tests the live LabelCheck app against what each stakeholder in the brief asked for. Every case quotes the requirement, lists the steps, and says what a pass looks like.

How to run this QA

A tester needs about 90 minutes, a desktop Chrome or Edge browser, and the files below. Any known-bad label that shows Ready to approve is a release blocker, whatever else passes.

- **Where:** the live app at https://labelcheck-grtwrx.netlify.app/. Note the version shown next to "Label check" (v0.2.11 or newer when this plan was written).
- **Files:** clone https://github.com/nvannoy/labelcheck. Images are in `tests/samples/`. Application text is in `tests/applications/<id>.txt`, where `<id>` is the label ID used below.
- **Generated labels:** the 28 generated images (the c, d and q series) are not on GitHub. Make them on a Mac with `node scripts/make-test-labels.js`, which writes `generated/labels/`. Without a Mac, run the S, R, M, J1, B3 and B4 cases and mark the rest Blocked.
- **One run:** open the image and paste it on the page (Ctrl+V or Cmd+V), or use Choose an image. Wait for "Read in" to show. Paste the application text file's contents into the text box. Press Start review.
- **Results:** write Pass, Fail or Blocked in the Result column. Add the version, browser, computer, date and tester name at the top of your copy.
- **Safe direction:** on a known-bad label, Check or Mismatch is a pass and Ready to approve is a fail. On a clean label, Check is acceptable but must be recorded as an extra review.

Test data

Images for c, d and q labels are `generated/labels/<id>.png`. The three real samples are in `tests/samples/`. The application text for every label is `tests/applications/<id>.txt`.

ID	Image	What it tests	Expected result
c01	generated, clean bourbon	Everything correct	Ready to approve
c05	generated, clean imported tequila	Imported, country of origin present	Ready to approve
c07	generated	Brand in capitals, application in mixed case	Ready to approve, Brand Match
c08	generated	Curly versus straight apostrophe in the brand	Ready to approve, Brand Match
d01	generated	Label 40%, application 45%	Likely reject, Alcohol content Mismatch
d04	generated	Label 1 L, application 1.75 L	Likely reject, Net contents Mismatch
d06	generated	A different brand on the label	Not Match for Brand
d13	generated	Warning says "truck" for "car"	Warning Mismatch
d14	generated	Warning clause (2) missing	Warning Mismatch
d15	generated	"Government Warning:" in mixed case	Warning Mismatch
d16	generated	No warning on the label	Warning Check, never Match
d18	generated	Warning title not bold	Not Ready to approve
d19	generated	Whole warning in bold	Not Ready to approve
q01	generated	Image about 450 px wide	Low-resolution flag, nothing Ready

ID	Image	What it tests	Expected result
q02	generated	Pale gray text on white	Nothing Ready
q03	generated	Very small warning text	Warning Check, never Match
s01	`ttb-brand-label-new1.jpg`	TTB ABC rye sample, front and back in one image	Ideal Ready to approve. Needs review is accepted.
s02	`ttb-brand-label-new2.jpg`	TTB imported rum sample	Ideal Ready to approve. Needs review is accepted.
r01	`ttb-malt-and-hop-honey-huckleberry.png`	Malt beverage, white text on blue	Ideal Ready to approve. Needs review is accepted.

Sarah Chen, Deputy Director: speed and simplicity

Sarah wants results in about 5 seconds, a tool "my mother could figure out", and a design for a team that is half over 50. Run S1 and S2 on an ordinary office PC, not a developer machine.

ID	Requirement	Steps	Pass when	Result
S1	"If we can't get results back in about 5 seconds, nobody's going to use it."	Load the page and wait until Choose an image is enabled. Paste c01, then c04, s01, d05 and q02, one at a time. Write down the "Read in" time for each. Press Start review each time.	Every read shows under 5 s and the median is under 3 s. Results appear in under 1 s after Start review. Record the computer.	Not run
S2	Engine start, once per page load	Hard-reload the page and time it until Choose an image is enabled. Reload again and time it.	First load under 10 s, second under 5 s. Reading can start as soon as the image arrives.	Not run

ID	Requirement	Steps	Pass when	Result
S3	"something my mother could figure out" and "Clean, obvious, no hunting for buttons."	Give a person who has never seen the app the live URL, c01 and its text file. Say only "check this label". Do not help.	They reach Label verified and copy the notes within 3 minutes, without asking for help. Note every pause.	Not run
S4	Two steps, one Start	On the first screen, count the steps and buttons.	Two numbered steps (image, text) and one Start review button. No hidden menus are needed.	Not run
S5	"Half our team is over 50."	Press A+ twice on the intake screen, then start a review. Reload the page. Press A− until back to normal.	Text grows on both screens with nothing cut off and no sideways scrolling. The size is remembered after a reload.	Not run
S6	Larger view for older eyes	On the review screen press Full screen. Then Compact view. Then press Esc.	Full screen shows two columns and the "What the app read" table. Compact view and Esc both return to the narrow layout.	Not run
S7	Status must not depend on color	Turn on grayscale (Chrome DevTools, Rendering, Emulate vision deficiencies, Achromatopsia). Review d01.	Match, Check, Mismatch and Not required still differ by symbol and border: solid check, dashed question mark, thick cross, gray dash.	Not run
S8	Readable contrast	Check body text, status labels and buttons on the intake and review screens with a contrast tool (DevTools or WAVE).	Normal text is at least 4.5 to 1.	Not run

ID	Requirement	Steps	Pass when	Result
S9	"a lot of what we do is just... matching"	Run c01, then d01.	c01: every field Match without typing anything. d01: Alcohol content shows both values side by side and a reason sentence.	Not run
S10	"If there was some way to handle batch uploads, that would be huge."	Look for batch upload in the app. Read the README limitations section.	Batch is not built. The README says so and gives the reason. Mark this Pass only if the README is honest about it.	Not run

Marcus Williams, IT: standalone, private, behind a firewall

Marcus wants a standalone proof of concept that stores nothing sensitive and makes no outside connections. Run these with Chrome DevTools open (F12).

ID	Requirement	Steps	Pass when	Result
M1	"we're not looking to integrate with COLA directly"	Open the live URL in a private window.	The app works with no sign-in and no integration prompt.	Not run
M2	"We're not storing anything sensitive for this exercise."	Run c01 through Label verified and Copy notes. In DevTools, Application tab, check Local storage, Session storage, IndexedDB, Cache storage and Cookies. Press Next label. Run another label and reload the page halfway.	Local storage holds only the text size. Nothing else holds a label image, application text or notes. After Next label or a reload, the image, text and notes are gone.	Not run

ID	Requirement	Steps	Pass when	Result
M3	"our network blocks outbound traffic to a lot of domains" and "our firewall blocked connections to their ML endpoints"	In DevTools, Network tab, tick Preserve log, reload, then run c01 and s01 to the end. Sort by Domain.	Every request goes to the app's own address. No request to another domain: no fonts, scripts, analytics or OCR files from a CDN.	Not run
M4	Reading must not need the network	After the page and its OCR engine have loaded, set Network to Offline. Paste a label, paste its text and press Start review.	Reading and review still work offline.	Not run
M5	A policy that enforces the above	Network tab, click the page request, Response headers. Then run a full review and read the Console.	A Content-Security-Policy header with default-src 'self' and connect-src 'self'. No policy violations or red errors in the Console.	Not run
M6	"We're on Azure now after the migration in 2019."	In the repo, look for a netlify/functions folder or Netlify-only features. Read the README section on moving to Azure.	None found. Only netlify.toml and public/_headers are host-specific. The README lists the migration steps.	Not run
M7	"Think of this as a standalone proof-of-concept"	Read the README and the app footer on every screen.	The footer reads "Prototype built for a take-home assessment. Not affiliated with or endorsed by TTB." The README states assumptions, limitations and measured results.	Not run

Dave Morrison, senior agent: judgment and no extra burden

Dave wants judgment, not blind pattern matching, and a tool that does not make his day harder.

ID	Requirement	Steps	Pass when	Result
D1	"STONE'S THROW" versus "Stone's Throw": "You need judgment."	Run c07 (capitals versus mixed case) and c08 (curly versus straight apostrophe).	Brand shows Match on both.	Not run
D2	A different brand is not waved through	Run d06.	Brand is not Match. Mismatch or Check is a pass.	Not run
D3	"Just don't make my life harder in the process."	Run c01 with the keyboard only: paste with Ctrl+V, Enter to start, arrow keys and Tab to move between fields, Enter to mark one reviewed. Tab to Label verified.	The whole review works without the mouse and without clicking first. The focus ring is always visible.	Not run
D4	No shortcuts that hide mistakes	Look through the review screen and the decision area on d01. Press Label verified on d01.	No "confirm all" or approve-everything control exists. Label verified on a Likely reject label asks for confirmation first.	Not run
D5	Uncertain results go to a person, with a reason	Run q01 and d16.	Uncertain fields show Check with a plain reason. Nothing uncertain shows Match.	Not run

ID	Requirement	Steps	Pass when	Result
D6	Notes the agent can use	Press Issues found on d01. Edit the notes. Press Copy notes. Paste into a text editor.	The notes list each flagged field with its reason, can be edited, and paste correctly. The Network tab shows nothing was sent anywhere.	Not run

Jenny Park, junior agent: the government warning

Jenny wants an exact, word-for-word warning check and help with imperfect images. A warning that cannot be read must never be treated as correct.

ID	Requirement	Steps	Pass when	Result
J1	"word-for-word"	Run c01. Open the Government warning row.	Wording line says it matches the statute word for word and the title is in capital letters.	Not run
J2	"Smaller font, different wording, burying it in tiny text." (different wording)	Run d13 ("truck"), d14 (clause 2 missing) and d17 (clauses swapped).	Each shows Warning Mismatch, and the reason names what differs.	Not run
J3	"all caps and bold" (capitals)	Run d15.	Warning Mismatch. The reason says GOVERNMENT WARNING: must be in capital letters.	Not run
J4	A missing warning	Run d16.	Warning is Check with "not found", never Match. The tier is not Ready to approve.	Not run

ID	Requirement	Steps	Pass when	Result
J5	"all caps and bold" (bold)	Run d18 (title not bold) and d19 (everything bold). Then run c01.	d18 and d19 are not Ready to approve. The bold estimate and the by-eye list are shown. On c01 the by-eye list still appears, because the app cannot be sure about bold.	Not run
J6	"burying it in tiny text"	Run q03.	Warning is Check, never Match.	Not run
J7	"it would be amazing if the tool could handle images that aren't perfectly shot"	Run q01 and q02. Then photograph a label on a screen at an angle, or with glare, and run it.	q01 shows the low-resolution flag. No field is Ready to approve on q01 or q02. The angled photo does not crash the app and does not give Ready to approve. Skew and glare are a documented limitation.	Not run
J8	Bold and size always left to the agent	Run c01, s01 and s02. Look at the Warning row and the "Only you can check" list.	The warning row always shows Check bold, and the by-eye list names bold type, size and legibility.	Not run

The brief: fields, errors, documentation and code

These cases cover the brief's own requirements and its evaluation criteria.

ID	Requirement	Steps	Pass when	Result
B1	"Your app should handle labels containing information like the example below": all seven fields	Run c01. Count the rows on the review screen.	Seven rows: brand name, class and type, alcohol content, net contents, bottler name and address, country of origin, government warning. Country shows Not required for a domestic product.	Not run
B2	Country of origin only for imports	Run c05, then d11 (country missing) and d12 (wrong country). On c01 press Imported in the application box.	c05 Country Match. d11 Country Check. d12 Country Mismatch. Setting c01 to Imported makes Country required.	Not run
B3	Number fields are exact	Run d01, d03 (proof only), d04 and d05. On c01 change the application net contents to 75 cl, then 0.75 L.	d01 and d04 Mismatch. d03 and d05 Check. 75 cl and 0.75 L both still Match 750 mL.	Not run
B4	Application text can be pasted as one block	Paste the text for c01, c02 and c03, which use different field names and extra lines. Delete the Net Contents line and paste again. Paste any unrelated paragraph.	"Found 6 of 6 fields" for the full blocks. "Found 5 of 6" with an Add button for the missing one. "Found 0 of 6" for unrelated text, with no crash.	Not run

ID	Requirement	Steps	Pass when	Result
B5	"User experience and error handling"	Choose a .txt file as the image. Choose a blank white image. Choose a 220 px wide image. Press Start review with nothing entered. Paste text onto the page before any image.	Plain messages in each case: not an image, nothing could be read, low resolution, a prompt for what is missing. The pasted text goes in the text box. No blank screen and no red Console errors.	Not run
B6	"We encourage you to create or source additional test labels"	In a clone of the repo run `npm install` then `npm run verify`.	Version check, all tests, the evaluation and the build pass. The evaluation prints 0 known-bad labels Ready to approve and 0 bad fields called a match. The numbers match the README.	Not run
B7	A README with setup, approach, tools and assumptions	Read the README. Follow its setup steps on a clean clone.	Setup, approach, tools, assumptions, limitations, test results and the AI-use statement are all there. The setup steps work as written. The live URL in the README opens.	Not run

ID	Requirement	Steps	Pass when	Result
B8	"A working core application with clean code is preferred over ambitious but incomplete features. Document any trade-offs or limitations."	Read the README limitations. Open src/engine and src/engine/fields.js.	Limitations match what testing found (batch, skew and glare, bold and size, one image). The engine has no browser code. Each field is one entry in fields.js.	Not run
B9	The sample label in the brief	Run s01, s02 and r01. Record each field's status.	No field wrongly shows Match. A Check is acceptable and recorded. A wrong Mismatch on a correct field is a Fail.	Not run
B10	Repository hygiene	Browse the repository on GitHub.	No secrets, no personal data, no real brand artwork. The history is small, clear commits. CLAUDE.md and docs are present.	Not run

Known gaps and sign-off

Record these when seen. They are known limits, not new failures, unless the README fails to say so.

- **Net contents on the ABC sample (s01):** "750 ML" was not read in earlier builds, so the field showed Check. Record what the current build shows.
- **Extra reviews:** about 4 of 11 clean labels were sent to Needs review in the team's evaluation (c07, s01, s02, r01). A clean label sent to review is acceptable. A bad label passed is not.
- **Bottler and country of origin** are best effort and lean toward Check.
- **Not built:** batch upload, several images per application, beer and wine rules, skew and glare correction.

- **Bold and size** of the warning are estimated or left for the agent to check by eye.
- **Timing** varies by computer. Record the machine with every timing.

Release blockers: any one of these means do not submit until fixed.

Blocker	Case
A known-bad label (d or q series) shows Ready to approve	J2 to J7, B3
A request goes to any other site, or label data is stored	M2, M3
The app crashes or shows a blank screen on bad input	B5
A read takes over 5 s on an ordinary office PC with no explanation in the README	S1
The live URL does not load, or the README's steps do not work	B7

Sign-off	Entry
App version tested	[fill]
Browser and computer	[fill]
Tester and date	[fill]
Cases passed, failed, blocked	[fill]
Blockers open	[fill]
Ready to submit	[yes or no]