

OBSERVER'S NOTES

A Field Book



*A collection of field notes on
structures, systems, and the quiet
logic of how things persist.*

NIKITA BEREGOVYKH

FIRST EDITION

Publication note

Copyright © 2026 Nikita Beregovykh. This edition is prepared as a public discussion draft. The conceptual model may be shared and discussed with attribution.

This book is a philosophical field guide. It is not a new law of physics, a replacement for established science, or a proof of moral duty. Scientific claims are kept within their ordinary domains. The broader architecture is interpretive.



The book grew from a simple observation: a higher structure does not leave its foundations behind. It continues to depend on them. Sometimes it also learns to care for them.

A note before walking

This is not a manifesto. It is not a technical specification wearing a philosophical coat. It is a set of notes made while looking at ordinary things: a stone, a leaf, a wall, a cell, a street, a machine, and the people who keep all of them working.

The model is simple. Elements interact. Interactions realize relations. Relations form structures. Some structures remain within a range in which they can still be recognized as the same system. Some structures also regulate that range. Higher structures depend on lower structures. A few higher structures can model those dependencies and intervene in them.

The words will be defined when they become useful. The definitions are not decorations. They are handles. Each one should let the reader hold a part of the model without holding the entire book in memory.

The garden form is intentional. A garden is not a metaphor pasted onto the theory. It is a compact example of the theory. Soil, water, roots, insects, fungi, leaves, weather, tools, walls, and people form several levels of dependency. Some processes happen without a gardener. Some require maintenance. Some maintenance changes the conditions for later growth.

The same model can be localized in a cell, a building, an economy, an institution, or a technological system. The details change. The questions remain recognizable: What is the system? What makes it the same system over time? What does it require? What keeps those requirements available? What can fail first?

The operational pages are local templates, not universal laws. Each should be checked against observations and against at least one materially different measurement or modeling method applied to the same cases. Agreement supports robustness. Disagreement identifies assumptions, scale choices, or omitted variables; it should not be hidden by averaging. The final question is left open. The book is meant to make it easier to ask well.

Contents

	Notes	Page
1	The Stone and the Dew	4
2	What Exists Between Things	9
3	A Structure Is Not a Pile	14
4	The Boundary of the Same Thing	19
5	Two Ways to Persist	24
6	Roots Beneath Roots	29
7	The Garden That Maintains Its Gardener	34
8	Time Gives Structure Room	39
9	Small Systems, Large Consequences	44
10	The City Under the Pavement	49
11	The Economy as a Viability Map	54
12	The Observer Inside the Instrument	59
13	When to Touch the System	64
14	The Open Gate	69

NOTE 1

The Stone and the Dew

Begin with things before giving them meaning



NOTE 1 · OBSERVATION

At dawn the stone beside the path looks inactive. Dew sits on its upper face. The stone does not repair itself. It does not search for water. It does not choose a direction. Yet it is not outside physical activity. Its atoms remain bound. Its surface exchanges heat. Water adheres to it. Light changes the state of the water and the air around it.

The first mistake is to divide the world into living things that act and dead things that do nothing. The difference is too rough. A crystal, a molecule, and a steel beam participate in relations. They constrain what nearby states are possible. They can transmit force. They can store stress. They can make a later event different from what it would have been without them.

For this book, an element is any distinguishable entity selected for analysis. The word does not tell us what the entity is in itself. It tells us what role it has in the model. A particle can be an element. So can a molecule, a cell, a pump, a person, a law, or a company. The choice depends on scale and purpose.

A state is the set of values used to describe an element or system at a time. Temperature may matter for the stone. Position may matter for a moving tool. Voltage may matter for a circuit. Trust may matter in an institution, although it is harder to measure. A state description is never the whole object. It is the part of the object needed for the present question.



An interaction is a realized process through which one state changes or constrains another possible state. The word realized matters. A possible collision is not a collision. A possible conversation is not a conversation. A possible dependency does not yet carry anything. The model begins when something actually enters the history of something else.

This is the working meaning of active existence: causal participation in at least one realized relation that changes or constrains the possible evolution of a selected system during a stated interval. Activity does not require visible motion. A bond can be active because it restricts possible states. A wall can be active because it redirects wind, heat, people, and water. A rule can be active because it changes which actions are available.

The phrase potential existence will be used only as an analytical limit. It describes an entity considered apart from realized relations. It is not a standard physical condition

in which ordinary matter remains unchanged after every interaction has been removed. The limit is useful because it isolates the point at which a model gains history: when elements begin to make a difference to one another.

The dew disappears after sunrise. The stone remains. One relation ended. Others continue. Nothing mystical happened. The scene only gives us the first three pieces: an element, a state, and an interaction.

The Stone and the Dew

The first warmth arrives. One drop enters the soil. Nothing chooses; the scene still changes.



What to carry forward

- An element is selected, not discovered as the only possible unit.
- A state description is built for a question.
- An interaction must be physically or causally realized.
- Active does not mean alive, fast, or conscious.

OPERATIONAL MODEL

A measurable local template, not a universal law.

$$A_i(\Delta t) = \mathbb{1}\left[\max\left(\frac{|\Delta x_{ik}|}{\varepsilon_k}, \frac{|u_{im}|}{u_{m,\min}}\right) \geq 1\right]$$

An element is active in the chosen interval when at least one measured state change or interaction magnitude—including a sustained constraint—exceeds a declared threshold.

MEASUREMENTS

Symbol	Operational definition and units
Δt	observation interval [s, min, h]
$\Delta x(i,k)$	change in state variable k of element i [native units]
$\varepsilon(k)$	minimum meaningful or detectable change [same units as x_k]
$u(i,m)$	measured interaction magnitude through channel m, including transfer or sustained constraint [domain unit]
$u_{\min}(m)$	minimum meaningful or detectable interaction magnitude [same unit as u_im]

HOW TO USE IT

1. Select the element, interval, state variables, and interaction channels before observing.
2. Declare thresholds from sensor resolution or practical significance.
3. Record whether any state change, transfer, or sustained constraint crosses its threshold.

Working example. Stone surface temperature rises 0.8 °C in 10 min; $\varepsilon_T = 0.2$ °C. $0.8/0.2 = 4$, so $A_i = 1$ for that interval.

Limit. *Failure to cross a threshold does not prove causal isolation; unmeasured or subthreshold constraints may remain.*

READ THE RESULT

$A_i=1$ reports at least one resolved interaction in the stated interval. $A_i=0$ means only that none crossed the selected thresholds.

VALIDATE IT

Repeat with a different sensor or constraint-based model on the same interval; inspect sensitivity to variables, thresholds, and method.

NOTE 2

What Exists Between Things

Relations are not empty space between objects



NOTE 2 · OBSERVATION

Two stones can be listed without describing a structure. Put one above the other and the relation changes. Join them with mortar and the relation changes again. Place them on opposite sides of an arch and the load path becomes part of the description. The material may be similar. The system is not.

A relation is a coupling, constraint, dependency, correlation, bond, or organization pattern realized through one or more interactions. The definition is broad because relations differ by domain. A chemical bond is not a legal obligation. A pressure difference is not a friendship. The model does not erase those differences. It gives them a common position in an architecture.

Relations matter because they reduce the space of possible states. A hinge permits some motion and blocks other motion. A membrane permits some transport and blocks other transport. A price connects decisions that occur far apart. A language lets one nervous system change the future state of another. Each relation opens some possibilities and closes others.

The easiest way to lose clarity is to talk about objects as if their list were the system. A box of parts is not a machine. A directory of employees is not a company. A genome is not an organism. Soil, seeds, and water do not yet make a garden. The arrangement, timing, constraints, and flows are part of what exists.



This does not force the philosophical claim that objects are nothing but relations. The book needs only a smaller statement: a physical or organized structure cannot be described by enumeration alone. The relations among selected elements are constitutive of the structure being modeled.

The same elements can support several structures. A room can be a classroom, a shelter, a market, or a storage space. The walls are not enough to determine which one exists. The active relations include use, access, rules, tools, expectations, and time. Change those relations and the same materials may support a different system.

Relations also carry history. A scar is a current structure that records an earlier process. A worn path records repeated movement. A database records choices. A seed contains organization inherited from prior life. History is not a separate substance. It survives when present relations constrain future states in ways produced by earlier events.

The observer should therefore ask a question that sounds almost childish: what is connected to what, and how does the connection make a difference? The question is simple enough to be useful in a laboratory, a construction drawing, a family, or an economy. It replaces vague talk about complexity with a map.

What Exists Between Things

The bridge is not the timber alone. Wind tests the cables; the first crossing turns geometry into use.



What to carry forward

- List components, then draw the relations.
- Ask which relations are constitutive and which are incidental.
- A relation is active when it changes or constrains possible evolution.
- History survives as a present constraint, record, or organization.

OPERATIONAL MODEL

A measurable local template, not a universal law.

$$S_{ij} = \frac{n_{ij}}{\Delta t} \text{median}\left(\frac{|\Delta y_j|}{\sigma_j}\right)$$

Coupling strength combines interaction frequency with the typical normalized response of j after interaction with i.

MEASUREMENTS

Symbol	Operational definition and units
$n(i,j)$	count of realized i-j interaction events
Δt	observation interval [time]
$\Delta y(j)$	response of j after an event [native units]
$\sigma(j)$	baseline standard deviation or declared practical scale [same units]
$S(i,j)$	coupling rate [events per time] × dimensionless effect

HOW TO USE IT

4. Define an event and a response window.
5. Count events and measure the paired response.
6. Compare S_{ij} across conditions using the same interval and scale.

Working example. 12 load events occur in 60 min. Median normalized deflection is 0.25.
 $S_{ij} = (12/60) \times 0.25 = 0.05 \text{ min}^{-1}$.

Limit. *Association is not automatically causation; use controls or interventions when causal direction matters.*

READ THE RESULT

Larger S_{ij} means more frequent and/or stronger realized influence under the same sampling rule.

VALIDATE IT

Compare the event-response estimate with an intervention, lagged process model, or another causal method on the same cases; investigate disagreement rather than averaging it.

NOTE 3

A Structure Is Not a Pile

Identity requires a pattern and a tolerance



NOTE 3 · OBSERVATION

A fallen branch and a wooden chair may contain similar material. The difference is not the species of wood. The chair preserves a geometry, a load path, and a use. Those relations allow the object to remain identifiable across small changes.

A structure is a selected set of elements and realized relations that remains identifiable across a stated interval and scale. The word selected prevents a common error. No structure includes every fact about itself. A bridge model may include geometry, material strength, supports, loads, and temperature. It may ignore paint color. A biological model may do the reverse.

To say that a structure remains the same requires invariants and tolerances. An invariant is a property we choose to preserve for the analysis. A tolerance is the acceptable range of variation. Without them, the word same is ambiguous. A repaired ship can be the same ship by function and legal identity while containing different planks. A cell can remain the same cell while replacing much of its material.

This is why structure should be separated from substance. Some structures preserve material and change relations. Others preserve relations while replacing material. A melody survives across instruments. A program survives across hardware. A city survives the replacement of buildings, pipes, and people, although not every replacement preserves the city equally well.



The model does not decide identity for us. It forces us to state the rule. What must remain within tolerance for this system to count as this system? Geometry? Function? Composition? Control organization? Memory? Legal continuity? The answer changes the boundary of failure. Some relations are critical: if one crosses its failure boundary, the structure fails under the selected definition even when an average score remains high.

When constitutive relations disappear, the modeled structure disappears under that definition. The elements may remain. A collapsed arch remains stone. A dead cell remains material. A dissolved institution leaves records, buildings, and people. The previous organization is gone even when much of its substance is still present.

This principle is useful because it prevents magical language about emergence. A higher structure is not a new substance placed on top of lower ones. It is a new pattern of relations with new invariants, tolerances, and effects. The lower elements

do not vanish. They become organized in a way that constrains their behavior and creates a larger unit of analysis.


A pile becomes a structure when the relations matter. A structure becomes an organized system when processes coordinate those relations across time. The line is not universal. It depends on the model. But once the line is stated, the consequences can be tested.

A Structure Is Not a Pile

A pile accumulates. A structure distributes force and preserves a pattern.

What to carry forward

- Define the structure by what must remain recognizable.
- State the scale and interval.
- State the invariants.
- State the tolerances and any critical relations.
- Do not confuse remaining material with remaining organization.



OPERATIONAL MODEL

A measurable local template, not a universal law.

$$I_S = \mathbb{1}[D_C \leq 1] \text{clip}\left(1 - \sum_r w_r \min(d_r, 1), 0, 1\right)$$

Integrity combines distributed deviation with a critical-relation veto; report the worst deviation separately from the weighted index.

MEASUREMENTS

Symbol	Operational definition and units
$r(t), r^*$	current and reference values of constitutive relation r
$\tau(r)$	allowed deviation for relation r before boundary crossing
$d(r), D_{\max}$	normalized deviation $ r(t) - r^* /\tau(r)$; maximum across all relations
$w(r), C$	measured load/flow weight; set of non-substitutable critical relations
I_S, D_C	integrity index [0–1]; maximum $d(r)$ among critical relations

HOW TO USE IT

- List only relations required for identity; mark non-substitutable critical relations.
- Set reference values and tolerances from design, history, or experiment.
- Report the weighted index with the worst overall and worst critical deviations.

Working example. Four relations have $d=0.10, 0.20, 0.10, 0.30$ with equal weights; $D_{\max}=0.30$ and $I_S=0.825$. If a critical relation reaches $d>1$, $I_S=0$.

Limit. *Weights and critical membership are model choices and must be reported. A high index does not prove desirability or safety.*

READ THE RESULT

Report I_S with $D_{\max}$ and D_C . The weighted index describes distributed loss; the maxima expose local and critical failure.

VALIDATE IT

Compare predictions under a known disturbance with an independent failure model or expert classification using the same invariants.

NOTE 4

The Boundary of the Same Thing

A system can remain present after it stops being viable



NOTE 4. OBSERVATION

A leaf can still be green after its connection to the plant has failed. A building can still stand after its evacuation routes, pumps, or controls stop working. A company can still have an office after it can no longer pay, deliver, or coordinate. Material presence is not enough to establish viability.

A viability domain is the set of states and conditions within which a selected structure preserves the properties that define it for the current analysis. The domain is not universal. A human body, a bacterium, a bridge, and a currency have different defining variables. Even the same system has different domains under different questions.

Imagine a point moving through a landscape of possible states. The interior of the viable region contains states from which the system still qualifies as the selected structure. The boundary marks loss of a required property. Maintenance does not need to keep the point still. It needs to keep the trajectory from crossing the wrong boundary.

This gives us a clean way to talk about stability without pretending that stable means unchanged. Living systems are active because their material and energy flows continue. Their variables fluctuate. Temperature, pressure, chemical composition, and attention move. The system remains viable when those movements stay within ranges that preserve organization.



The domain also isolates analysis. It lets us stop carrying every variable at once. For a greenhouse, the immediate domain might include temperature, humidity, water availability, soil chemistry, light, and pest pressure. For the pump, the domain might include voltage, lubrication, load, and temperature. The greenhouse depends on the pump, but they do not share one undifferentiated boundary.

A viability margin is the distance from the current state to a relevant boundary. The distance may be measured in time, energy, inventory, redundancy, temperature, money, or another domain-specific quantity. The idea matters even when the number is rough. A system near a boundary requires a different policy from one with room to absorb error.

The model becomes practical here. Once the domain is stated, we can ask what pushes the system toward its boundary, what buffers the motion, what restores it, and what happens after it crosses. We can also ask whether our chosen domain hides

harm elsewhere. A factory may remain financially viable while making its ecological or human dependencies less viable.

Viability is therefore descriptive before it is ethical. It tells us what preserves a selected organization. It does not tell us that the organization deserves preservation. That judgment requires another premise. Keeping those steps separate makes both of them clearer.

The Boundary of the Same Thing

*A boundary is where measured conditions or roles change—
not necessarily a wall.*



What to carry forward

- A viability domain is model-relative.
- Material presence can continue after organizational failure.
- A margin expresses room for error.
- A system may be viable by one definition and destructive by another.

OPERATIONAL MODEL

A measurable local template, not a universal law.

$$D(t) = \max_k \frac{|z_k(t) - z_k^*|}{\tau_k}, \quad \text{same structure while } D(t) \leq 1$$

Identity is retained while every defining invariant remains inside its declared tolerance.

MEASUREMENTS

Symbol	Operational definition and units
$z(k,t)$	current invariant or identity variable k
$z^*(k)$	reference value or reference trajectory
$\tau(k)$	maximum tolerated deviation [same unit as z_k]
$D(t)$	largest normalized deviation [dimensionless]
boundary	the surface or time at which $D=1$

HOW TO USE IT

10. Choose invariants that define the object for the present question.
11. Measure them at a stated scale and interval.
12. Use $D \leq 1$ for retained identity and report every crossing above 1.

Working example. A pond has normalized deviations 0.30 in level, 0.55 in salinity, and 1.10 in oxygen. $D=1.10$, so the selected identity condition is violated.

Limit. *Different questions can justify different invariants and therefore different boundaries.*

READ THE RESULT

$D \leq 1$ meets the declared identity condition;
 $D=1$ is its limiting boundary; $D > 1$ violates it.

VALIDATE IT

Reclassify the same cases with an alternative observable set or model representation; inspect which cases change classification.

NOTE 5

Two Ways to Persist

*Some structures remain; others must keep themselves within
range*



NOTE 5 · OBSERVATION

The stone persists differently from the leaf. The stone may remain recognizable without a dedicated process that measures deviation and repairs it. The leaf depends on continuous transport, regulation, synthesis, and exchange. Both are structures. Only one is performing active self-maintenance in the biological sense.

Persistence is continued structural identity. Maintenance is a process that reduces deviation from a viability domain or restores the system after deviation. The distinction matters. If we call every persistence maintenance, we lose the difference between a stable bond and a feedback controller.

Some physical structures are stable under ordinary conditions because their relations do not require a separate control loop. They still depend on conditions. Heat the stone enough and its structure changes. Apply enough force and it fractures. Conditional persistence is not absolute independence.

A maintained system has a different architecture. It contains processes that detect, respond to, or compensate for change. The detection may be chemical rather than conscious. A cell regulates concentration. A thermostat regulates temperature. A person notices hunger. A maintenance team inspects a bridge. The mechanisms differ, but each links deviation to action.



Maintenance can include repair, replacement, buffering, redundancy, resource acquisition, boundary control, and error correction. It can also fail. The definition describes a function, not guaranteed success. A controller may act too late. A repair may create another defect. A buffer may be exhausted.


The user of the model should ask whether the system is merely stable, actively maintained, or both. A masonry wall may have passive strength and active inspection. A data archive may have stable media and active backups. A forest may persist through ecological dynamics without a central controller while still containing many local maintenance loops.

Biological organisms are not the only realization of maintenance. They are one exceptionally efficient realization. A small amount of matter can organize sensing, memory, movement, repair, and construction. An organism can alter objects many times its own size because its parts coordinate across levels. The power comes from organization, not from the quantity of material alone.

This gives us a useful ladder without turning it into a universal ranking. Relational structures can persist. Some systems maintain their own viability. Some systems maintain lower-level conditions on which they depend. Some systems also preserve or expand the conditions from which new organizations can arise.

Two Ways to Persist

Some systems persist by resisting change. Others persist by changing within range.



REMAIN

Anchor. Endure. Be.



ADAPT

Adjust. Flow. Continue.

What to carry forward

- Do not use maintenance as a synonym for persistence.
- Maintenance requires a deviation, a response, and an effect on later states.
- A maintenance system remains dependent on resources and functioning components.
- Complex organization increases what a small amount of matter can coordinate.

OPERATIONAL MODEL

A measurable local template, not a universal law.

$$P_V = \frac{1}{T} \int_0^T \mathbf{1}[x(t) \in V(t)] dt$$

Persistence is the fraction of an interval during which the system remains inside its viability domain.

MEASUREMENTS

Symbol	Operational definition and units
T	total observation interval [time]
x(t)	measured state vector
V(t)	viability domain, fixed or changing
1[·]	indicator: 1 inside the domain, 0 outside
P_V	viable-time fraction [0–1]

HOW TO USE IT

13. Define the viability domain before classification.
14. Sample often enough to detect excursions.
15. Classify anchoring when invariants remain fixed; classify renewal when internal parameters change while P_V stays high.

Working example. A garden remains within moisture and temperature limits for 27 of 30 days. $P_V = 27/30 = 0.90$.

Limit. *Two systems can have the same P_V while using very different resources or causing very different external costs.*

READ THE RESULT

P_V is the share of time viable. Compare persistence strategies only after the same domain and interval are used.

VALIDATE IT

Compare the sampled viable-time fraction with an event-based survival or continuous state-space model using the same viability domain; test whether short excursions change the conclusion.

NOTE 6

Roots Beneath Roots

A higher level does not leave the lower level behind



NOTE 6 · OBSERVATION

Pull a plant from the soil and the visible stem brings a hidden map with it. Roots divide into smaller roots. Fungal threads extend beyond them. Water moves through pores. Minerals enter chemical pathways. Cells maintain membranes. Molecules preserve shapes. The flower is not simply above the soil. It is a temporary result of the whole dependency network.

Nested dependency means that the viability of a higher-level structure remains conditional on lower-level components, processes, and conditions. The lower level is not merely a historical precursor. It continues to participate.

An organism did not once use chemistry and then graduate from it. It uses chemistry now. A city did not once use human bodies and then become an independent abstraction. It depends on bodies now. Software does not leave hardware behind. Institutions do not leave communication, food, energy, and trust behind.

The hierarchy should not be drawn as one rigid ladder. Real systems form dependency graphs. A cell depends on chemistry, but also on temperature, pressure, and material exchange. A building depends on its structure, but also on power, water, access, maintenance knowledge, and legal coordination. Dependencies may cross levels and connect systems that are not physically contained within one another.



Dependency can be compositional, environmental, informational, temporal, or functional. A heart is compositional to a body. Oxygen is environmental and material. A map is informational. A seasonal window is temporal. A skilled operator is functional. The model becomes useful when these forms are separated rather than hidden under one word.

Higher-level failure is often delayed. A lower process can leave its viability domain while the higher system continues by using stored resources, redundancy, replacement, or inertia. The dependency is still real. The buffer changes the failure time. It does not erase the connection.

This explains why complex systems can look independent just before they fail. A city may have water in tanks after the pumps stop. A company may operate from inventory after supply collapses. A body may remain conscious after oxygen delivery is interrupted. The visible level carries memory of earlier support.

A good dependency map therefore includes buffers, substitutes, thresholds, and delay. It asks not only what the system needs, but how long it can continue without it, what can replace it, and which failure becomes irreversible.


The central claim is modest: when a required lower-level process becomes nonviable and no substitute exists, the higher-level structure cannot remain viable indefinitely. The exact dynamics belong to the domain. The architecture belongs to the model.

Roots Beneath Roots

What is visible remains attached to processes below it.

What to carry forward

- Map dependencies as a graph, not a universal ladder.
- Separate compositional, environmental, informational, temporal, and functional dependencies.
- Buffers delay failure. They do not remove dependency.
- The lower level remains an active participant in the higher level.



OPERATIONAL MODEL

A measurable local template, not a universal law.

$$m_H = \min_{\ell \in L^*} \frac{y_t - y_{t, \min}}{y_{t, \text{target}} - y_{t, \min}}$$

The higher-level margin is limited by the weakest required lower-level process.

MEASUREMENTS

Symbol	Operational definition and units
L^*	set of necessary lower-level processes
$y(\ell)$	current output or condition of process ℓ
$y_{\min}(\ell)$	minimum viable level
$y_{\text{target}}(\ell)$	reference healthy level
m_H	minimum normalized dependency margin

HOW TO USE IT

16. Identify necessary—not merely correlated—lower processes.
17. Measure each in its own units, then normalize by its viable range.
18. Track the minimum margin and the delay between lower failure and higher failure.

Working example. Normalized margins for water, energy, and coordination are 0.60, 0.20, and 0.80. The higher-level margin is $m_H=0.20$.

Limit. *The minimum rule is appropriate for strict necessities; substitutable inputs require a different aggregation model.*

READ THE RESULT

m_H is controlled by the weakest strict dependency. Zero marks its minimum viable level.

VALIDATE IT

Test proposed dependencies by safe perturbation where possible, then compare the weakest-link result with a network model that allows substitution and delay.

NOTE 7

The Garden That Maintains Its Gardener

Higher levels can become part of the conditions of lower levels



NOTE 7 · OBSERVATION

The gardener depends on the garden for food, work, knowledge, or calm. The garden depends on the gardener for water, pruning, repair, and protection. The direction of dependence changes with the question. Neither side becomes independent. Together they form a loop.

Recursive maintenance occurs when a higher-level system changes a lower-level condition required by the higher-level system itself. The lower level enables the higher level. The higher level acts on the lower-level conditions. The lower level continues to enable the higher level.

A cell regulates chemical conditions required by its molecular processes. An organism regulates temperature and circulation required by its cells. A community maintains sanitation, food systems, and medical care required by bodies. A civilization maintains knowledge, infrastructure, and institutions required by communities. The chain is not perfectly ordered, but the loop appears repeatedly.

The phrase recursive does not imply a mysterious force moving downward. Physical causation still proceeds through ordinary interactions. The recursion is descriptive. At one scale, lower processes constitute the higher system. At another scale, the higher organization constrains flows and boundary conditions of the lower processes.



This is one reason biological organization is powerful. A cell is made of reactions, but its membrane and regulatory network change which reactions occur. An organism is made of cells, but circulation, behavior, and temperature control change the conditions of those cells. The higher pattern becomes part of the environment of its components.

The loop can be healthy or destructive. A city can maintain clean water and stable power. It can also overdraw an aquifer or make workers less viable. A company can train and protect the people it depends on. It can also consume their attention faster than it restores it. Recursive maintenance is a structural description, not praise. Improvement in several dependencies cannot compensate for making one required dependency nonviable.

The same loop can support more than preservation. A gardener saves seeds, improves soil, builds shade, and teaches another person. Those actions do not merely keep the current garden alive. They change the set of gardens that can exist later. This will be called generative maintenance.

The observer should look for the point at which a higher-level system becomes a condition of its own substrate. That point often reveals leverage. It also reveals responsibility, because control of a dependency can protect it or exploit it.

The Garden That Maintains Its Gardener

Care can move in a loop: the garden supports the one who tends it.



What to carry forward

- Recursive maintenance is bidirectional dependence across descriptive levels.
- The mechanism remains ordinary physical or social causation.
- A higher system may become part of the environment of its components.
- A required failure cannot be averaged away.

OPERATIONAL MODEL

A measurable local template, not a universal law.

$$g_H = \overline{\Delta m_L}^* - \frac{c_H}{C_{\text{ref}}}, \quad m_{\min}^+ = \min_{\ell \in L^*} m_{\ell}(t + \Delta t)$$

Recursive maintenance is present only when net lower-level gain is positive and every required lower process remains viable.

MEASUREMENTS

Symbol	Operational definition and units
$m(\ell, t), m(\ell, t + \Delta t)$	normalized lower-process margins before and after the action
L^*	set of required lower-level processes
$c(H), C_{\text{ref}}$	action cost and declared reference budget in the same units
g_H	mean lower-margin gain minus normalized cost [dimensionless]
$m_{\min}^+$	minimum required lower margin after the action [dimensionless]

HOW TO USE IT

19. Define required lower processes and measure each normalized margin before and after the action.
20. Include direct, displaced, and delayed costs in the same reference budget.
21. Classify recursive maintenance only when $g_H > 0$ and every required lower margin remains at or above zero.

Working example. Two margins rise by 0.20 and 0.05; cost ratio is 0.04, so $g_H = 0.085$. If $m_{\min}^* = 0.15$, the action passes both conditions.

Limit. *The result depends on the selected dependencies, interval, and budget. Passing both conditions is not an ethical verdict.*

READ THE RESULT

Positive recursive maintenance requires $g_H > 0$ and $m_{\min}^+ \geq 0$. Improvement elsewhere cannot cancel failure of a required lower process.

VALIDATE IT

Compare with a matched control or independent stock-flow model; test whether both conditions survive delayed-cost assumptions.

NOTE 8

Time Gives Structure Room

Possibility is not inevitability, but time permits repeated construction



NOTE 8 · OBSERVATION

A garden does not appear because time passes. Leave seeds on dry stone and time will not supply soil. Leave a machine without parts and time will not assemble it. Time is not a designer. It is the interval in which interactions can repeat, variation can accumulate, and rare pathways can be explored.

The formation of a complex structure may be simple in principle and slow in realization. Many local interactions can gradually produce an organized result without any particle carrying a plan of the final system. The difficulty lies in finding and preserving a sequence of viable intermediate states.

This is where maintenance and generation meet. A new level can arise only from states that remain physically accessible. If every intermediate configuration is destroyed before the next step, the pathway closes. If conditions preserve enough variation, enough memory, and enough stable relations, more pathways remain reachable.

Given enough trials under suitable conditions, complex organization becomes possible. It does not become guaranteed. The number of trials, the structure of the state space, the availability of gradients, the stability of intermediates, and the presence of selection or feedback all matter.



Evolution demonstrates one way in which small units can become integrated into larger units. Major transitions involve changes in cooperation, conflict control, information transmission, and individuality. Cells form multicellular organisms. Individuals form social systems. The lower units do not disappear, but their possible behavior is constrained by a new level.

The point is not that complexity always increases. It often collapses, simplifies, or becomes trapped. The point is that organized processes can preserve successful relations long enough for further organization to become possible. Memory can be chemical, genetic, neural, written, structural, or institutional.


A path appears because feet return. A language appears because patterns survive across speakers. A tool tradition appears because one object changes how the next object is made. In each case, current structure narrows and enables later states.

The future in this model does not mean infinite cosmic duration. It means accessible later transitions. Generative maintenance expands or preserves the set of later viable

states. It does not promise that the best state will be selected. It only keeps the gate from closing too early.

Time Gives Structure Room

Time is not merely delay; it is one of the conditions under which structure settles.



What to carry forward

- Time permits repeated interaction; it does not replace enabling conditions.
- Complex organization requires viable intermediate states.
- Memory is any present structure that carries consequences of earlier events.
- Generative maintenance preserves possibility, not certainty.

OPERATIONAL MODEL

A measurable local template, not a universal law.

$$m(t + \Delta t) = m(t) + \int_t^{t + \Delta t} [u_M(\tau) - d(\tau)] d\tau$$

Structural margin changes through the accumulated difference between maintenance and degradation rates.

MEASUREMENTS

Symbol	Operational definition and units
$m(t)$	current structural or viability margin
$u_M(t)$	maintenance/restoration rate [margin per time]
$d(t)$	degradation/disturbance rate [margin per time]
Δt	elapsed time
$m(t+\Delta t)$	predicted margin after the interval

HOW TO USE IT

22. Choose a margin tied to an actual threshold.
23. Estimate maintenance and degradation rates over matching intervals.
24. Update predictions as rates change; do not assume stationarity.

Working example. $m=0.35$. Maintenance adds 0.04/day and degradation removes 0.01/day for 5 days. New margin = $0.35+5\times 0.03=0.50$.

Limit. *The integral summarizes rates; it does not explain which process produced them.*

READ THE RESULT

The sign of u_M-d determines whether margin rises or falls; the integral accumulates that difference through time.

VALIDATE IT

Back-test against later observations and compare the rate integral with a discrete-transition or mechanistic model; systematic disagreement signals missing processes.

NOTE 9

Small Systems, Large Consequences

Organization changes what a quantity of matter can do



NOTE 9 · OBSERVATION

A seed weighs almost nothing compared with the tree it can help organize. The seed does not contain the material of the tree. It contains relations that guide how material from the environment may be incorporated. The later structure is larger because the seed participates in a process, not because it hides a miniature tree.

The same principle appears in tools and institutions. A small controller can regulate a large machine. A short drawing can coordinate thousands of components. A few lines of code can direct hardware many times larger than the storage medium. A rule can change the behavior of a city.

Scale amplification comes from organized access to flows. The small system senses, selects, times, and constrains. It does not supply all the force or material directly. A valve controls a pipeline. A nervous system directs muscle. A management system directs inventory and labor. The pattern can be elegant or dangerous.

Biological organisms are one implementation of this general mechanism. They are not the purpose of matter. They are systems in which a relatively small set of organized components coordinates large material and energetic transformations. Their effectiveness comes from nested feedback, repair, memory, and the ability to use external resources.



A higher-level structure can therefore produce objects thousands or millions of times larger than any individual active component. The statement is not about a universal ratio. It is about leverage. Organization lets local changes redirect large flows.

Leverage also creates fragility. A small control element may become a single point of failure. A sensor error can misdirect a large machine. A false model can redirect an institution. The more amplification a system has, the more important verification becomes.


This suggests two measurements. The first is control reach: how much system behavior can a component influence? The second is dependency concentration: how much viability rests on one component, channel, or model? Efficient

systems often increase the first. Resilient systems limit the second through redundancy, diversity, and graceful failure.

The observer should not be hypnotized by size. A tiny process can be structurally central. A large object can be functionally peripheral. The map should follow consequence, not appearance.

Small Systems, Large Consequences

A small input matters greatly when it enters a high-gain relation.



What to carry forward

- Organization produces leverage by directing flows.
- Small control structures can coordinate large material effects.
- Amplification increases both capability and risk.
- Map consequence, not physical size.

OPERATIONAL MODEL

A measurable local template, not a universal law.

$$G_i(T) = \frac{Y_S(T \mid u_i + \Delta u_i) - Y_S(T \mid u_i)}{\Delta u_i}$$

Leverage is the change in a system-level outcome per unit change in a small input over a stated horizon.

MEASUREMENTS

Symbol	Operational definition and units
u(i)	selected small-system input
Δu(i)	controlled or observed input change [input units]
Y_S(T)	system outcome at horizon T [output units]
T	evaluation horizon
G(i,T)	gain [output units per input unit]

HOW TO USE IT

- 25. Choose one output and one horizon.
- 26. Estimate the counterfactual with a control, experiment, or model.
- 27. Check whether gain persists or reverses after delays and feedback.

Working example. 20 additional bee visits produce 400 additional fruits relative to control. $G=400/20=20$ fruits per visit.

Limit. *High gain can be beneficial or destructive; sign, delay, saturation, and uncertainty must be reported.*

READ THE RESULT

G_i is a local gain, including sign and units.
High magnitude identifies leverage, not moral value.

VALIDATE IT

Replicate several input changes and compare the finite-difference gain with regression or causal estimation; report saturation, sign reversal, delay, and uncertainty.

NOTE 10

The City Under the Pavement

Civilization is a dependency graph with delayed failure



NOTE 10 · OBSERVATION

A city looks like buildings, streets, and lights. Under the pavement it is also pipes, cables, drains, foundations, soil, tunnels, permissions, schedules, inventories, and habits. Much of the city remains invisible while it works.

The city is a useful test because no single level explains it. Concrete depends on chemistry and supply. A hospital depends on power, water, staff, medicine, records, transport, and public trust. Each dependency has a viability range, a buffer, and a failure time.

Urban stability is partly passive. Foundations resist load. Pipes contain pressure. Walls separate climates. It is also actively maintained. Pumps run. Crews inspect. Software routes. Workers repair. Taxes and contracts move resources. The city persists through a mixture of structural stability and continuous maintenance.

Recursive maintenance appears when institutions maintain the conditions of the people and systems that maintain the institutions. Education preserves skill. Sanitation protects bodies. Transportation connects labor and material. Records preserve memory. Standards reduce coordination cost. None of these is automatically good, but each can become part of the dependency base.



Delayed failure is common. A building can remain occupied after inspection stops. A bridge can carry traffic while corrosion advances. A utility can operate while spare parts disappear. The city often looks most independent while consuming its remaining margin.


A useful city model begins with a selected function. Do not model everything. Choose water delivery, emergency response, housing, food access, or structural safety. Define viability. Map required processes. Estimate buffers. Identify substitutions. Mark dependencies that cross jurisdictions or scales.

Then ask which higher-level actions protect lower-level viability. Does a policy maintain the workers, tools, knowledge, and ecosystems on which the policy depends? Does efficiency remove all spare capacity? Does optimization move risk outside the model? Does a local success reduce the viability of the larger system?

The city teaches a quiet lesson. Civilization is not located in monuments. It is located in maintained relations. When those relations fail, stone and steel can remain while organized life leaves.

The City Under the Pavement

The visible street rests on flows that remain out of sight.



What to carry forward

- Choose one urban function before drawing the graph.
- Include hidden systems, workers, knowledge, and external supply.
- Estimate buffers and delayed failure.
- A city is a maintained relation, not only visible material.

OPERATIONAL MODEL

A measurable local template, not a universal law.

$$m_{\text{city}} = \min_k \frac{C_k - L_k}{C_k}$$

The visible city inherits the smallest capacity margin among required hidden infrastructure systems.

MEASUREMENTS

Symbol	Operational definition and units
C(k)	capacity of subsystem k [L/s, MW, vehicles/h, Mbps, etc.]
L(k)	current or peak load in the same unit
k	required sewer, water, power, transport, data, foundation, or other system
m(k)	capacity margin of subsystem k
m_city	minimum hidden-infrastructure margin

HOW TO USE IT

- 28. Map the hidden systems required by the visible service.
- 29. Use peak and surge loads, not only averages.
- 30. Record inspection uncertainty and failure propagation delays.

Working example. Sewer margin=0.125, power=0.20, data=0.35. m_city=min=0.125; sewer capacity is the current bottleneck.

Limit. *Capacity margins omit quality, geographic distribution, and common-cause failures unless added explicitly.*

READ THE RESULT

The smallest infrastructure margin is the present bottleneck and deserves the first capacity check.

VALIDATE IT

Compare predicted bottlenecks with monitored overloads and an independent network-flow or reliability model, including common-cause failures.

NOTE 11

The Economy as a Viability Map

*Value moves through dependencies before it appears as a
number*



NOTE 11 · OBSERVATION

An economy is often described through prices, output, employment, and growth. Those measurements matter. They are states selected for a model. They do not contain the entire system.

Every economic activity depends on lower-level viability: bodies that can work, materials that can be transformed, energy gradients that can be used, environments that can absorb waste, institutions that can coordinate, and information that can be trusted. The financial layer does not replace these foundations. It organizes claims upon them.

The model can be localized by selecting an organization, market, or service. Define what counts as viable. Map inputs, people, tools, knowledge, legal conditions, customers, and ecological boundaries. Separate dependencies that can be substituted from those that cannot. Measure how long the system can continue after each one fails.

Maintenance appears as payroll, training, repair, reserves, quality control, insurance, standards, and replenishment. Some expenses that look inefficient in a short interval preserve the viability domain over a longer one. Some efficiencies remove redundancy and move the state closer to a boundary.



Recursive maintenance appears when an organization supports the people, infrastructure, institutions, and environments on which its own operation depends. Generative maintenance appears when it also increases future capability: apprenticeships, open knowledge, healthier soil, better tools, interoperable standards, and infrastructure that allows new activities.

The model does not say that every organization should maximize continuation. Some systems should end. Some products should disappear. Viability analysis only reveals what supports a chosen structure. Ethical and political judgment decides which structures deserve support and how costs should be distributed.

This separation makes the model useful rather than ideological. One can compare policies without pretending that the model selected the values. A proposal may increase the viability of a company while reducing the viability of workers or an ecosystem. The conflict should appear on the map instead of being hidden inside a single objective.

Optimization begins after localization. First decide the system, scale, interval, and value premise. Then define the domain. Then map dependencies. Only then ask what to improve. Otherwise the optimizer may become a very efficient machine for destroying its own foundation.


The Economy as a Viability Map

An economy is a dependency map before it is a price chart.

Resources flow.

Value is created.

*Viability is the
shape of balance.*



What to carry forward

- Prices are signals inside a dependency network, not substitutes for the network.
- Short-term efficiency can consume long-term viability margin.
- State the value premise before calling a policy optimal.
- Localize first. Optimize second.

OPERATIONAL MODEL

A measurable local template, not a universal law.

$$T_V = \min_k \frac{B_k}{\max(D_k - F_k, 0^+)}$$

The local viability horizon is the shortest time until a required buffer is exhausted under current net deficit.

MEASUREMENTS

Symbol	Operational definition and units
B(k)	available buffer or reserve of dependency k [stock units]
D(k)	demand/consumption rate [stock units per time]
F(k)	inflow/replenishment rate [same rate units]
0 ⁺	use ∞ when F _k ≥ D _k ; no current depletion
T _V	minimum exhaustion horizon [time]

HOW TO USE IT

31. Select the organization, market, or service and its value premise.
32. Map required flows, buffers, substitution rules, and delays.
33. Recalculate after price, policy, or infrastructure changes; prices are signals, not substitutes for dependencies.

Working example. Grain buffer 30 t with 2 t/day deficit gives 15 days. Cash reserve \$100,000 with \$5,000/day burn gives 20 days. T_V=15 days.

Limit. *A horizon reports continuation under stated conditions. It does not decide which activities deserve continuation.*

READ THE RESULT

T_V is the earliest buffer-exhaustion time among required dependencies under the stated rates.

VALIDATE IT

After the horizon, compare the depletion estimate with observed stocks and an alternative stock-flow simulation that includes substitution, delay, and changing rates.

NOTE 12

The Observer Inside the Instrument

Measurement is part of the system it measures



NOTE 12 · OBSERVATION

The observer enters the garden with a notebook. The notebook changes nothing obvious. Yet the path taken compresses soil. The plant selected for measurement receives attention. The categories in the notebook decide which differences will be visible later.

Observation is a physical and organizational process. It uses instruments, time, energy, language, institutions, and trust. It can be low-impact, but it is never absolutely outside the system. The observer chooses a boundary and a scale. Those choices shape the model.

A reflective system can represent part of its own dependencies and use that representation to select action. The model may be incomplete. It may still change behavior. A person brings water because a plant looks dry. A city reinforces a bridge because an inspection reveals corrosion. A company changes inventory because a forecast changes expected risk.

The traditional contrast between observer and participant therefore needs refinement. Observation and action are not mutually exclusive identities. A mature process alternates between measurement, model, action, and verification. The practical distinction is between primarily descriptive intervention and deliberate condition-changing intervention.



Models create power because they compress. They ignore most details and preserve selected relations. The same compression creates danger. A missing dependency can make a confident policy fragile. A mistaken viability boundary can preserve the wrong thing. A metric can become a target and stop describing the system it once measured.

The observer should therefore keep a record of exclusions. What is outside the boundary? Which variables were treated as fixed? Which relationships are uncertain? Who bears consequences that do not appear in the objective? What evidence would cause the model to be revised?

Second-order observation begins when the observer includes the observing process in the map. It does not require endless self-reference. It requires enough reflexivity to see how measurement, language, incentives, and authority alter the

system. Observer effects have direction as well as magnitude: a method may suppress, amplify, or redirect the measured outcome.


The notebook is useful because it is incomplete in a controlled way. Its purpose is not to contain the garden. Its purpose is to help the observer return, compare, and act with less blindness.

The Observer Inside the Instrument

The instrument enters the situation it measures.

What to carry forward

- Every model selects a boundary and excludes detail.
- Measurement consumes resources and can suppress, amplify, or redirect behavior.
- Record assumptions, exclusions, uncertainty, and revision conditions.
- Observation becomes mature when it includes its own effects.



OPERATIONAL MODEL

A measurable local template, not a universal law.

$$O_{\text{signed}} = \frac{\bar{y}_{\text{obs}} - \bar{y}_{\text{base}}}{s_{\text{base}}}, \quad O_{\text{mag}} = |O_{\text{signed}}|$$

Signed observer effect reports direction; its magnitude reports disturbance size in baseline standard deviations.

MEASUREMENTS

Symbol	Operational definition and units
$\bar{y}_{\text{obs}}$	mean outcome while the instrument or observer is present
$\bar{y}_{\text{base}}$	mean outcome under baseline or minimally intrusive observation
s_{base}	baseline standard deviation
$O_{\text{signed}}, O_{\text{mag}}$	signed standardized effect and its absolute magnitude
$n_{\text{obs}}, n_{\text{base}}$	sample counts for observed and baseline conditions

HOW TO USE IT

34. Collect separate baseline and observed samples with a declared outcome.
35. Keep time, place, and sampling comparable; report n_{obs} and n_{base} separately.
36. Retain the signed effect and its magnitude; check delayed and unmeasured effects.

Working example. Bird count is 22 with a drone and 30 at baseline; $s_{\text{base}}=4$. $O_{\text{signed}}=(22-30)/4=-2.0$ and $O_{\text{mag}}=2.0$.

Limit. *A small measured effect does not prove neutrality; unmeasured behavior or long-term adaptation may remain.*

READ THE RESULT

The sign reports direction and the magnitude reports size. Report both with n_{obs} and n_{base} .

VALIDATE IT

Alternate order and observation method; compare with blinded, remote, or passive measurement and test whether the signed effect follows the instrument.

NOTE 13

When to Touch the System

*Intervention should be linked to risk, knowledge, reversibility,
and verification*



NOTE 13 · OBSERVATION

A branch is crossing the path. The simplest action is to cut it. But the branch may shade a seedling, hold a nest, or redirect water. The visible obstruction is not the whole dependency map.

The model does not produce a moral duty from physical facts. Knowing that a system depends on something does not prove that the system should be preserved. A value premise is required. We may value life, safety, freedom, continuity, diversity, knowledge, or future possibility. Different premises can conflict.

Once a valued viability domain is at credible risk, intervention becomes a control problem under uncertainty. A cautious participant should have a model of the relevant dependencies. The expected benefit should exceed the expected harm. The action should include measurement, reversibility where possible, and a stopping condition.

Non-action is also a policy. It leaves existing dynamics in control. Non-action can be justified when knowledge is weak, authority is absent, or intervention is irreversible. It is not neutral when a known preventable failure continues because no one acts.



The observer and participant are therefore modes, not identities. Good action requires observation. Good observation often requires instruments and institutions that already change conditions. The question is not whether to become pure action or pure contemplation. It is how deliberately to move through the feedback loop.

A useful intervention record contains six parts: the measured state, the model, the valued objective, the selected action, the expected effect, and the verification plan. It also states what would stop the action. This structure is an ordinary engineering discipline applied to a broader philosophical question.

Dreaminess belongs at the edge, not in place of the map. After the dependencies are clear, we may ask what kind of world we would like to maintain. We may choose to protect room for unknown future forms. We may choose to leave

some systems alone. We may choose to build conditions that let other observers appear.

The branch may still be cut. But now the act belongs to a model, a value, and a later check. The hand is no longer pretending to be outside the garden.


When to Touch the System

Intervention requires expected benefit, bounded harm, a return path, and verification.

What to carry forward

- No duty follows from dependency without a value premise.
- Act when valued viability is at risk and the dependency model is credible.
- Prefer monitoring, reversibility, and stopping conditions.
- Non-action should be evaluated as a policy.

BALANCE
*The strength of
middle ground.*



OPERATIONAL MODEL

A measurable local template, not a universal law.

$$E[\Delta U] = p_s B - (1 - p_s)H - C$$

Intervene only when expected benefit is positive, worst-case harm is bounded, the action is reversible enough, and verification is possible.

MEASUREMENTS

Symbol	Operational definition and units
p(success)	estimated probability of success [0–1]
B	benefit if successful [common value unit]
H	harm if unsuccessful [same value unit]
C	intervention and recovery cost [same value unit]
T_reverse	reversal time; compare with declared T_max

HOW TO USE IT

- 37. State the value unit and who bears each benefit and harm.
- 38. Estimate p_s from evidence; include uncertainty bounds.
- 39. Require a return path, verification window, and stopping condition before action.

Working example. p_s=0.70, B=100, H=60, C=20. E[ΔU]=70–18–20=32. Proceed only if H≤H_max and T_r≤T_max.

Limit. *Expected value can hide distributional injustice and rare catastrophic loss; report both separately.*

READ THE RESULT

Positive expected value is necessary but not sufficient; harm, reversibility, distribution, and verification remain constraints.

VALIDATE IT

Pre-register outcomes and compare the expected-value decision with an alternative scenario, distributional, or worst-case model; proceed only if the decision is robust.

NOTE 14

The Open Gate

Generative maintenance keeps more than one future reachable



NOTE 14 · OBSERVATION

At the far edge of the garden there is a gate. It does not point to one destination. It keeps a passage available. That is a useful image for generative maintenance.

Generative maintenance preserves or expands the conditions under which new structures, capabilities, or levels of organization may arise. It is not the same as protecting every existing thing. Sometimes generation requires change, pruning, recombination, or the end of a structure whose maintenance blocks the rest of the system.

A seed bank preserves possible plants. Education preserves possible skills. Open standards preserve possible tools. Basic research preserves possible explanations and applications. Healthy ecosystems preserve evolutionary and ecological options that no current plan can enumerate.

The set of reachable viable futures is not known in advance. Biological and social possibility spaces can change as new structures appear. We should therefore be careful with claims that the future can be fully optimized. A system may create new variables, new functions, and new questions. A larger viable fraction can still contain fewer viable futures, so both the amount and the fraction must be reported.



The practical aim is modest: avoid destroying the dependency base and avoid closing valuable pathways without reason. Preserve margins where uncertainty is high. Keep records. Maintain repair capacity. Allow replacement. Support the lower levels that make higher imagination physically possible.

This is where the observer-participant question becomes quiet rather than grand. A reflective system can see some of the conditions that produced it. It can choose to consume them, preserve them, transform them, or extend them. No cosmic command arrives with the knowledge. The choice remains ours.


The model offers no final meaning of life. It offers a way to locate continuation. Existence supplies entities and possibilities. Active existence makes relations consequential. Maintenance preserves the selected organization. Recursive

maintenance supports the foundations of that organization. Generative maintenance keeps space open for what has not yet been built.

The gate remains open only because hinges, posts, ground, hands, and intentions continue to cooperate. That is enough for one final note: the future is never held by one level alone.

The Open Gate

A generative system keeps more viable futures reachable.



What to carry forward

- Report viable futures by both count and fraction.
- Preservation and generation can conflict.
- Keep margins where the possibility space is poorly known.
- The future is supported across levels, not owned by the highest one.

OPERATIONAL MODEL

A measurable local template, not a universal law.

$$G(T) = (N_V(T), F_V(T)), \quad F_V(T) = \frac{N_V(T)}{N_R(T)}$$

$$\Delta G = (\Delta N_V, \Delta F_V)$$

Generative maintenance reports both the amount and fraction of reachable futures that remain viable.

MEASUREMENTS

Symbol	Operational definition and units
N_R(T)	number of sampled reachable states or scenarios at horizon T
N_V(T)	reachable states satisfying the declared viability conditions
F_V(T)	viable reachable fraction N_V/N_R [0–1]
ΔG	paired change (ΔN_V, ΔF_V) caused by the action
T, M	chosen horizon and scenario generator/model; report sensitivity to both

HOW TO USE IT

40. Generate scenarios before and after action and record the generator, horizon, and sampling rule.
41. Apply the same viability tests; report both viable count and viable fraction.
42. Prefer actions whose conclusion remains stable across plausible generators and viability models.

Working example. Before action, 80 of 100 futures are viable. After action, 92 of 110 are viable: ΔN_V=+12 and ΔF_V≈+0.036.

Limit. *Counts depend on the generator; probability, diversity, and harmful states must be reported when relevant.*

READ THE RESULT

Report both components. A larger fraction can coexist with a smaller viable option space, and vice versa.

VALIDATE IT

Recompute with a materially different scenario generator and viability model. Robustness means the substantive conclusion survives, not that exact values match.

Epilogue: notes for the next observer

The model begins with objects because objects are easy to point at. It ends with relations because relations explain what the objects can become together.

Use it lightly. Select a system. State the interval and scale. Define the structure. Draw the relations. Mark the viability domain. Find the required lower-level processes. Identify buffers, substitutes, delays, and thresholds. Find the maintenance loops. Then decide whether the question is descriptive or whether an intervention is being proposed.

The model will not solve every problem. It will sometimes reveal that the problem was drawn at the wrong scale. It may show that an apparent object is a temporary node in a larger process. It may show that an optimization consumes the conditions that made the optimization possible.

Most of all, it should encourage looking. A wall contains a load path. A leaf contains transport and control. A street contains hidden maintenance. A conversation contains memory and constraint. A tool contains the work of systems that no longer stand beside it.

The world becomes more interesting when nothing is treated as merely there. Each stable thing is a history of relations. Each living thing is a moving viability problem. Each civilization is a dependency graph that has learned, imperfectly, to draw itself.



There is no need to turn that observation into a slogan. Carry the notebook. Check the boundary. Look under the pavement. Leave the gate in working order.

The model in one walk

1	Select the system, purpose, scale, and interval. [N1,3,8,11]
2	Choose elements and measurable state variables. [N1]
3	Record realized interactions; draw constitutive relations. [N1–2]
4	Name the invariants and tolerances that define identity. [N3]
5	Describe the viability domain and current margin. [N4]
6	Map required lower-level processes, buffers, substitutes, and delays. [N6,8,10]
7	Find maintenance, recursive maintenance, and generative effects. [N5,7,14]
8	State the value premise before optimizing. [N11,13]
9	Choose an action with a return path, verification rule, and stopping condition. [N12–13]

Working definitions

Element [N1]	A distinguishable entity selected for the model.
State [N1]	The values used to describe an element or system at a time.
Interaction [N1]	A realized process through which one state changes or constrains another possible trajectory.
Relation [N2]	A coupling, constraint, dependency, bond, correlation, or organization pattern realized through interaction.
Structure [N3]	A selected set of elements and relations that remains identifiable across a stated interval and scale.
Condition [N4,6]	A boundary value, resource, gradient, constraint, or environmental state required for a process or structure.
Viability domain [N4]	The set of states and conditions within which the selected structure preserves its defining properties.
Maintenance [N5]	A process that reduces deviation from a viability domain or restores the system after deviation.
Recursive maintenance [N7]	A higher-level action that supports a lower-level condition required by the higher-level system.
Generative maintenance [N14]	Maintenance that preserves or expands conditions under which new viable organization may arise.
Active existence [N1]	Causal participation in at least one realized relation that changes or constrains possible system evolution during a stated interval.
Reflective system [N12]	A system that can model at least part of its own dependencies and use that model to select action.
Observer [N12]	A reflective mode oriented primarily toward measurement, description, and model revision.
Participant [N12–13]	A reflective mode oriented toward deliberate condition-changing intervention.

A page for localization

Write one short answer for each prompt to complete your first informational model. Keep it small enough to draw and measure.

1 • SCOPE [N1,3,8,11,13]

System and purpose

.....

.....

Scale and observation interval

.....

.....

Value premise: what counts as a good outcome?

.....

.....

2 • STRUCTURE [N1–3]

Selected elements and state variables with units

.....

.....

Realized interactions and constitutive relations

.....

.....

Defining invariants and tolerances

.....

.....

3 • VIABILITY [N4,8,10]

Viability domain and current margin

.....

.....

Failure thresholds and delays

.....

.....

A page for localization • continued

4 • DEPENDENCIES [N6,8,10]

Required lower-level processes

.....

External conditions

.....

Buffers, stored resources, substitutes, and redundancy

.....

5 • MAINTENANCE [N5,7,14]

Maintenance processes

.....

Recursive maintenance loops

.....

Generative effects

.....

6 • INTERVENTION [N11–13]

Proposed action and value premise

.....

Measurement and verification

.....

Return path and stopping condition

.....

Grounds and sources

The book is an interpretive synthesis. Its vocabulary is local to this model. The following works supply important scientific and philosophical ground; they do not prove the complete framework.

Ashby, W. Ross. An Introduction to Cybernetics. Chapman & Hall, 1956.

Varela, Francisco G., Humberto R. Maturana, and Ricardo Uribe. "Autopoiesis: The Organization of Living Systems." *BioSystems* 5, 1974.

Maynard Smith, John, and Eörs Szathmáry. *The Major Transitions in Evolution*. Oxford University Press, 1995.

Prigogine, Ilya. "Time, Structure and Fluctuations." Nobel Lecture, 1977.

Whitehead, Alfred North. *Process and Reality*. 1929.

Nicolis, Grégoire, and Ilya Prigogine. *Self-Organization in Nonequilibrium Systems*. Wiley, 1977.

Bertalanffy, Ludwig von. *General System Theory*. George Braziller, 1968.

Dewey, John. *Experience and Nature*. Open Court, 1925.

Aubin, Jean-Pierre. *Viability Theory*. Birkhäuser, 1991; reprint 2009.

Montévil, Maël, and Matteo Mossio. "Biological Organisation as Closure of Constraints." *Journal of Theoretical Biology* 372, 2015.

Laland, Kevin N., et al. "The Extended Evolutionary Synthesis." *Proceedings of the Royal Society B* 282, 2015.

von Foerster, Heinz. *Observing Systems*. Intersystems Publications, 1984.

Odling-Smee, F. John, Kevin N. Laland, and Marcus W. Feldman. *Niche Construction*. Princeton University Press, 2003.

Simon, Herbert A. "The Architecture of Complexity." *Proceedings of the American Philosophical Society* 106, 1962.

Wiener, Norbert. *Cybernetics*. MIT Press, 1948.

Meadows, Donella H. *Thinking in Systems*. Chelsea Green, 2008.

Observe carefully.

Model lightly.

Act with a return path.

