

TipologiasAdminFunction - API Documentation v1.4

Version: 1.4 (PromptGPT Deprecation)
Last Updated: 2026-06-05
Status: Active
Base URL: `https://{host}/api`

Table of Contents

- 1. Overview
- 2. Authentication
- 3. Error Handling
- 4. Endpoints
- 5. Data Models
- 6. Field Types
- 7. v1.4 Migration Notes
- 8. Examples
- 9. FAQ

Overview

The **TipologiasAdminFunction** API provides CRUD operations for managing document classification Tipologías. Each Tipología defines a classification schema with configurable fields, validation rules, and prompt templates.

Key Features

- Full lifecycle management (Draft → Published → Retired)
- JSON-based configuration as single source of truth
- Audit trail for all changes
- Cache invalidation on publish
- Bulk import/export via ZIP
- Version control and conflict detection

v1.4 Changes

Importante: PromptGPT Field Deprecated

In v1.4, the direct `.promptGPT` field is **deprecated but supported** for backward compatibility. All prompt templates are managed via `configuracionJson.promptConfig` :

Property	Estado
<code>.promptGPT</code>	Deprecated (read-only, soportado por compatibilidad)
<code>configuracionJson.promptConfig.systemPrompt</code>	Primary
<code>configuracionJson.promptConfig.userPromptTemplate</code>	Primary

Migration Impact: Existing Tipologías continue to work. Update `configuracionJson` to adopt the current standard.

Authentication

Authorization Level

All endpoints use `AuthorizationLevel.Function` (Azure Functions key-based auth).

```
# PowerShell Example
$headers = @{
    "x-functions-key" = "YOUR_FUNCTION_KEY"
    "Content-Type" = "application/json"
}
```

Required Headers

- `Content-Type: application/json` (for POST/PUT)
- `x-functions-key` or `code` parameter (Azure Functions key)

Error Handling

All endpoints return structured error responses:

```
{
  "error": "Descriptive error message",
  "timestamp": "2026-06-05T10:30:45Z",
  "traceId": "0HMVD..."
}
```

HTTP Status Codes

Code	Meaning	Common Cause
200	OK	Request succeeded
201	Created	Resource created
400	Bad Request	Invalid input, validation failure
404	Not Found	Tipología ID doesn't exist
409	Conflict	State transition not allowed, duplicate código
500	Internal Server Error	Server error

Endpoints

1. List All Tipologías

GET `/management/tipologias`

Retrieves all Tipologías sorted by name.

Response

```
[
  {
    "id": 1,
    "codigo": "FACTURA",
    "nombre": "Factura Electrónica",
    "version": "1.4.0",
    "estado": "Published",
    "activa": true,
    "configuracionJson": { ... },
    "creadoPor": "user@example.com",
    "fechaCreacion": "2026-04-01T09:00:00Z",
    "fechaActualizacion": "2026-06-04T15:30:00Z"
  },
  { ... }
]
```

Status Codes

- 200 OK — Success

2. Get Tipología by ID

GET /management/tipologias/{id}

Retrieves a single Tipología by ID.

Path Parameters

Parameter	Type	Required	Description
id	int	Yes	Tipología ID

Response

```
{
  "id": 1,
  "codigo": "FACTURA",
  "nombre": "Factura Electrónica",
  "version": "1.4.0",
  "estado": "Published",
  "activa": true,
  "configuracionJson": { ... },
  "creadoPor": "user@example.com",
  "fechaCreacion": "2026-04-01T09:00:00Z",
  "fechaActualizacion": "2026-06-04T15:30:00Z"
}
```

Status Codes

- 200 OK — Success
- 404 Not Found — Tipología does not exist

Example

```
$response = Invoke-RestMethod `
  -Uri "https://myhost.azurewebsites.net/api/management/tipologias/1" `
  -Headers $headers `
  -Method Get

$response | ConvertTo-Json -Depth 10
```

3. Create Tipología

POST /management/tipologias

Creates a new Tipología. Initial state is **Draft**.

Request Body

```
{
  "codigo": "FACTURA",
  "nombre": "Factura Electrónica",
  "version": "1.4.0",
  "configuracionJson": { ... },
  "usuario": "user@example.com"
}
```

Request Fields

Field	Type	Required	Validation
codigo	string	Yes	Alphanumeric + <code>_ . -</code> , 3-100 chars, lowercase start
nombre	string	Yes	1-255 chars, no special chars
version	string	Yes	Semantic versioning (e.g., <code>1.4.0</code>)
configuracionJson	object	Yes	Valid JSON schema (see below)
usuario	string	No	Audit trail. Defaults to <code>SYSTEM</code>

Response

```
{
  "id": 5,
  "codigo": "FACTURA",
  "nombre": "Factura Electrónica",
  "version": "1.4.0",
  "estado": "Draft",
  "activa": true,
  "configuracionJson": { ... },
  "creadoPor": "user@example.com",
  "fechaCreacion": "2026-06-05T10:30:00Z",
  "fechaActualizacion": "2026-06-05T10:30:00Z"
}
```

Status Codes

- 201 Created — Success
- 400 Bad Request — Invalid input or schema
- 409 Conflict — Código already exists

Example

```
$body = @{
    codigo = "FACTURA"
    nombre = "Factura Electrónica"
    version = "1.4.0"
    configuracionJson = @{
        tipoDocumento = "Factura"
        campos = @(
            @{ nombre = "numero"; tipo = "string"; obligatorio = $true }
            @{ nombre = "fecha"; tipo = "date"; obligatorio = $true }
        )
        promptConfig = @{
            systemPrompt = "Extract invoice data..."
            userPromptTemplate = "Process this invoice..."
        }
    }
    usuario = "admin@example.com"
} | ConvertTo-Json -Depth 10

$response = Invoke-RestMethod `
    -Uri "https://myhost.azurewebsites.net/api/management/tipologias" `
    -Headers $headers `
    -Method Post `
    -Body $body
```

4. Update Tipología

PUT /management/tipologias/{id}

Updates an existing Tipología. Only Draft and Retired states can be updated.

Path Parameters

Parameter	Type	Required	Description
id	int	Yes	Tipología ID

Request Body

```
{
  "codigo": "FACTURA",
  "nombre": "Factura Electrónica v2",
  "version": "1.4.1",
  "configuracionJson": { ... },
  "usuario": "user@example.com"
}
```

Constraints

- **Cannot update:** id, estado, creadoPor, fechaCreacion
- **Can update:** nombre, version, configuracionJson
- **Cannot update Published:** If estado == Published, update fails with 409

Response

```
{
  "id": 5,
  "codigo": "FACTURA",
  "nombre": "Factura Electrónica v2",
  "version": "1.4.1",
  "estado": "Draft",
  "activa": true,
  "configuracionJson": { ... },
  "creadoPor": "user@example.com",
  "fechaCreacion": "2026-06-05T10:30:00Z",
  "fechaActualizacion": "2026-06-05T11:00:00Z"
}
```

Status Codes

- 200 OK — Success
- 400 Bad Request — Invalid input
- 404 Not Found — Tipología does not exist
- 409 Conflict — Cannot update Published Tipología

Example

```
$body = @{
  codigo = "FACTURA"
  nombre = "Factura Electrónica v2"
  version = "1.4.1"
  configuracionJson = @{ ... }
  usuario = "admin@example.com"
} | ConvertTo-Json -Depth 10

$response = Invoke-RestMethod `
  -Uri "https://myhost.azurewebsites.net/api/management/tipologias/5" `
  -Headers $headers `
  -Method Put `
  -Body $body
```

5. Publish Tipología

POST /management/tipologias/{id}/publicar

Transitions Tipología from **Draft** to **Published**. Validates all configuration and model references.

Path Parameters

Parameter	Type	Required	Description
id	int	Yes	Tipología ID

Request Body

```
{
  "usuario": "user@example.com"
}
```

Pre-Conditions

- Tipología must be in **Draft** state
- configuracionJson must be valid
- All referenced models must exist

Response

```
{
  "id": 5,
  "codigo": "FACTURA",
  "nombre": "Factura Electrónica",
  "version": "1.4.0",
  "estado": "Published",
  "activa": true,
  "configuracionJson": { ... },
  "creadoPor": "user@example.com",
  "fechaCreacion": "2026-06-05T10:30:00Z",
  "fechaActualizacion": "2026-06-05T11:15:00Z"
}
```

Side Effects

- Cache invalidated (`tipologias:snapshot`)
- Audit record created
- State transitions to Published

Status Codes

- `200 OK` — Success
- `404 Not Found` — Tipología does not exist
- `409 Conflict` — Invalid state or configuration

Example

```
$body = @{ usuario = "admin@example.com" } | ConvertTo-Json

$response = Invoke-RestMethod `
  -Uri "https://myhost.azurewebsites.net/api/management/tipologias/5/publicar" `
  -Headers $headers `
  -Method Post `
  -Body $body
```

6. Retire Tipología

POST `/management/tipologias/{id}/retirar`

Transitions Tipología from **Published** to **Retired**. Marks as inactive.

Path Parameters

Parameter	Type	Required	Description
<code>id</code>	int	Yes	Tipología ID

Request Body

```
{
  "usuario": "user@example.com"
}
```

Response

```
{
  "id": 5,
  "estado": "Retired",
  "activa": false,
  ...
}
```

Status Codes

- 200 OK — Success
- 404 Not Found — Tipología does not exist

7. Move to Draft

POST /management/tipologias/{id}/draft

Transitions Tipología from **Retired** back to **Draft** for re-editing.

Path Parameters

Parameter	Type	Required	Description
id	int	Yes	Tipología ID

Request Body

```
{
  "usuario": "user@example.com"
}
```

Response

```
{
  "id": 5,
  "estado": "Draft",
  "activa": true,
  ...
}
```

Status Codes

- 200 OK — Success
- 404 Not Found — Tipología does not exist

8. Get Audit Trail

GET /management/tipologias/{id}/audit

Retrieves complete change history for a Tipología.

Path Parameters

Parameter	Type	Required	Description
id	int	Yes	Tipología ID

Response


```
[
  {
    "id": 101,
    "tipologiaId": 5,
    "usuario": "admin@example.com",
    "accion": "Created",
    "descripcion": "Initial creation",
    "fechaAuditoria": "2026-06-05T10:30:00Z",
    "valoresAnteriores": null,
    "valoresNuevos": { ... }
  },
  {
    "id": 102,
    "tipologiaId": 5,
    "usuario": "admin@example.com",
    "accion": "Updated",
    "descripcion": "Updated",
    "fechaAuditoria": "2026-06-05T11:00:00Z",
    "valoresAnteriores": { ... },
    "valoresNuevos": { ... }
  }
]
```

Status Codes

- 200 OK — Success
- 404 Not Found — Tipología does not exist

Data Models

TipologiaResponseDto (v1.4)

Nota — Formato de respuesta: El campo directo `.promptGPT` se **omite** de la respuesta (se mantiene internamente via extension methods).

```
{
  "id": 5,
  "codigo": "FACTURA",
  "nombre": "Factura Electrónica",
  "version": "1.4.0",
  "estado": "Published",
  "activa": true,
  "configuracionJson": {
    "tipoDocumento": "Factura",
    "campos": [
      {
        "nombre": "numero",
        "tipo": "string",
        "obligatorio": true,
        "validacion": "^[0-9]{1,10}$"
      }
    ]
  },
  "promptConfig": {
    "systemPrompt": "Extract invoice data following JSON schema...",
    "userPromptTemplate": "Process this invoice: {documento}"
  }
},
"creadoPor": "user@example.com",
"fechaCreacion": "2026-06-05T10:30:00Z",
"fechaActualizacion": "2026-06-05T11:00:00Z"
}
```

TipologiaUpsertRequest

Used in POST (create) and PUT (update) operations.

```
{
  "codigo": "FACTURA",
  "nombre": "Factura Electrónica",
  "version": "1.4.0",
  "configuracionJson": { ... },
  "usuario": "user@example.com"
}
```

ConfiguracionJson Schema

```
{
  "tipoDocumento": "string (required)",
  "campos": [
    {
      "nombre": "string (required, alphanumeric + _ )",
      "tipo": "string|decimal|number|integer|int|date|datetime|boolean|bool|array|object (required)",
      "obligatorio": "boolean (default: false)",
      "validacion": "regex pattern (optional)",
      "descripcion": "string (optional)"
    }
  ],
  "promptConfig": {
    "systemPrompt": "string (required, AI system prompt)",
    "userPromptTemplate": "string (required, user prompt template with {campo} placeholders)"
  },
  "modelosReferenciados": ["string"] (optional, list of model IDs)
}
```

Field Types Supported

Type	Example	Validation
string	"ABC123"	Text
integer / int	42	Whole number
decimal / number	123.45	Decimal number
boolean / bool	true / false	Boolean
date	2026-06-05	ISO date
datetime	2026-06-05T10:30:00Z	ISO datetime
array	[...]	JSON array
object	{...}	JSON object

v1.4 Migration Notes

Breaking Changes: None

v1.4 is **fully backward compatible** with v1.3. Existing clients continue to work.

Deprecations

Feature	Status	Migration Path
<code>.promptGPT</code> field (direct read)	Deprecated	Use <code>configuracionJson.promptConfig.systemPrompt</code>
Legacy DTO (with <code>.promptGPT</code>)	Supported	Not recommended for new code
Direct field access	Deprecated	Use extension methods: <code>tipologia.GetSystemPrompt()</code>

Recommended Updates

For v1.4 (New Code)

Use `ConfiguracionJson` for all prompt management:

```
{
  "codigo": "FACTURA",
  "nombre": "Factura Electrónica",
  "version": "1.4.0",
  "configuracionJson": {
    "tipoDocumento": "Factura",
    "campos": [ ... ],
    "promptConfig": {
      "systemPrompt": "Extract invoice data...",
      "userPromptTemplate": "Process: {documento}"
    }
  }
}
```

For Developers (Backend Code)

v1.3 (Old Way):

```
string systemPrompt = tipologia.PromptGPT;
```

v1.4 (New Way):

```
string systemPrompt = tipologia.GetSystemPrompt();
string userTemplate = tipologia.GetUserPromptTemplate();
```

(See 12_MIGRACION_PROMPTGPT_V1_4.md for full guide)

Examples

Complete Workflow: Create → Update → Publish

```
# 1. Create a new Tipología (Draft state)
$create = @{
    codigo = "CONTRATO"
    nombre = "Contrato Comercial"
    version = "1.0.0"
    configuracionJson = @{
        tipoDocumento = "Contrato"
        campos = @(
            @{ nombre = "partes"; tipo = "array"; obligatorio = $true }
            @{ nombre = "fechaFirma"; tipo = "date"; obligatorio = $true }
        )
        promptConfig = @{
            systemPrompt = "Extract contract details..."
            userPromptTemplate = "Analyze contract: {documento}"
        }
    }
    usuario = "admin@example.com"
} | ConvertTo-Json -Depth 10
```

```
$tipologia = Invoke-RestMethod `
    -Uri "https://myhost/api/management/tipologias" `
    -Headers $headers `
    -Method Post `
    -Body $create
```

```
$id = $tipologia.id
Write-Host "Created Tipología ID: $id"
```

```
# 2. Update (still in Draft)
$update = @{
    codigo = "CONTRATO"
    nombre = "Contrato Comercial v1.1"
    version = "1.0.1"
    configuracionJson = @{
        tipoDocumento = "Contrato"
        campos = @(
            @{ nombre = "partes"; tipo = "array"; obligatorio = $true }
            @{ nombre = "fechaFirma"; tipo = "date"; obligatorio = $true }
            @{ nombre = "monto"; tipo = "decimal"; obligatorio = $false }
        )
        promptConfig = @{
            systemPrompt = "Extract contract details with amounts..."
            userPromptTemplate = "Analyze contract: {documento}"
        }
    }
    usuario = "admin@example.com"
} | ConvertTo-Json -Depth 10
```

```
$updated = Invoke-RestMethod `
    -Uri "https://myhost/api/management/tipologias/$id" `
    -Headers $headers `
    -Method Put `
    -Body $update
```

```
Write-Host "Updated: $($updated.nombre)"
```

```
# 3. Publish (Draft → Published)
$publish = @{ usuario = "admin@example.com" } | ConvertTo-Json
```

```
$published = Invoke-RestMethod `
    -Uri "https://myhost/api/management/tipologias/$id/publicar" `
    -Headers $headers `
    -Method Post `
    -Body $publish
```

```
Write-Host "Published: $($published.estado)"
```

```
# 4. Check audit trail
$audit = Invoke-RestMethod `
```

```
-Uri "https://myhost/api/management/tipologias/$id/audit" `
-Headers $headers `
-Method Get

$audit | ForEach-Object {
    Write-Host "$($_.fechaAuditoria) - "$($_.usuario): "$($_.accion)"
}
```

Batch Operations via cURL

```
# Create
curl -X POST "https://myhost/api/management/tipologias" \
-H "x-functions-key: YOUR_KEY" \
-H "Content-Type: application/json" \
-d '{
    "codigo": "FACTURA",
    "nombre": "Factura",
    "version": "1.4.0",
    "configuracionJson": { ... },
    "usuario": "admin@example.com"
}'

# Get all
curl -X GET "https://myhost/api/management/tipologias" \
-H "x-functions-key: YOUR_KEY"

# Get by ID
curl -X GET "https://myhost/api/management/tipologias/5" \
-H "x-functions-key: YOUR_KEY"

# Publish
curl -X POST "https://myhost/api/management/tipologias/5/publicar" \
-H "x-functions-key: YOUR_KEY" \
-H "Content-Type: application/json" \
-d '{ "usuario": "admin@example.com" }'
```

FAQ

Q: Can I update a Published Tipología?

A: No. You must first transition to **Retired** (via `/retirar`), then move back to **Draft** (via `/draft`), then update, and re-publish.

Published → Retirar → Retired → Draft → Update → Publicar → Published

Q: What happens to the `.promptGPT` field in my existing data?

A: In v1.4, it's **maintained automatically** for backward compatibility:

- If you read `.promptGPT` , it returns the value from `configuracionJson.promptConfig.systemPrompt`
- If you write to `.promptGPT` (legacy code), it updates both locations internally
- **Recommended:** Migrate to `configuracionJson` for all new code

Q: What if my `configuracionJson` is invalid?

A: You'll receive a `400 Bad Request` with a specific error message. Common issues:

- Missing `tipoDocumento`
- Field types not in allowed list
- Missing `promptConfig` object
- Invalid field validation regex

Q: Can I bulk import Tipologías?

A: There's a separate `POST /management/tipologias/import` endpoint for ZIP imports. See 04_MANUAL_EXPLORACION.md for details.

Q: What's the timeout for publish validation?

A: 30 seconds. If validation of referenced models exceeds this, publish fails with `504 Gateway Timeout`. Reduce model complexity or check model availability.

Q: How do I handle version conflicts?

A: The API accepts any valid semantic version string. Conflict detection is **application logic**:

- Audit trail tracks all changes
- For merge conflict handling, see 12_MIGRACION_PROMPTGPT_V1_4.md

Q: What's the cache invalidation strategy?

A: Only `Publicar` (publish) invalidates the snapshot cache (`tipologias:snapshot`). This ensures:

- Published versions are immediately available
- Draft changes don't affect live classification
- Retirements take effect immediately

Q: Can I get notified on changes?

A: The audit trail captures all changes. Recommended pattern:

- Poll `/management/tipologias/{id}/audit` periodically
- Or watch for `FechaActualizacion` changes

Support & Feedback

- **Questions:** See 12_MIGRACION_PROMPTGPT_V1_4.md for detailed migration guide

Document Version: 1.4.0