№1

Git

. .

, ,

-
-
-
- 1032225355@pfur.ru
- https://nvemangue.github.io/ru/

Git.

1.

2. , ,

3. Git

4. , ,

5.

6.

┌──(josegerson㉿kali)-[~]
└─$ git config --global core.autocrlf input
┌──(josegerson㉿kali)-[~]
└─$ git config --global core.safecrlf true
┌──(josegerson㉿kali)-[~]
└─$ git config --global core.quotepath off

. 1: git

. 2:

. 3:



. 4:

«Hello, World»,

.

```
<html>
  <body>
    <h1>Hello, World!</h1>
  </body>
</html>
```

```
┌──(josegerson㉿kali)-[~/hello]
└─$ nano hello.html

┌──(josegerson㉿kali)-[~/hello]
└─$ git add hello.html

┌──(josegerson㉿kali)-[~/hello]
└─$ nano hello.html

┌──(josegerson㉿kali)-[~/hello]
└─$ git status
En la rama master
Cambios a ser confirmados:
  (usa "git restore --staged <archivo>..." para sacar del área de stage)
        modificados:     hello.html

Cambios no rastreados para el commit:
  (usa "git add <archivo>..." para actualizar lo que será confirmado)
  (usa "git restore <archivo>..." para descartar los cambios en el directorio de trabajo)
        modificados:     hello.html
```

. 5:

```
┌──(josegerson㉿kali)-[~/hello]
└─$ git commit -m "Added standard HTML page tags"
[master c117aef] Added standard HTML page tags
 1 file changed, 5 insertions(+), 1 deletion(-)

┌──(josegerson㉿kali)-[~/hello]
└─$ git status
En la rama master
Cambios no rastreados para el commit:
  (usa "git add <archivo>..." para actualizar lo que será confirmado)
  (usa "git restore <archivo>..." para descartar los cambios en el directorio de trabajo)
        modificados:     hello.html

sin cambios agregados al commit (usa "git add" y/o "git commit -a")

┌──(josegerson㉿kali)-[~/hello]
└─$ git add .

┌──(josegerson㉿kali)-[~/hello]
└─$ git status
En la rama master
Cambios a ser confirmados:
  (usa "git restore --staged <archivo>..." para sacar del área de stage)
        modificados:     hello.html


┌──(josegerson㉿kali)-[~/hello]
└─$ git commit -m "Added HTML header"
[master 295f531] Added HTML header
 1 file changed, 5 insertions(+), 3 deletions(-)
```

. 6:


┌──(josegerson㉿kali)-[~/hello]
└─$ git log
commit 205f5317e0b1c15bd2baf31282363a2769d82d (HEAD -> master)
Author: nvemargue <181223255$@for.ru>
Date: Wed Feb 19 14:08:34 2025 +0100
Added HTML header
commit c1174efc315cd9a8d9667ba3348bf9867a42cf2
Author: nvemargue <181223255$@for.ru>
Date: Wed Feb 19 14:05:50 2025 +0100
Added standard HTML page tags
commit 6965d018b53c97c2716c1b267820a2e0fac276
Author: nvemargue <181223255$@for.ru>
Date: Wed Feb 19 13:34:36 2025 +0100
Added h1 tag
commit e63166fee7d08077b3725efaf53dae5f1d631a2
Author: nvemargue <181223255$@for.ru>
Date: Wed Feb 19 13:41:32 2025 +0100
Initial Commit
┌──(josegerson㉿kali)-[~/hello]
└─$ git log --pretty=oneline
205f5317e0b1c15bd2baf31282363a2769d82d (HEAD -> master) Added HTML header
c1174efc315cd9a8d9667ba3348bf9867a42cf2 Added standard HTML page tags
6965d018b53c97c2716c1b267820a2e0fac276 Added h1 tag
e63166fee7d08077b3725efaf53dae5f1d631a2 Initial Commit

. 7:

```
┌──(josegerson㉿kali)-[~/hello]
└─$ git checkout <hash>
zsh: parse error near `\n'

┌──(josegerson㉿kali)-[~/hello]
└─$ git checkout e631666ee7d608057fb3725ef4f53daa5f1d431a2
Nota: cambiando a 'e631666ee7d608057fb3725ef4f53daa5f1d431a2'.

Te encuentras en estado 'detached HEAD'. Puedes revisar por aquí, hacer
cambios experimentales y hacer commits, y puedes descartar cualquier
commit que hayas hecho en este estado sin impactar a tu rama realizando
otro checkout.

Si quieres crear una nueva rama para mantener los commits que has creado,
puedes hacerlo (ahora o después) usando -c con el comando checkout. Ejemplo:

  git switch -c <nombre-de-nueva-rama>

O deshacer la operación con:

  git switch -

Desactiva este aviso poniendo la variable de config advice.detachedHead em false

HEAD está ahora en e631666 Initial Commit
```

. 8:

```
┌──(josegerson㉿kali)-[~/hello]
└─$ git tag v1

┌──(josegerson㉿kali)-[~/hello]
└─$ git checkout v1^
Nota: cambiando a 'v1^'.

Te encuentras en estado 'detached HEAD'. Puedes revisar por aquí, hacer
cambios experimentales y hacer commits, y puedes descartar cualquier
commit que hayas hecho en este estado sin impactar a tu rama realizando
otro checkout.

Si quieres crear una nueva rama para mantener los commits que has creado,
puedes hacerlo (ahora o después) usando -c con el comando checkout. Ejemplo:

  git switch -c <nombre-de-nueva-rama>

O deshacer la operación con:

  git switch -

Desactiva este aviso poniendo la variable de config advice.detachedHead en false

HEAD está ahora en c1174ef Added standard HTML page tags

┌──(josegerson㉿kali)-[~/hello]
└─$ cat hello.html
<html>
  <body>
      <h1>Hello, World!</h1>
  </body>
</html>
```

. 9:

( )

```
┌──(josegarson㉿kali)-[~/hello]
└─$ git checkout master
a anotación previa de HEAD era c31f4ef Added standard HTML page tags
actualizado a rama 'master'

┌──(josegarson㉿kali)-[~/hello]
└─$ nano hello.html

┌──(josegarson㉿kali)-[~/hello]
└─$ git add hello.html
```

. 10: ( )

( )


Archivo Acciones Editar Vista Ayuda
Cambios no rastreados para el commit:
(usa "git add <archivo>..." para actualizar lo que será confirmado)
(usa "git restore <archivo>..." para descartar los cambios en el directorio de trabajo)
modificados: hello.html
┌──(Josegerson㉿kali)-[~/hello]
└─$ git checkout hello.html
Actualizada 1 ruta desde el índice
┌──(Josegerson㉿kali)-[~/hello]
└─$ cat hello.html
<html>
<head>
<!-- This is an unwanted but staged comment -->
</head>
<body>
<h1>Hello, World!</h1>
</body>
</html>
┌──(Josegerson㉿kali)-[~/hello]
└─$ nano hello.html
┌──(Josegerson㉿kali)-[~/hello]
└─$ git add hello.html
┌──(Josegerson㉿kali)-[~/hello]
└─$ git status
En la rama master
Cambios a ser confirmados:
(usa "git restore --staged <archivo>..." para sacar del área de stage)
modificados: hello.html
┌──(Josegerson㉿kali)-[~/hello]
└─$ git reset HEAD hello.html
Cambios fuera del área de stage tras el reset:
M hello.html
┌──(Josegerson㉿kali)-[~/hello]
└─$ git checkout hello.html
Actualizada 1 ruta desde el índice

. 11: ( )

```
josegerson@kali: ~/hello
Archivo  Acciones  Editar  Vista  Ayuda
└─$ nano hello.html

┌──(josegerson㉿kali)-[~/hello]
└─$ git add hello.htm
fatal: ruta especificada 'hello.htm' no concordó con ningún archivo

┌──(josegerson㉿kali)-[~/hello]
└─$ git add hello.html

┌──(josegerson㉿kali)-[~/hello]
└─$ git commit -m "Oops, we didn't want this commit"
[master bdc119f] Oops, we didn't want this commit
 1 file changed, 6 insertions(+), 5 deletions(-)

┌──(josegerson㉿kali)-[~/hello]
└─$ git revert HEAD
[master 55fe519] Revert "Oops, we wanted this commit"
 1 file changed, 5 insertions(+), 6 deletions(-)

┌──(josegerson㉿kali)-[~/hello]
└─$ git log
commit 55fe519a2c976d6e3d396c9c57ac99f12a56a988 (HEAD -> master)
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 10:34:06 2025 +0100

    Revert "Oops, we wanted this commit"

    This reverts commit bdc119fe82593f0d51d10d254cb5da2343422741.

commit bdc119fe82593f0d51d10d254cb5da2343422741
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 10:33:45 2025 +0100

    Oops, we didn't want this commit

commit 295f5317eb108c158d2baf3132825b3a2769d82d (tag: v1)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:08:34 2025 +0100

    Added HTML header

commit c1174aefc315cd9a8d996678a33466f98674e2cf2 (tag: v1-beta)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:05:50 2025 +0100

    Added standard HTML page tags

commit 49603d51db53c97c271dc10c267020a2e0fac276
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:54:36 2025 +0100

    Added h1 tag

commit e631666ee7d68057fb3725efaf53daa5f1d431a2
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:41:32 2025 +0100

    Initial Commit

┌──(josegerson㉿kali)-[~/hello]
```

```
┌──(josegerson㉿kali)-[~/hello]
└─$ cat hello.html
<html>
  <head>
  </head>
  <body>
    <h1>Hello, World!</h1>
  </body>
</html>

┌──(josegerson㉿kali)-[~/hello]
└─$ git tag oops

┌──(josegerson㉿kali)-[~/hello]
└─$ git reset --hard v1
HEAD está ahora en 295f531 Added HTML header

┌──(josegerson㉿kali)-[~/hello]
└─$ git log --all
commit 295f5317eb108c150d2baf3132825b3a2769d82d (HEAD → master, tag: v1)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:08:34 2025 +0100

    Added HTML header

commit c1174efc315cd9a8d996678a33466f98674e2cf2 (tag: v1-beta)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:05:58 2025 +0100

    Added standard HTML page tags

commit 4968d51db53c97c271dc1dc267020a2e0fac276
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:54:36 2025 +0100

    Added h1 tag

commit e631666ee7d68057fb3725ef4f53daa5f1d431a2
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:41:32 2025 +0100

    Initial Commit

┌──(josegerson㉿kali)-[~/hello]
└─$ git log --all
commit 55fe51942c976d6e3d396c9c57ac99f12a56a98b (tag: oops)
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 10:34:00 2025 +0100

    Revert "Oops, we wanted this commit"

    This reverts commit bdc119fe82593f0d51d10d254cb5da2343422741.
```

. 13:

```
commit e631666ee7d60857fb3725efaf53daa5f1d431a2
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:41:32 2025 +0100

    Initial Commit

┌──(josegerson㉿kali)-[~/hello]
└─$ git log --all
commit 55fe51942c976d6e2d396c9c57ac99f12a56a980 (tag: oops)
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 10:34:06 2025 +0100

    Revert "Oops, we wanted this commit"

    This reverts commit bdc119fe82593f0d51d10d254cb5da2343422741.

commit bdc119fe82593f0d51d10d254cb5da2343422741
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 10:33:45 2025 +0100

    Oops, we didn't want this commit

commit 295f5317eb108c158d2baf3132825b3a2769d82d (HEAD -> master, tag: v1)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:08:34 2025 +0100

    Added HTML header

commit c1174efc315cd9a8d996678a33466f98674e2cf2 (tag: v1-beta)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:05:50 2025 +0100

    Added standard HTML page tags

commit 49683d51db533c97c271dc18c207020a2e0fac276
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:54:36 2025 +0100

    Added h1 tag

commit e631666ee7d60857fb3725efaf53daa5f1d431a2
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:41:32 2025 +0100

    Initial Commit

┌──(josegerson㉿kali)-[~/hello]
└─$
```

. 14:

oops


┌──(josegerson㉿kali)-[~/hello]
└─$ git tag -d oops
Etiqueta 'oops' eliminada (era 55fe519)
┌──(josegerson㉿kali)-[~/hello]
└─$ git log --all
commit 3955f5317eb106c158d2bafb3132825b3a2769d82d (HEAD → master, tag: v1)
Author: nvemangue <1032225355@pfur.ru>
Date: Wed Feb 19 14:08:34 2025 +0100
    Added HTML header
commit c1174efc315cd9a8d99667ba33466f98674e2cf2 (tag: v1-beta)
Author: nvemangue <1032225355@pfur.ru>
Date: Wed Feb 19 14:03:50 2025 +0100
    Added standard HTML page tags
commit 49603d51db53c97c271dc10c267020a2e0fac276
Author: nvemangue <1032225355@pfur.ru>
Date: Wed Feb 19 13:54:36 2025 +0100
    Added h1 tag
commit e631666ee7d68057fb3725ef4f53daa5f1d431a2
Author: nvemangue <1032225355@pfur.ru>
Date: Wed Feb 19 13:41:32 2025 +0100
    Initial Commit
┌──(josegerson㉿kali)-[~/hello]
└─$

. 15: oops

josegerson@kali: ~/hello
Archivo Acciones Editar Vista Ayuda
GNU nano 8.3 hello.html
<!-- Author: Dmitry S. Kulyabov (kulyabov-ds@rudn.ru) -->
<html>
<head>
</head>
<body>
<h1>Hello, World!</h1>
</body>
</html>

. 16:

```
┌──(josegerson㉿kali)-[~/hello]
└─$ nano hello.html

┌──(josegerson㉿kali)-[~/hello]
└─$ git add hello.html

┌──(josegerson㉿kali)-[~/hello]
└─$ git commit -m "Add an author comment"
[master 9925459] Add an author comment
 1 file changed, 6 insertions(+), 5 deletions(-)

┌──(josegerson㉿kali)-[~/hello]
└─$ nano hello.html

┌──(josegerson㉿kali)-[~/hello]
└─$ git add hello.html

┌──(josegerson㉿kali)-[~/hello]
└─$ git commit --amend -m "Add an author/email comment"
[master 72C8593] Add an author/email comment
 Date: Fri Feb 21 10:49:24 2025 +0100
 1 file changed, 6 insertions(+), 5 deletions(-)

┌──(josegerson㉿kali)-[~/hello]
└─$ git log
commit 72c859388b7a79dde0cf48c7b47fda8c01cd074e (HEAD -> master)
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 10:49:24 2025 +0100

    Add an author/email comment

commit 295f5317eb108c158d2baf3132825b3a2769d82d (tag: v1)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:00:34 2025 +0100

    Added HTML header

commit c1174efc315cd9a8d099678a334667f98674e2cf2 (tag: v1-beta)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:09:50 2025 +0100

    Added standard HTML page tags

commit 49683d51db53c97c271dc10c267020a2e0fac276
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:54:36 2025 +0100

    Added h1 tag

commit e631666ee7d68057fb3725efff53daa5f1d431a2
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:41:32 2025 +0100

    Initial Commit

┌──(josegerson㉿kali)-[~/hello]
└─$
```

. 17:

lib. git mv, .



. 18: index.html

Git : .git



. 19: .git


┌──(josegerson㉿kali)-[~/hello]
└─$ git cat-file -p 9c50dce1
tree 1bd71b2095fe9d6a0fc9b6f4ce61371d55e26c631
parent 9a81e2ee2d91080bc79ee18e511c6b3dd94c1e03
author Yevenangue <1812225153@qfur.ru> 1740123276 +0100
committer Yevenangue <1812225153@qfur.ru> 1740123276 +0100
gpgsig -----BEGIN PGP SIGNATURE-----
iQIzBAABCgAdFiEEGAAGCQEMFAkq+wqeAAoJEPXDJ0xnb3AFAmwk4TIACgkQFjYDJ0xn
b3Cj8rA/28Ii09vPKvW0zeGFyQ+MUz+sL7y9KYTBwwHfcyc5UT5nZhWULL1LFOZu
0v4Jf0OP4tHHmyftsAVgCu+GzLt4OQ0YvMUlwYJ5lQzMBP1fq9a1q1YZN
5rkIxeJvpJMl1PJLxtMlagIz9Qzvy92eF/QFY7Pmk8JfHohAimaaQJ1J2TOcl
+uMEwMbaTQpFTmxwRlUEOSc/qD7JxHL7hrNBMFwgYnNbwfvcJ9cLx3BK9F
kJD/3VaRDJ5eTNWHfaYJodr+MC1kt1PlBPJHV08TfQnTLCHUHkRizaZUEu5vIYYe
/lqhhzbbbu7Ndr7YF7IJnXpWnrLWEvl7t6NmBNDNzLvvlTIC0Mb1JNaaxnb
xKu23VDuWcyIQrqR6MQZTIXUhg+JHxxQbeEcxCJAqAWUlgZVlT2IE32+2RGJeRLwW
RUrNFJwvLcJNmrNRLTRvNRLwgrlA/qgRC8M+L+lfi6fDMcJ9uFTUFIQJ/AJNYNYD
mfIuBVMmfdhaUkC3QPNGAbwxDlvV1Xum+LCmgGwKJ7fkIUWrYdUXYqr2hBKSFYs
Nrqt1TdBwrbjPTUbrRdnlnAmMwK/JdVFradJ9Ccz3pw5MMu7SN12l/dNz8ZctC
9TivDcezmmzLGAvL7KOMCAAxxYxaT5aapIpfIrnQIZhKgzb=
=whvR
-----END PGP SIGNATURE-----

Added index.html.

┌──(josegerson㉿kali)-[~/hello]
└─$ git cat-file -t 1bdf1b2d09
100644 blob 6787a96b38d04f961dd35f34bf70dd35fd7e928f   index.html
040000 tree 2e0e4d5e27817e5ef1c3404c61b15b7abca02e5   lib

┌──(josegerson㉿kali)-[~/hello]
└─$ git cat-file -s 2e0e4d5e27f8
100644 blob d12e359a17b2b06f8ffbef25a651fe65da87428b   hello.html

┌──(josegerson㉿kali)-[~/hello]
└─$ git cat-file -p d12e359a1
<!-- Author: Dmitry S. Kulyabov (kulyabov-ds@rudn.ru) -->
<html>
  <head>
  </head>
  <body>
    <h1>Hello, World!</h1>
  </body>
</html>

┌──(josegerson㉿kali)-[~/hello]
└─$

. 20: git

```
┌──(josegerson㉿kali)-[~/hello]
└─$ git checkout -b style
Cambiado a nueva rama 'style'

┌──(josegerson㉿kali)-[~/hello]
└─$ git status
En la rama style
nada para hacer commit, el árbol de trabajo está limpio

┌──(josegerson㉿kali)-[~/hello]
└─$ touch lib/style.css

┌──(josegerson㉿kali)-[~/hello]
└─$ ls
index.html  lib

┌──(josegerson㉿kali)-[~/hello]
└─$ cd lib

┌──(josegerson㉿kali)-[~/hello/lib]
└─$ ls
hello.html  style.css

┌──(josegerson㉿kali)-[~/hello/lib]
└─$ nano style.css

┌──(josegerson㉿kali)-[~/hello/lib]
└─$ git add lib/style.css
advertencia: no se pudo abrir el directorio 'lib/lib/': No existe el fichero o el directorio
fatal: ruta especificada 'lib/style.css' no concordó con ningún archivo

┌──(josegerson㉿kali)-[~/hello/lib]
└─$ cd ..

┌──(josegerson㉿kali)-[~/hello]
└─$ git add lib/style.css

┌──(josegerson㉿kali)-[~/hello]
└─$ git commit -m "Added css stylesheet"
[style 2e461fd] Added css stylesheet
 1 file changed, 3 insertions(+)
 create mode 100644 lib/style.css

┌──(josegerson㉿kali)-[~/hello]
└─$
```

```
┌──(josegerson㉿kali)-[~/hello]
└─$ git checkout -b style
Cambiado a nueva rama 'style'

┌──(josegerson㉿kali)-[~/hello]
└─$ git status
En la rama style
nada para hacer commit, el árbol de trabajo está limpio

┌──(josegerson㉿kali)-[~/hello]
└─$ touch lib/style.css

┌──(josegerson㉿kali)-[~/hello]
└─$ ls
index.html  lib

┌──(josegerson㉿kali)-[~/hello]
└─$ cd lib

┌──(josegerson㉿kali)-[~/hello/lib]
└─$ ls
hello.html  style.css

┌──(josegerson㉿kali)-[~/hello/lib]
└─$ nano style.css

┌──(josegerson㉿kali)-[~/hello/lib]
└─$ git add lib/style.css
advertencia: no se pudo abrir el directorio 'lib/lib/': No existe el fichero o el directorio
fatal: ruta especificada 'lib/style.css' no concordó con ningún archivo

┌──(josegerson㉿kali)-[~/hello/lib]
└─$ cd ..

┌──(josegerson㉿kali)-[~/hello]
└─$ git add lib/style.css

┌──(josegerson㉿kali)-[~/hello]
└─$ git commit -m "Added css stylesheet"
[style 2e461fd] Added css stylesheet
 1 file changed, 3 insertions(+)
 create mode 100644 lib/style.css

┌──(josegerson㉿kali)-[~/hello]
└─$
```

josegerson@kali: ~/hello

Archivo Acciones Editar Vista Ayuda

```
┌──(josegerson㉿kali)-[~/hello]
└─$ git log --all
commit 2e08f6678a059e8e53008ab7f7ef68abadc0350 (HEAD -> style)
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:46:07 2025 +0100

    Updated index.html

commit 28bdd1b0250edc4d07363204ae2bb35d45351e02
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:43:05 2025 +0100

    Hello uses style.css

commit 2e461fdcf7384455ce67bc06ef09193197d26067
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:33:03 2025 +0100

    Added css stylesheet

commit bc5b8ce1b00e4022e5ad8706a79b37ccba32dc5d (master)
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:04:34 2025 +0100

    Added index.html.

commit 9a81e2ee2d9308bc79ee10e5111c6b3dd94c1e03
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:00:22 2025 +0100

    Moved hello.html to lib

commit 72c059380b7a79dde0cf4bc7b47fda8c01cd074e
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 10:49:24 2025 +0100

    Add an author/email comment

commit 295f5317eb108c158d2bbaf3132825b3a2769d82d (tag: v1)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:08:34 2025 +0100

    Added HTML header

commit c1174efc215cd9a8d996678a33466f08674e2cf2 (tag: v1-beta)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:05:50 2025 +0100

    Added standard HTML page tags

commit 49683d51db53c97c271dc10c267020a2e0fac276
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:54:36 2025 +0100

    Added h1 tag

commit e631666ee7d68057fb3725ef4f53daa5f1d431a2
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 13:41:32 2025 +0100

    Initial Commit
```

```
┌──(josegerson㉿kali)-[~/hello]
└─$ git checkout master
Cambiado a rama 'master'

┌──(josegerson㉿kali)-[~/hello]
└─$ cat lib/hello.html
<!--- Author: Dmitry S. Kulyabov (kulyabov-ds@rudn.ru) --->
<html>
   <head>
   </head>
   <body>
      <h1>Hello, World!</h1>
   </body>
</html>

┌──(josegerson㉿kali)-[~/hello]
└─$
```

. **24:** master

master



. 25: master


Archivo Acciones Editar Vista Ayuda
jesegarcia@kali: ~/beta
jesegarcia@kali: ~/beta
commit 3d8ce4f5c1f8e1f4ccc0ad2c2f5f1c7c7c7c7c7c (HEAD -> style)
Merge: 5e0d6f6 9ac0d28
Author: Jesús Segarra Carrión <jesegarcia@gmx.com>
Date: Jue Feb 24 11:14:24 2022 +0100
Merge branch 'master' into style
commit 5e0d6f6d2c4cf2f8f25f5e2c4f2b1d6d2f5c7c5 (master)
Author: Jesús Segarra Carrión <jesegarcia@gmx.com>
Date: Jue Feb 24 11:12:21 2022 +0100
Added README
commit 3e08f4f5c2d7b6e5d3b8ba77fe7e6aaa6c8f10
Author: Jesús Segarra Carrión <jesegarcia@gmx.com>
Date: Jue Feb 24 11:09:07 2022 +0100
Updated index.html
commit 35bd6136f25ee1e0f7b1f4ee2c5e7be5215e02
Author: Jesús Segarra Carrión <jesegarcia@gmx.com>
Date: Jue Feb 24 11:03:06 2022 +0100
Hello was styles.css
commit 0c4d1f8f7f4e4f5d07c9b0f9b0d1e7d1ee7
Author: Jesús Segarra Carrión <jesegarcia@gmx.com>
Date: Jue Feb 24 11:01:01 2022 +0100
Added css stylesheet
commit 1c3c6cc1d8e4f1f5d8f9bc7f67fc7bd7d7c3d
Author: Jesús Segarra Carrión <jesegarcia@gmx.com>
Date: Jue Feb 24 10:56:54 2022 +0100
Added index.html
commit 5d1e1ec2c5f1b9c7bd3b0f11f6b9e9fec1e3
Author: Jesús Segarra Carrión <jesegarcia@gmx.com>
Date: Vie Feb 18 19:04:16 2022 +0100
Moved hello.html up 11k
commit 1c6f61d0c7c7e0e0c4f8c7b1f9a4c9cc0f8e
Author: Jesús Segarra Carrión <jesegarcia@gmx.com>
Date: Vie Feb 18 18:59:16 2022 +0100
Add an author/email comment
commit 2d7f1c1cc0c1582c0f1b2b5ba1c7b9d3 (tag: v1)
Author: Jesús Segarra Carrión <jesegarcia@gmx.com>
Date: Mar Feb 15 18:46:19 2022 +0100
Added HTML header
commit c127e4c11c9c0d8f9d7b1c1d1e8f9b7e1c7 (tag: v1-beta)
Author: Jesús Segarra Carrión <jesegarcia@gmx.com>
Date: Mar Feb 15 18:45:18 2022 +0100

. 26:


jesegarcon@kali: ~/hello
Archivo Acciones Editar Vista Ayuda
~ $ git add lib/hello.html
┌──(jesegarcon㉿kali)-[~/hello]
└─$ git commit -m 'life is great'
[master 9f4c6a6] life is great
1 file changed, 3 insertions(+), 2 deletions(-)
┌──(jesegarcon㉿kali)-[~/hello]
└─$ git log --graph --oneline
* 9f4c6a6 (HEAD -> master) life is great
| Author: nuemangue <10122253@pfor.cvn>
| Date: Fri Feb 21 11:08:11 2025 +0100
|
| life is great
|
*   c69a4b0 (origin/master) Merge branch 'master' into style
|\ Merge: 2e00dfe 9a0e5a8
| | Author: nuemangue <10122253@pfor.cvn>
| | Date: Fri Feb 21 11:06:28 2025 +0100
| |
| | Merge branch 'master' into style
| |
| * commit 9a0e5a8dc6e8ef2f5d175ec1c7b1a4fe27ec7c5
| | Author: nuemangue <10122253@pfor.cvn>
| | Date: Fri Feb 21 11:57:15 2025 +0100
| |
| | Added README
| |
| * commit 2e00dfe76a97e6e5390fab7f7ef95a9ae9c8750
| | Author: nuemangue <10122253@pfor.cvn>
| | Date: Fri Feb 21 11:48:07 2025 +0100
| |
| | Updated index.html
| |
| * commit 20da01d72bed1e4d7363294ea3b935e5101e0d
| | Author: nuemangue <10122253@pfor.cvn>
| | Date: Fri Feb 21 11:42:08 2025 +0100
| |
| | Hello uses style.css
| |
| * commit 2e41bf0cf7284e42ced3c0dad7092d1187d1967
|/ Author: nuemangue <10122253@pfor.cvn>
| Date: Fri Feb 21 11:33:02 2025 +0100
|
| Added css stylesheet
|
* commit 1c50ce1b8e4022e5a0b79ba7903fc1ba12dc5d
| Author: nuemangue <10122253@pfor.cvn>
| Date: Fri Feb 21 11:00:34 2025 +0100
|
| Added index.html.
|
* commit 7b81ccea1d9d0b17ee16e7111c163b9fc1e63
| Author: nuemangue <10122253@pfor.cvn>
| Date: Fri Feb 21 11:00:22 2025 +0100
|
| Moved hello.html to lib
|
* commit 72c0b530d67a79a3e8cf4dcf9a7fda8c01c207e
| Author: nuemangue <10122253@pfor.cvn>
| Date: Fri Feb 21 10:59:24 2025 +0100

. 27:

josegerson@kali: ~/hello

Archivo Acciones Editar Vista Ayuda

josegerson@kali: ~/hello | josegerson@kali: ~/hello

```
  GNU nano 8.3                    lib/hello.html
<!-- Author: Jose Gerson Miko Nve Mangue (103222535@ruon.ru) -->
<html>
    <head>
<<<<<<< HEAD
        <link type="text/css" rel="stylesheet"
          media="all" href="style.css" />
      </head>
      <body>
          <h1>Hello, World!</h1>
=======
      <!-- no style -->
    </head>
    <body>
      <h1>Hello, World! Life is great!</h1>
>>>>>>> master
    </body>
</html>

[ 17 líneas leídas ]
^G Ayuda    ^O Guardar   ^W Buscar     ^K Cortar    ^T Ejecutar  ^C Ubicación  M-U Deshacer
^X Salir    ^R Leer fich ^\ Reemplazar ^U Pegar     ^J Justificar ^/ Ir a línea M-E Rehacer
```


josegerson@kali: ~/hello
Archivo Acciones Editar Vista Ayuda
GNU nano 8.3 lib/hello.html
<!-- Author: Dmitry S. Kulyabov (kulyabov-ds@rudn.ru) -->
<html>
<head>
<link type="text/css" rel="stylesheet"
media="all" href="style.css" />
</head>
<body>
<h1>Hello, World!</h1>
</body>
</html>

. 29:

style


joseperson@kali: ~/hello
Archivo Acciones Editar Vista Ayuda
joseperson@kali: ~/hello
joseperson@kali: ~/hello
$ git log --graph
commit 0ce8d01a9bc1e4a7f4ed5f6d977c1c219e06a4a1 (HEAD -> style)
Merge: 6b9a4d6 5f6b1ab
Author: nemangue <181222155@ufor.rcr>
Date: Fri Feb 21 12:13:49 2025 +0100
Merged master final conflicts.
commit 9f4c3209e2388d8b9b6a9e7d6a12ef62c2b1185 (master)
Author: nemangue <181222155@ufor.rcr>
Date: Fri Feb 21 12:04:11 2025 +0100
Life is great
commit 6b9a209b5329a4f8b2e9b5de6e3823f07d177748
Merge: 2e08d76 1bdb16d
Author: nemangue <181222155@ufor.rcr>
Date: Fri Feb 21 11:58:20 2025 +0100
Merge branch 'master' into style
commit 5bb353d61ede7287e2576ac1c233a9e276c7c5
Author: nemangue <181222155@ufor.rcr>
Date: Fri Feb 21 11:51:25 2025 +0100
Added README
commit 2e08d76e76a0b69e8e93b08a677ef6b4a0a0c0358
Author: nemangue <181222155@ufor.rcr>
Date: Fri Feb 21 11:46:07 2025 +0100
Updated index.html
commit 28d4f1b8250e4ca8873032b6ae2837b4e5351e02
Author: nemangue <181222155@ufor.rcr>
Date: Fri Feb 21 11:43:05 2025 +0100
Hello exec style.csh
commit 2e45f6b-f726e455ce57bc06ef8929197d2d067
Author: nemangue <181222155@ufor.rcr>
Date: Fri Feb 21 11:31:03 2025 +0100
Added css stylesheet
commit bc38b41b0b0e4012a5ea8706c7b37cc9a12dc5d
Author: nemangue <181222155@ufor.rcr>
Date: Fri Feb 21 11:04:34 2025 +0100
Added index.html.
commit 4a81a2ea2d9368ce79ee10e5111c8436d94c1eb3
Author: nemangue <181222155@ufor.rcr>
Date: Fri Feb 21 11:00:22 2025 +0100
Moved hello.html to lib

. 30:

style



. 31: style

master


josegerso@fedl: ~/hello
Archivo Acciones Editar Vista Ayuda
josegerso...:~/hello
josegerso...:~/hello
josegerso...:~/hello
josegerso...:~/hello
josegerso...:~/hello
josegerso@fedl: ~/hello
$ git log --oneline --graph --decorate
* 2f1fc4f4d0bac8a21e2d2f8b5c1c7585f1f3 (HEAD -> style)
Author: josegerso <d8022155@gmail.com>
Date: Fri Feb 21 11:48:47 2025 +0100
Updated index.html
* 8ff7b6d1f01f1f18c2ba92b2e3f9f9b2b0f1f9
Author: josegerso <d8022155@gmail.com>
Date: Fri Feb 21 11:43:03 2025 +0100
Main uses style.css
* 8e92e7f0d9cc1aa21b3bf9f9ed9bf62a8e1e
Author: josegerso <d8022155@gmail.com>
Date: Fri Feb 21 11:11:02 2025 +0100
Added cos stylesheet
* 1e0b7d0d1a8ef7df5275c1c3f9a2e7e7c3 (master)
Author: josegerso <d8022155@gmail.com>
Date: Fri Feb 21 11:11:25 2025 +0100
Added README
* 9f3b7c1a9bcb0f1efa0f76a7f37c7ee31ef6
Author: josegerso <d8022155@gmail.com>
Date: Fri Feb 21 11:04:16 2025 +0100
Added index.html.
* 6d1e2e2d2f240bc74ee18e5111c4b2d94c1e3
Author: josegerso <d8022155@gmail.com>
Date: Fri Feb 21 11:00:22 2025 +0100
Moved hello.html to lib
* 7c9f92093a7b0ad6f4d1fb5f6d6d31d87ee
Author: josegerso <d8022155@gmail.com>
Date: Fri Feb 21 10:49:24 2025 +0100
Add an author/email comment
* 2ff7b7c74b8b1f0b0ad7f12b7b1c17e9d8f0 (tag: v1)
Author: josegerso <d8022155@gmail.com>
Date: Wed Feb 19 14:48:24 2025 +0100
Added HTML header
* 1137a4c133c2fb4b09b67b23b6d7b8b71e21f (tag: v1-beta)
Author: josegerso <d8022155@gmail.com>
Date: Wed Feb 19 14:47:18 2025 +0100
Added standard HTML page tags
* e9d87e51b951c97c215c1b7f82b2e8fec27f
Author: josegerso <d8022155@gmail.com>

. 32:

master



. 33: master


josegerso@kali: ~/hello
Archivo Acciones Editar Vista Ayuda
josegerso...: ~/hello
josegerso...: ~/hello
josegerso...: ~/hello
josegerso...: ~/hello
josegerso...: ~/hello
josegerso@kali: ~/hello
$ git log --oneline --graph --all
* 7f1ff4f0b0ac8a12e2d6f0b5b1c6c75b053c3 (HEAD -> style)
Author: nomengo <10022157@gfar.co>
Date: Fri Feb 21 11:42:47 2025 +0100
Updated index.html
* c0e1 8f73b6c10fc1518c2ba92b2e3f9f0b20f17
Author: nomengo <10022157@gfar.co>
Date: Fri Feb 21 11:41:07 2025 +0100
Main exec style.css
* c0e1b 6c1c267b0b1c1aa21b3cf97b6e8e9f62c6e1
Author: nomengo <10022157@gfar.co>
Date: Fri Feb 21 11:11:02 2025 +0100
Added .gitignore
* c0e1 b9b7d0b2a8e7f8fe257b4c1c3f6a2e7e7c3 (master)
Author: nomengo <10022157@gfar.co>
Date: Fri Feb 21 11:11:23 2025 +0100
Added README
* c0e1 b7c8c7c1a9bcb0f1efa0f76a7f37c7ee3fefd
Author: nomengo <10022157@gfar.co>
Date: Fri Feb 21 11:04:16 2025 +0100
Added index.html.
* c0e1 8a0a2ea1f0f408c74ee18e5111c4b2d69c1e63
Author: nomengo <10022157@gfar.co>
Date: Fri Feb 21 11:00:22 2025 +0100
About hello.html.le file
* c0e1 7c4f93093a7b0da6cf4b1fb5f8d6d31d87ee
Author: nomengo <10022157@gfar.co>
Date: Fri Feb 21 10:49:24 2025 +0100
Add an author/email comment
* c0e1 2f2f3c7e4b38c1b0d2ef1f12d7b3c1f9e4b1c (tag: v1)
Author: nomengo <10022157@gfar.co>
Date: Wed Feb 19 14:48:24 2025 +0100
Added HTML header
* c0e1 c117a4c133c2fb4b09b67b23b6a8f08b73e1c1f (tag: v1-beta)
Author: nomengo <10022157@gfar.co>
Date: Wed Feb 19 14:47:18 2025 +0100
Added standard HTML page tags
* c0e1 e9d87e51b951c97c2715c1b7f82b2e8fec27f
Author: nomengo <10022157@gfar.co>

. 34:

master

. 35: style master

```
josegerson@kali: ~
Archivo  Acciones  Editar  Vista  Ayuda
joseg...hello   joseg...hello   joseg...hello   joseg...hello   joseg...hello   joseg...hello   jos...: ~

┌──(josegerson㉿kali)-[~/hello]
└─$ cd ..

┌──(josegerson㉿kali)-[~]
└─$ pwd
/home/josegerson

┌──(josegerson㉿kali)-[~]
└─$ ls
 captura.pcap   hello                          myenv                      PinguExit   'VirtualBox VMs'   work
 Descargas      Imágenes                       NS-2                       Plantillas  vpn                zphisher
 Documentos     josegersonmikonvemangue.txt    ns-allinone-2.35.tar.gz    Público     wget-log
 Escritorio     Música                         OBS                        Vídeos      wget-log.1

┌──(josegerson㉿kali)-[~]
└─$ git clone hello cloned_hello
Clonando en 'cloned_hello'...
hecho.

┌──(josegerson㉿kali)-[~]
└─$ ls
 captura.pcap   Escritorio                     Música                     OBS         Vídeos             wget-log.1
 cloned_hello   hello                          myenv                      PinguExit   'VirtualBox VMs'   work
 Descargas      Imágenes                       NS-2                       Plantillas  vpn                zphisher
 Documentos     josegersonmikonvemangue.txt    ns-allinone-2.35.tar.gz    Público     wget-log

┌──(josegerson㉿kali)-[~]
```

. 36:

```
josegerson@kali: ~/cloned_hello
Archivo  Acciones  Editar  Vista  Ayuda
jose...ello   jose...ello   jose...ello   jose...ello   jose...ello   jose...ello   josegers...ed_hello

Descargas      Imágenes                    NS-2                  Plantillas   vpn                zphisher
Documentos     josegersonmikonvemangue.txt ns-allinone-2.35.tar.gz Público      wget-log

┌──(josegerson㉿kali)-[~]
└─$ cd cloned_hello

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ ls
index.html  lib  README.md

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git log --all
commit ff2bfe85d6ecda324e2d61f0b83b1c8c75005b75 (HEAD -> master, origin/style, origin/master, origin/HEAD)
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:46:07 2025 +0100

    Updated index.html

commit 0f77348c19fc5158cd6a2925e26f9578928 8f379
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:43:05 2025 +0100

    Hello uses style.css

commit 6451267fb63ccaaa3452bf57d4ed63e762ab0e16
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:33:03 2025 +0100

    Added css stylesheet

commit 58d65b8b2a68e7707e257b4c4c32b4a9e27ec7c5
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:51:25 2025 +0100

    Added README

commit bc5b8ce1b00e4022e5ad8706a79b37ccba32dc5d
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:04:34 2025 +0100

    Added index.html.

commit 9a81e2ee2d9308bc79ee10e5111c6b3dd94c1eb3
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:00:22 2025 +0100

    Moved hello.html to lib

commit 72c059388b7a79dde0cf48c7b47fda8c01cd074e
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 10:49:24 2025 +0100

    Add an author/email comment

commit 295f5317eb108c158d2baf3132825b3a2769d82d (tag: v1)
Author: nvemangue <1032225355@pfur.ru>
Date:   Wed Feb 19 14:08:34 2025 +0100
```

origin?

```
josegerson@kali: ~/cloned_hello
Archivo  Acciones  Editar  Vista  Ayuda
jos...llo  jos...llo  jos...llo  jos...llo  jos...llo  jos...llo  josege..._hello  josege..._hello

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git remote
origin

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git remote show origin
* remoto origin
  URL  para obtener: /home/josegerson/hello
  URL para empujar: /home/josegerson/hello
  Rama HEAD: master
  Ramas remotas:
    master rastreada
    style  rastreada
  Rama local configurada para 'git pull':
    master fusiona con remoto master
  Referencia local configurada para 'git push':
    master publica a master (actualizado)

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git branch
* master

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git branch -a
* master
  remotes/origin/HEAD → origin/master
  remotes/origin/master
  remotes/origin/style

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$
```

. 38:

, . , master.

```
josegerson@kali: ~/hello
Archivo  Acciones  Editar  Vista  Ayuda
jos...llo  jos...llo  jos...llo  jos...llo  jos...llo  jos...llo  joseger...d_hello  jos...llo

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git remote
origin

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git remote show origin
* remote origin
  URL  para obtener: /home/josegerson/hello
  URL para empujar: /home/josegerson/hello
  Rama HEAD: master
  Ramas remotas:
    master rastreada
    style  rastreada
  Rama local configurada para 'git pull':
    master fusiona con remoto master
  Referencia local configurada para 'git push':
    master publica a master (actualizado)

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git branch
* master

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git branch -a
* master
  remotes/origin/HEAD → origin/master
  remotes/origin/master
  remotes/origin/style

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ cd ../hello

┌──(josegerson㉿kali)-[~/hello]
└─$ nano README.md

┌──(josegerson㉿kali)-[~/hello]
└─$ git add README
fatal: ruta especificada 'README' no concordó con ningún archivo

┌──(josegerson㉿kali)-[~/hello]
└─$ git commit -m "Changed README in original repo"
En la rama master
nada para hacer commit, el árbol de trabajo está limpio

┌──(josegerson㉿kali)-[~/hello]
└─$
```

josegerson@kali: ~/cloned_hello

Archivo Acciones Editar Vista Ayuda

jos...llo | jos...llo | jos...llo | jos...llo | jos...llo | jos...llo | josege..._hello | josege..._hello

```
fatal: ruta especificada 'README' no concordó con ningún archivo

┌──(josegerson㉿kali)-[~/hello]
└─$ git commit -m "Changed README in original repo"
En la rama master
nada para hacer commit, el árbol de trabajo está limpio

┌──(josegerson㉿kali)-[~/hello]
└─$ cd ../cloned_hello

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git fetch

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git log --all
commit ff20fe85d6ecda324e2d61f0b03b1c8c75005b75 (HEAD -> master, origin/style, origin/master, origin/HEAD)
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:46:07 2025 +0100

    Updated index.html

commit 8f77348c19fc5158cd6a2925e26f9578920ff379
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:43:05 2025 +0100

    Hello uses style.css

commit 6a51267fb63ccaaa3452bf57d4ed63e762ab0e16
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:33:03 2025 +0100

    Added css stylesheet

commit 58d65b8b2a68e7207e257b4c4c32b4a9e27ec7c5
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:51:25 2025 +0100

    Added README

commit bc5b8ce1b00e4022e5ad8706a79b37ccba32dc5d
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:04:34 2025 +0100

    Added index.html.

commit 9a81e2ee2d9308bc79ee10e5111c6b3dd94c1eb3
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:00:22 2025 +0100

    Moved hello.html to lib

commit 72c059388b7a79dde8cfA8c7b47fda8c01cd074e
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 10:49:24 2025 +0100

    Add an author/email comment

commit 295f53176b108c158d2baf3132825b3a2769d82d (tag: v1)
Author: nvemangue <1032225355@pfur.ru>
```


josegerson@kali: ~/cloned_hello
Archivo Acciones Editar Vista Ayuda
j...o j...o j...o j...o j...o j...o joseg...hello joseg...hello joseg...hello
┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ cat README.md
This is the Hello World example from the git tutorial.
┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git merge origin/master
Ya está actualizado.
┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ cat README.md
This is the Hello World example from the git tutorial.
┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git pull
Ya está actualizado.
┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git branch --track style origin/style
rama 'style' configurada para rastrear 'origin/style'.

. 41:

```
┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git branch -a
* master
  style
  remotes/origin/HEAD → origin/master
  remotes/origin/master
  remotes/origin/style

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git log --max-count=2
commit ff2bfe85d6ecda324e2d61f0b83b1c8c75005b75 (HEAD → master, origin/style, origin/master, origin/HEAD, style)
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:46:07 2025 +0100

    Updated index.html

commit 8f77348c19fc5158cd6a2925e26f95789208f379
Author: nvemangue <1032225355@pfur.ru>
Date:   Fri Feb 21 11:43:05 2025 +0100

    Hello uses style.css

┌──(josegerson㉿kali)-[~/cloned_hello]
```

. 42:

```
┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ cd ..

┌──(josegerson㉿kali)-[~]
└─$ git clone --bare hello hello.git
Clonando en un repositorio vacio 'hello.git' ...
hecho.

┌──(josegerson㉿kali)-[~]
└─$ ls hello.git
branches  config  description  HEAD  hooks  info  objects  packed-refs  refs

┌──(josegerson㉿kali)-[~]
```

. 43:

```
┌──(josegerson㉿kali)-[~/hello]
└─$ nano README.md

┌──(josegerson㉿kali)-[~/hello]
└─$ git checkout master
M       README.md
Ya en 'master'

┌──(josegerson㉿kali)-[~/hello]
└─$ git add README.md

┌──(josegerson㉿kali)-[~/hello]
└─$ git commit -m "Added shared comment to readme"
[master 9515948] Added shared comment to readme
 1 file changed, 1 insertion(+)

┌──(josegerson㉿kali)-[~/hello]
└─$ git push shared master
Enumerando objetos: 5, listo.
Contando objetos: 100% (5/5), listo.
Compresión delta usando hasta 8 hilos
Comprimiendo objetos: 100% (3/3), listo.
Escribiendo objetos: 100% (3/3), 1.04 KiB | 1.04 MiB/s, listo.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To ../hello.git
   ff2bfe8..9515948  master → master
```

. 44:

```
┌──(josegerson㉿kali)-[~/hello]
└─$ cd ../cloned_hello

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git remote add shared ../hello.git

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git branch --track shared master
rama 'shared' configurada para rastrear 'master'.

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ git pull shared master
remote: Enumerando objetos: 5, listo.
remote: Contando objetos: 100% (5/5), listo.
remote: Comprimiendo objetos: 100% (3/3), listo.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Desempaquetando objetos: 100% (3/3), 1.02 KiB | 1.02 MiB/s, listo.
Desde ../hello
 * branch            master     -> FETCH_HEAD
 * [nueva rama]      master     -> shared/master
Actualizando ff2bfe8..9515948
Fast-forward
 README.md | 1 +
 1 file changed, 1 insertion(+)

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$ cat README.md
This is the Hello World example from the git tutorial.
(Changed in the original and pushed to shared)

┌──(josegerson㉿kali)-[~/cloned_hello]
└─$
```

. 45:

Git.