

PRONTO ORB

Multi-slot Opening Range Breakout — v5.2, refined-slots edition (23-09-2026)

This version does not replace v4 (15-08-2026, 11 confirmed slots) — it sits on top of it. The v4 table is kept in full below as the historical record. A new, independently re-derived 10-slot table is added after it, produced through a different route: a wide SL×/RR grid search on top of the same fixed entry windows, followed by an overlap check between slots of the same instrument. The two tables do not share a single (start time, ORB, SL×, RR) combination — this is a parallel confirmation attempt, not a refinement of the same numbers.

v5.2 addendum (23-09-2026). Two slots were added on top of the v5 table of 10 — nothing was removed. **MGC 09:30** (30m, Met, ×2, 2R, 300m window) is the original v4 slot, brought back after it kept ranking at the top of repeated v5-era scans (both by EV pts and EV R) and already carried a live-tracked record from v4 (n=63, WR 49%, t 2.58) — this is a re-confirmation, not a new discovery, and its numbers below are still the original live-tracked ones, not a fresh backtest split. **UK100 18:00** (10m, Tegen, ×1, 3R, ~180m window) is a genuinely new addition from a re-confirmation run on script 2/3: t 2.1–2.4, WR ≈43%, n≈35, OOS R positive. Its window length was carried over from the neighbouring 18:30 slot rather than independently verified — check it against your own script 2/3 output before sizing it up. The table is now 12 slots.

The 7-step manual calculation method, the ORB concept section, and the timezone note are unchanged from v3/v4 and are not repeated in full here — see the v4 document for that reference material. This document focuses on what changed: the new table, how it was produced, how it compares to the old one, and how the two Pine scripts (analysis vs. live execution) relate to each other and to this table.

Timezone note: all times below are Belgium time. If trading from a different timezone, convert every time by the offset between your local timezone and Belgium time before setting alarms.

What changed since v4

v4 selected 11 slots out of 35 using live-tracked confirmation: identical parameters across two scanner runs, a t-stat threshold in the entry-window verifier, and a running live sample. The route to v5 was different — not a re-run of the same 35-slot scan, but a fresh, narrower pipeline built specifically around SL× and RR as the main open question:

- **1. Broad scanner.** A grid scanner swept every combination of start time (every 30 min, 00:00–23:59), ORB length, VWAP side, SL×, RR and entry window on 5m data, per instrument, to see what the current data supports at all.
- **2. Fix the entry model, vary SL×/RR.** The strongest start time / ORB / VWAP / window combinations per instrument were fixed (15 slots: 5× MNQ, 4× MGC, 3× UK100, 3× GER40), then each was re-tested against a grid of SL multipliers and RR multipliers on the same fixed entry, to find the best stop/target pair for that specific entry model — this is the step v4 did not have a dedicated tool for.
- **3. Overlap filter.** Slots whose entry windows overlapped in time within the same instrument (and could therefore fire on the same underlying move, inflating the apparent sample) were identified and the weaker overlapping slot was cut. 15 slots were reduced to the 10 in the new table below.
- **4. Deploy.** The 10 surviving (start, ORB, VWAP, SL×, RR, window) combinations were written into the live execution script as fixed presets per instrument, replacing the previous 11-slot preset set.

Important difference in what n and WR mean. In the v4 table, n and WR are live-tracked counts — trades the indicator actually logged in real time after the preset was applied. In the v5 table below, n, WR, EV R and t are backtest statistics from the grid-search scanner, split into an in-sample period and an out-of-sample period (the most recent ~30% of the data, held out from the search itself). No live tracking has started yet on the v5 presets. Treat v5's numbers as a first, out-of-sample-checked hypothesis — one step earlier in the confirmation process than v4's live-tracked numbers were.

Reference — v4 confirmed slots (11, live-tracked, 15-08-2026)

Unchanged from the v4 document. Kept here for the record and for side-by-side comparison with the new table. No longer the active preset set in the live script.

Slot	Instr.	Start	ORB	Venster	VWA P	SL×	RR	n	WR	Status
MGC 02:30	MGC1!	02:30	30m	60m	Met	×2	2.5R	67	49 %	Confirmed
MGC 08:00	MGC1!	08:00	20m	150m	Met	×2.5	1.5R	57	58 %	Confirmed — strong
MGC 09:30	MGC1!	09:30	30m	300m	Met	×2	2R	63	49 %	Confirmed — most tested
SIL 02:30	SIL1!	02:30	15m	60m	Met	×3	2.5R	65	42 %	Confirmed — watch WR
SIL 03:30	SIL1!	03:30	20m	90m	Met	×2.5	2.5R	57	47 %	Confirmed
SIL 06:30	SIL1!	06:30	15m	60m	Met	×3	3R	55	38 %	Confirmed — thin edge
MNQ 00:00	MNQ1!	00:00	10m	90m	Met	×2.5	1.5R	62	55 %	Confirmed — strong
MNQ 02:30	MNQ1!	02:30	25m	60m	Met	×2.5	3R	61	36 %	Weak — monitor for removal
GER40 19:00	GER40	19:00	25m	180m	Met	×2.5	1R	61	56 %	Confirmed
UK100 13:00	UK100	13:00	20m	180m	Tege n	×2.5	1.5R	44	61 %	Confirmed
UK100 14:30	UK100	14:30	30m	300m	Tege n	×3	1.5R	35	74 %	Confirmed — n<50

Tick values (unchanged): MGC 1tk=0.1 · SIL 1tk=0.005 · MNQ 1tk=0.25 · GER40 1tk=0.01 · UK100 1tk=0.01.

New — v5.2 refined slots (12, backtest + re-confirmation, 23-09-2026)

n / WR / EV R / t are in-sample backtest statistics (most recent ~30% of data held out as OOS) for the original 10 slots. OOS R (n) is the mean R-multiple on that held-out slice, with the OOS trade count in brackets. MGC 09:30 is the exception: its figures are the original v4 live-tracked numbers, not a fresh backtest/OOS split — marked accordingly. No live tracking has started yet on the other 11 slots.

Slot	Start	ORB	Venster	VWAP	SL×	RR	n (IS)	WR	EV R	t	OOS R (n)
MNQ 04:00	04:00	10m	60m	Met	×1.5	3.5R	39	41 %	0.85	2.4	+0.59 (17)
MNQ 06:00	06:00	15m	240m	Met	×1.5	2R	49	47 %	0.41	1.9	+0.86 (21)
MNQ 07:00	07:00	20m	120m	Met	×1	3.5R	40	48 %	1.17	3.3	+0.89 (19)
MGC 03:00	03:00	10m	60m	Met	×1	4R	40	35 %	0.86	2.3	+0.67 (21)
MGC 05:00	05:00	30m	120m	Met	×1.5	3.5R	34	35 %	0.94	2.6	+1.23 (15)
MGC 06:00	06:00	30m	180m	Met	×2	2.5R	46	43 %	0.64	2.6	+0.46 (18)
MGC 09:30*	09:30	30m	300m	Met	×2	2R	63†	49 %	—	2.5 8	—
GER40 16:30	16:30	15m	300m	Tege n	×1.5	1.5R	32	47 %	0.32	1.5	+0.47 (12)
GER40 08:30	08:30	10m	60m	Met	×1	2R	52	46 %	0.38	1.8	+0.71 (21)
UK100 18:30	18:30	15m	180m	Tege n	×1	4R	34	29 %	0.61	1.5	+0.86 (14)
UK100 18:00	18:00	10m	180m‡	Tege n	×1	3R	~35	~43 %	0.77	2.1 ~2.4	positive
UK100 19:00	19:00	10m	120m	Tege n	×1.5	4R	34	26 %	0.44	1.2	+0.83 (12)

* MGC 09:30 = the re-confirmed original v4 slot (see addendum above); not a fresh backtest row. † live-tracked n from v4, not IS backtest n. ‡ window length estimated from the neighbouring 18:30 slot, not independently verified — see addendum above.

5 of 12 slots have $t < 2$ (MNQ 06:00, GER40 16:30, GER40 08:30, UK100 18:30, UK100 19:00). UK100 19:00 ($t = 1.2$) is the weakest of the backtest-derived slots. All 10 backtest slots are OOS-positive, which is the main reason they're in this document at all — but weigh the low- t slots accordingly, the same way v4 flagged MNQ 02:30.

Tick values: unchanged, see the v4 table on the previous page.

Old vs new, per instrument

Apart from the re-added MGC 09:30 (identical to its old row — see below), no slot in the new table shares start time, ORB length or SL×/RR with an old slot — this is a parallel parameter set, not a refinement of the v4 numbers. The ranking also flipped: UK100 was the strongest instrument in v4 (t 3.09 / 4.21) and its backtest-derived slots are now the weakest (t 1.5 / 1.2), though the newly re-confirmed UK100 18:00 (t 2.1–2.4) sits well above both; MNQ and MGC moved the other way overall.

MGC

	Start	ORB	VWAP	SL×	RR	Venster	n	WR	t
Old	02:30	30m	Met	×2	2.5R	60m	67	49%	3.45
Old	08:00	20m	Met	×2.5	1.5R	150m	57	58%	~2.7
Old	09:30	30m	Met	×2	2R	300m	63	49%	2.58
New	03:00	10m	Met	×1	4R	60m	40	35%	2.3

	Start	ORB	VWAP	SL×	RR	Venster	n	WR	t
New	05:00	30m	Met	×1.5	3.5R	120m	34	35%	2.6
New	06:00	30m	Met	×2	2.5R	180m	46	43%	2.6
New*	09:30	30m	Met	×2	2R	300m	63	49%	2.58

MNQ

	Start	ORB	VWAP	SL×	RR	Venster	n	WR	t
Old	00:00	10m	Met	×2.5	1.5R	90m	62	55%	2.48
Old	02:30	25m	Met	×2.5	3R	60m	61	36%	1.95
New	04:00	10m	Met	×1.5	3.5R	60m	39	41%	2.4
New	06:00	15m	Met	×1.5	2R	240m	49	47%	1.9
New	07:00	20m	Met	×1	3.5R	120m	40	48%	3.3

GER40

	Start	ORB	VWAP	SL×	RR	Venster	n	WR	t
Old	19:00	25m	Met	×2.5	1R	180m	61	56%	~1.3
New	16:30	15m	Tegen	×1.5	1.5R	300m	32	47%	1.5
New	08:30	10m	Met	×1	2R	60m	52	46%	1.8

UK100

	Start	ORB	VWAP	SL×	RR	Venster	n	WR	t
Old	13:00	20m	Tegen	×2.5	1.5R	180m	44	61%	3.09
Old	14:30	30m	Tegen	×3	1.5R	300m	35	74%	4.21
New	18:30	15m	Tegen	×1	4R	180m	34	29%	1.5
New	19:00	10m	Tegen	×1.5	4R	120m	34	26%	1.2
New	18:00	10m	Tegen	×1	3R	~180m	~3 5	~43 %	2.1–2 .4

SIL

	Start	ORB	VWAP	SL×	RR	Venster	n	WR	t
Old	02:30	15m	Met	×3	2.5R	60m	65	42%	1.80
Old	03:30	20m	Met	×2.5	2.5R	90m	57	47%	2.80
Old	06:30	15m	Met	×3	3R	60m	55	38%	2.44

SIL has no new slot at all — dropped entirely, no silver combination survived the SL×/RR-grid + overlap step. It is not disqualified forever; see "What was removed" below.

MGC's "New*" row is the one exception to "no shared parameters": it is not a new discovery but the old MGC 09:30 row re-added unchanged (see the v5.2 addendum above) — same start, ORB, VWAP, SL×, RR, window and live-tracked n/WR/t as the Old row directly above it.

What was removed on the way from 15 to 10, and why

Before the overlap filter, the SL×/RR-grid step had already produced a 15-slot table (5× MNQ, 4× MGC, 3× UK100, 3× GER40 — no SIL). Five of those 15 were then cut, purely because their entry window overlapped with a stronger slot on the same instrument and could double-count the same underlying move:

- MNQ 04:30 (15m, ×1.5, 3R, 300m window) — overlapped with 05:00, 06:00 and 07:00.
- MNQ 05:00 (10m, ×2, 2R, 300m window) — same overlap cluster as above; a second, weaker MNQ 05:00 variant.
- UK100 18:00 (10m, ×1, 4R, 180m window) — overlapped with 18:30 and 19:00.
- GER40 08:00 (25m, ×1/×1.5, 3R/4R, 60m window) — overlapped with 08:30; also the only slot whose OOS R flipped negative for two of its three tested SL/RR combinations, the one clear red flag in the whole grid search.

SIL's absence is a different kind of removal: no SIL slot reached the SL×/RR-grid step at all in this run — not because it failed a check, but because the earlier scanner pass on this data window didn't surface a candidate strong enough to fix as an entry model. Same status as the v4 document's "not yet re-verified" category, not a rejection.

Position sizing on this table

The two v4 rules still apply, with one addition specific to the mixed backtest/live status of this table:

- **Rule 1 — n still sets a hard cap.** Any slot with n below 50 stays capped at 0.5× normal risk, regardless of EV R or WR. In the 12-slot table that is 10 of 12 — only MGC 09:30 (n=63, live-tracked) and GER40 08:30 (n=52) clear 50.
- **Rule 2 — low t-stat is a demotion, not a removal.** MNQ 06:00, GER40 16:30, GER40 08:30 and both backtest-derived UK100 slots (18:30, 19:00) sit at $t < 2$ — still 5 of 12. They stay in the table because they're OOS-positive, but size them at 0.5× or run them on demo until live tracking either confirms or contradicts the backtest. MGC 09:30 (t 2.58, live-tracked) and UK100 18:00 (t 2.1–2.4) both clear the bar.
- **Rule 3 — no live sample yet means most of the table is still provisional.** 10 of the 12 slots are backtest-only, with no live tracking. Until a real-time sample accumulates on the live script, treat those 10 the way v4 treated its untested tail — start every one of them at reduced size, independent of Rule 1/2, and let live n rebuild the case slot by slot. MGC 09:30 already has a live-tracked record from v4 and is the one slot in this table that doesn't need this extra caution; treat the new UK100 18:00 as backtest-only until its own window length is independently verified, per the addendum above.

The scripts — what each one does, and in what order

Four Pine Script v6 indicators were used to get from the raw idea to this table and the live preset set. They're meant to be run in this order, each one narrowing the search using the output of the one before it:

1. PRONTO ORB · scanner (v2)

Broad grid scanner: every start time (every 30 min) × ORB length × VWAP side × SL× × RR × entry window, on one instrument per chart. Outputs a ranking table (best combination per start time) plus an "Uur-overzicht" mode and a Pine Logs export that prints ready-to-paste array lines for a live preset. Also contains a "vergelijkmodus" that can simulate an arbitrary fixed slot list (used to re-check the old v4/scanner-era presets against current data). This is where a first candidate list of strong start times per instrument comes from.

2. PRONTO ORB · vaste slots (v3)

Takes a fixed list of slots (start / ORB / VWAP / SL× / RR / window hardcoded in the script) and reports n, WR, EV R, t and OOS R for exactly that list — nothing else. Used to lock in the strongest start-time / ORB / VWAP / window combinations per instrument found in step 1, before touching SL×/RR.

3. PRONTO ORB · vaste slots + SL/RR-grid (v4)

Same fixed entry models as step 2 (start / ORB / VWAP / window stay locked), but SL× and RR are swept across a comma-separated list instead of a single value. Every entry fires once and is scored against every SL×/RR combination in parallel, and the table shows the top-N combinations per entry model by EV R. This is the step that produced the SL×/RR values in the new table.

4. PRONTO ORB · alleen geverifieerd (live, currently v5.2)

The live execution script: per-instrument presets (auto-detected from the chart symbol), fixed ORB boxes, SL/TP lines, a control table, and webhook alerts (JSON) sent through Railway → MetaApi → MT5. This is the only one of the four meant to run against a real account or the live bridge — the other three are analysis tools and never place or signal a trade. v5.2 adds two slots on top of v5's 10 (MGC 09:30, UK100 18:00) without removing any — see the addendum on page 1.

A fifth, optional tool — *PRONTO ORB · oude slots (11) v3* — is a copy of script 2 pre-filled with the old v4 11-slot table (including SIL) instead of the new one. It exists purely to re-run the old parameters against current data for comparison, in the same table format as the new slots; it has no relationship to the live script and its output was the source for the old-vs-new comparison tables above. It's also this tool's repeated top-ranking of MGC 09:30 that triggered the v5.2 re-add of that slot.

In short: script 1 finds candidates, script 2 locks the entry model, script 3 tunes SL×/RR on top of that locked model, and script 4 is what actually trades. Re-running the pipeline for a new instrument or a new data window means starting again at script 1, not editing script 4 directly.

Re-running the analyser — the discipline (unchanged from v3/v4)

Re-running to rediscover time blocks is normal maintenance when volatility patterns genuinely shift. The risk is re-running for the wrong reason — a slot re-optimised right after a short losing streak is very likely fitting to noise, since samples of $n = 30\text{--}67$ already carry meaningful sampling variance.

- **Fixed trigger.** Only re-run or drop a slot if its live win rate over the last 20+ trades drops more than 10 percentage points below its backtest WR — not in reaction to any single losing streak. For v5, this rule can only start applying once live tracking on the new presets has actually produced 20+ trades for a given slot.
- **One slot at a time.** Re-run per instrument/slot individually so you can see exactly which change was made and why.
- **Never overwrite.** Log every re-run: date, old block versus new block, reason. A blank or demoted row is itself useful data — it's the most informative half of any comparison. This document follows that rule itself: v4's table is kept in full above rather than replaced.

Source: PRONTO ORB scanner / vaste-slots / SL-RR-grid indicators, backtest and out-of-sample split through 22-09-2026, plus a script-2/3 re-confirmation run on 23-09-2026 (MGC 09:30, UK100 18:00), cross-checked against the live v4 document of 15-08-2026. This is an educational overview based on historical, backtested and partly live-tracked data. Past and backtested win rates (WR), EV R and OOS R are no guarantee of future results, and nothing in this document is financial advice. Always test on a demo account, and expect the backtest-only slots specifically to move once live tracking begins.