

Millitrack GPS Integration APIs

Base URL

`http://track4.millitrack.com/api`

Authentication

Authentication Type: Basic Authentication

Required:

- Username
- Password

Example:

Authorization: Basic <base64(username:password)>

1. Get All Buses

Endpoint:

GET /devices

Full URL:

`http://track4.millitrack.com/api/devices`

Purpose:

Returns all buses/devices configured in the GPS platform.

Response Fields:

- id (Device ID)
- name (Bus Number)
- status (online/offline)
- positionId
- phone
- model
- category

Example:

GET /devices

2. Get Live Bus Location

Endpoint:

GET /devices/{deviceId}/deviceLastPosition

Example:

GET /devices/204221/deviceLastPosition

Full URL:

<http://track4.millitrack.com/api/devices/204221/deviceLastPosition>

Purpose:

Returns latest GPS location of the bus.

Important Response Fields:

- latitude
- longitude
- speed
- address
- deviceId
- serverTime
- deviceTime

Attributes:

- currentStatus
- ignition
- batteryLevel
- deviceOnline
- todayDistance
- totalDistance

Status Values:

- RUNNING
- STOPPED

- IDLE

Features Supported:

- Live Tracking
 - Current Address
 - Speed Monitoring
 - Engine ON/OFF
 - Online/Offline Status
-

3. Route History API

Endpoint:

GET /reports/routeWithStops

Example:

GET /reports/routeWithStops?
deviceId=204221&from=2026-06-01T18:30:00.000Z&to=2026-06-02T18:29:59.999Z

Full URL:

<http://track4.millitrack.com/api/reports/routeWithStops>

Query Parameters:

- deviceId
- from
- to

Purpose:

Returns historical route data.

Response Fields:

- onlyMovingPositionList
- stopDataList
- firstPosition
- lastPosition
- totalDistanceTravelled
- events

Features Supported:

- Route Playback
 - Distance Travelled
 - Historical Tracking
 - Driver Monitoring
-

4. Geofences API

Endpoint:

GET /geofences

Full URL:

<http://track4.millitrack.com/api/geofences>

Purpose:

Returns configured geofences.

Features Supported:

- School Arrival Alerts
 - School Exit Alerts
 - Pickup Point Alerts
 - Enter/Exit Zone Notifications
-

5. Server Configuration API

Endpoint:

GET /server

Full URL:

<http://track4.millitrack.com/api/server>

Purpose:

Returns GPS platform settings and configuration.

Not required for mobile app operations.

Suggested Backend APIs

The mobile application should not call Millitrack APIs directly.

Create Laravel APIs:

GET /api/buses

GET /api/buses/{deviceId}/location

GET /api/buses/{deviceId}/history

GET /api/geofences

GET /api/buses/{deviceId}/status

GET /api/buses/{deviceId}/eta

School App Features Covered

1. Live Bus Tracking
 2. Current Bus Status
 3. Speed Monitoring
 4. Current Address
 5. Route History
 6. Distance Travelled
 7. Geofence Alerts
 8. School Arrival Notifications
 9. Pickup Point Notifications
 10. ETA Calculation
 11. Driver Monitoring
-

Example Device IDs

TS07UP2292 -> 204221

TS07UM4821 -> 204197

TG07T2823 -> 204238

TG07T2824 -> 204227

TG07V7473 -> 204214