

Revisiting the Interpretations of Quantum Mechanics: From FAPP Solutions to Contextual Ontologies.

Philippe Grangier

Laboratoire Charles Fabry, IOGS, CNRS, Université Paris Saclay, F91127 Palaiseau, France.

(Dated: January 29, 2026)

This note presents a concise and non-polemical comparison of several major interpretations of quantum mechanics, with a particular emphasis on the distinction between *FAPP-solutions* (“For All Practical Purposes”) versus *ontological solutions* to the measurement problem. Building on this distinction, we argue that the Contexts–Systems–Modalities (CSM) framework, supplemented by the operator-algebraic description of macroscopic contexts, provides a conceptually complete, non-FAPP ontology that naturally incorporates irreversibility and the physical structure of measurement devices. This approach differs significantly from other ontological interpretations such as Bohmian mechanics, spontaneous collapse, or many-worlds, and highlights the major role of contextual quantization in shaping quantum theory.

I. INTRODUCTION

The literature on the interpretations of quantum mechanics is vast and recent surveys [1] continue to map an increasingly diverse landscape of conceptual approaches. Yet, despite this diversity, most interpretations fall into two broad families: those that resolve the measurement problem only *For All Practical Purposes* (FAPP), and those that aim to provide a genuine *ontology* for quantum phenomena. This distinction, introduced and popularized by John Bell [2], remains central to contemporary debates.

The purpose of this note is twofold. First, it gives a brief, fair comparison of several representative interpretations, emphasizing their conceptual commitments rather than their technical details. Second, it explains how the Contexts–Systems–Modalities (CSM) framework [3–6], especially when combined with the operator-algebraic description of macroscopic contexts [7–9], occupies a distinct position within this landscape: it is an ontological interpretation that neither modifies the quantum formalism nor relies on FAPP arguments, and it incorporates the real physics of macroscopic, irreversible measurements [10].

It is nevertheless worth noting that CSM is often absent from recent surveys, not because of conceptual incompatibility, but because it does not fit neatly into the usual categories of hidden-variable, collapse, or Everettian approaches. Therefore, completing the landscape motivates the present clarification.

II. FAPP- AND ONTOLOGICAL SOLUTIONS

A. FAPP-solutions.

Bell introduced the acronym “FAPP” to describe a certain attitude toward the measurement problem: the view that quantum mechanics works so well in practice that conceptual difficulties can be set aside. Decoherence theory has greatly reinforced this attitude [11, 12], by showing how interference between macroscopically distinct branches becomes negligible in realistic environments. Yet decoherence does not

explain why a single outcome is realized in an individual experiment; it merely shows that the alternatives cease to interfere [11], and that the measurement result may be copied many times in the environment [12]. For FAPP interpretations, this is considered sufficient: the world looks classical in practice, and that is taken to be enough. Therefore the measurement problem is considered as effectively resolved once decoherence, and possibly macroscopic multiplication are taken into account. Examples include:

- Decoherence accounts of measurement [11, 12],
- Operationalist or Copenhagen-inspired interpretations (found in most textbooks, see e.g. [13, 14]),
- Subjectivist [15] or QBist [16] approaches.

Their strength lies in their pragmatic adequacy, which remains dominant in quantum information science, where the focus is on operational tasks rather than ontological commitments. Their weakness is that they do not provide a fundamental ontology of outcomes: the measurement problem is put aside rather than solved, and still open to discussion [12].

B. Ontological solutions.

Ontological interpretations take a different stance. They insist that physics must describe what exists, not merely what is observed, and must tell what are the physical properties of physical objects. They provide explicit entities: particles, fields, collapses, branches, or other structures, and treat measurement as a physical process governed by well-defined rules. Examples include:

- Bohmian mechanics (particle ontology, [17]),
- Spontaneous collapse (GRW/CSL, [18, 19]),
- Many-Worlds (branching ontology, [20, 21]),
- CSM (context-dependent ontology, [3, 4]).

These approaches offer conceptual clarity but often require modifying the formalism (GRW/CSL), adding hidden variables (Bohm), or adopting a global ontology that is difficult to reconcile with everyday experience (Many-Worlds).

The CSM framework belongs to the ontological family, but with a distinctive twist: it introduces no hidden variables, no collapse mechanism, and no branching worlds. Instead, it proposes a contextual ontology in which physical properties belong to quantum systems within macroscopic measurement contexts. This move dissolves the measurement problem at its root, without altering the quantum formalism. We will now give more details on this approach, and then come back to a comparison between the different options.

III. THE CSM FRAMEWORK

The CSM framework introduces three primitive notions:

- **Context:** the macroscopic measurement arrangement,
- **System:** the physical object under study,
- **Modality:** a set of certain, repeatable outcomes associated with a given system–context pair.

A modality is a well-defined, ontological property, but it is not a property of the system alone: it is a property of the system within a context. This contextual ontology avoids the need for hidden variables, collapses, or many worlds. Probabilities arise when moving between incompatible contexts, and Born’s rule results from contextual quantization, that is the interplay between the quantized number of modalities that are accessible to a quantum system, and the continuum of contexts that are required to define these modalities; this is shown in details in [5, 6], based on Uhlhorn’s and Gleason’s theorems.

A central puzzle in quantum mechanics is that measurements yield single outcomes, even though the quantum state may evolve into a superposition of macroscopically distinct possibilities. The usual presentation of the measurement problem begins with a linear evolution that entangles system and apparatus, producing a superposition of pointer states. The question then arises: why don’t we observe superpositions of macroscopic results?

In the CSM framework, this question does not show up, because the postulated ontology is based on the unicity of the macroscopic physical world [9], so that there is only one context at a time [3, 4]. Measurement devices, detectors, screens, and magnets are all part of a single, definite macroscopic universe. They are not quantum systems that can be placed in arbitrary superpositions of macroscopically distinct states.

A measurement outcome is a modality: a definite, repeatable property of a system within a given context. Within each context the modalities are mutually exclusive and quantized; the outcomes are not superposed, they are selected by the context.

This idea is reminiscent of Bohr’s insistence on the classical description of measurement devices, but CSM differs by providing a precise ontology for the system–context pair rather than relying on some fluctuating ideas about complementarity. The statement “there is no quantum world” attributed to Bohr is replaced by “classical contexts and quantum systems are both required to build up the physical world”.

This basic ontological choice has far-reaching consequences. It means that the “one result only” fact is not something to be explained dynamically; it is a structural feature of the ontology. A modality is, by definition, a definite property of a system in a definite macroscopic context. There is no “superposition of contexts,” and therefore no “superposition of modalities.” A quantum superposition in the usual sense is a modality in another context. The measurement problem vanishes, because the physical ontology itself excludes the problematic situation. Once modalities are quantized, contextual, and mutually exclusive within one context, the appearance of probabilities becomes unavoidable [22]. A modality defined in one context cannot determine with certainty which modality will be realized when measuring in another, incompatible context. Thus, a probabilistic description is required when moving between contexts. The Born rule emerges from the structure of these context changes, without the need for collapse or branching [5, 6], clearing up many “quantum mysteries”.

IV. INFINITE CONTEXTS AND OPERATOR ALGEBRAS

A distinctive feature of the CSM approach is the recognition that macroscopic measurement contexts cannot be described mathematically as finite quantum systems. Physically they involve extremely large numbers of particles or degrees of freedom, and their evolution is generally dissipative, and irreversible. Finite or countably infinite Hilbert spaces (technically, type I algebras) cannot capture these features, and to describe such contexts mathematically, CSM employs the operator-algebraic framework of C^* and von Neumann algebras [23, 24], as discussed in [7–9].

This move may appear unfamiliar to many physicists, partly because the operator-algebraic formalism experienced a decline after its peak in the 1970s and 1980s, and partly because it was often presented in a mathematically abstract manner, without a clear physical motivation. Yet the mathematics itself is well suited to the description of infinite tensor products of Hilbert spaces. What was missing was an ontology that explained what the algebraic structures represent in an actual measurement.

CSM provides this missing ontology. A macroscopic context is represented by an infinite algebra, often of type III, which naturally encodes irreversibility and thermodynamic behavior. A modality corresponds to

a pure state or sector within this algebra. Changing context corresponds to moving between inequivalent representations of the same algebra, reflecting the fact that modalities are defined only within a given context. Measurement is not a unitary evolution on a single Hilbert space but a transition between representations, consistent with the physical structure of macroscopic apparatus.

This reinterpretation rehabilitates operator algebras by giving them a clear physical meaning: they provide the suitable mathematical tools to describe the classical behaviour of macroscopic contexts in which modalities are defined. In parallel, CSM provides the appropriate ontology to give a physical meaning to mathematical abstractions. We note also that this operator-algebraic treatment of contexts is absent from other ontological interpretations. Using it is a major asset, because it gives a natural explanation for the emergence of irreversibility and the impossibility of superposing macroscopic contexts, still keeping the usual quantum formalism to describe quantum systems within classical contexts.

To avoid some misunderstandings, one may consider a usual spin measurement in a Stern-Gerlach (SG) experiment. The SG magnet is part of the context, and its orientation decides which spin component is measured. But the active type III structure arises from the detectors placed in the output channels, which bring the result to the macroscopic level. A simple model is obtained by coupling each output channel to an infinite tensor product of two-level systems representing a spin chain or a field reservoir. The detector begins in a thermal (KMS) state at finite temperature. The interaction Hamiltonian induces a transition in one of the two reservoirs depending on the spin projection. Because the reservoirs are infinite, the two resulting states belong to inequivalent representations of the algebra of observables, and no unitary transformation can connect them back after the measurement evolution. This inequivalence encodes irreversibility and the “one result only” structure.

V. COMPARISON WITH OTHER INTERPRETATIONS

Now we come back to the broader landscape of interpretations, as represented in Table 1.

On the FAPP side, Copenhagen and operationalist views rely on classical descriptions of measurement devices and treat collapse as a pragmatic rule, or as a suitable approximation. Decoherence-based accounts explain the suppression of interference but do not fully address the realization of single outcomes. QBism and subjectivist approaches emphasize the role of the agent and regard quantum states as expressions of belief rather than physical properties. Realist-minded physicists may not feel fully happy there.

For ontological interpretations, Bohmian mechanics [17] introduces particle positions guided by the wavefunction, providing a clear account of outcomes but at the price of nonlocal hidden variables. GRW [18] and CSL [19] modify the dynamics to produce genuine collapses, introducing new parameters and stochastic processes. They differ from other interpretations in the sense that their predictions differ from quantum mechanics; but the differences are extremely small, and have escaped any observation so far. Many-Worlds [20] retains the linear dynamics but postulates a branching ontology in which all outcomes occur, raising questions about the emergence of probabilities and the status of branches. Though this approach is useful for quantum cosmology — it may be the reason for which it was promoted, in particular by DeWitt [21] — the world view it provides is notoriously counterintuitive.

We note that there are many other interpretations of quantum mechanics, not included in Table 1. In particular we did not include Relational Quantum Mechanics (RQM) [25], because it seems it is not currently in a fully stable state [26]. Also, it deals with an ontology of events (or “flashes”) rather than with an ontology of objects, and acknowledges “universal unitarity”. This is not compatible with CSM where unitary evolution is a feature of isolated subsystems.

CSM differs from all these approaches. It retains the standard quantum formalism, introduces no hidden variables or collapses, and does not rely on branching. Its ontology is contextual: physical properties are defined only relative to macroscopic contexts. When combined with operator algebras, this ontology naturally incorporates irreversibility and the structure of macroscopic measurement devices. In this sense, CSM provides a non-FAPP ontological interpretation that integrates the real physics of macroscopic contexts. This solves the “Measurement Problem” by grounding it in ontological realism, telling that the measurement context and result belong to a unique macroscopic universe. This distinguishes CSM from the usual decoherence theory or RQM, who may be accused of being “Everettian in denial”, and also from the pure algebraic formalism, that stays in the realm of mathematical abstraction.

It can be said that CSM is a neo-Bohrian or neo-Copenhagen interpretation, but these interpretations are on the FAPP side as explained above, whereas CSM is on the ontological side. One must emphasize nevertheless that the CSM ontology is quite remote from the usual reductionist ontology inherited from classical physics. Its philosophical background is rather contextual objectivity, as described in [27]. For a discussion shedding a new light on the historical Einstein-Bohr debate see [28].

Interpretation	Ontology	How outcomes become definite	Role of context	Macroscopic irreversibility	Modifies QM predictions	FAPP or ontological
Copenhagen, operational	None (instrumentalist)	Postulated collapse	External classical context	Explained only FAPP	No	FAPP
Decoherence-only	None, or wavefunction	Interference suppressed by environment	Emergent, not fundamental	FAPP only	No	FAPP
QBism / subjectivism	Agent-dependent beliefs	Not addressed ontologically	Context = agent's action	Not fundamental	No	FAPP
Many-Worlds (Everett)	Universal wavefunction	Branching of worlds	Emergent from decoherence	FAPP via decoherence	No	Ontological
Bohmian mechanics	Particle positions + wave	Particles have definite positions	Not central	Deterministic, reversible	No	Ontological
GRW / CSL collapse models	Wavefunction + stochastic collapses	Spontaneous collapse events	Not central	Built into dynamics	Yes	Ontological
CSM with postulated contexts and systems	Modalities for system + context	One modality realized per context; probabilities from quantization	Fundamental	Not yet included explicitly	No	Ontological
CSM + operator algebras	Modalities for system + infinite context	One modality realized per context; probabilities from quantization	Fundamental, operator algebras	Encoded in type II/III algebras	No	Ontological, non-FAPP

TABLE I: A comparative overview of several interpretations of quantum mechanics (QM) - see text

VI. CONCLUSION

The distinction between FAPP-solutions and ontological solutions clarifies the conceptual landscape of quantum interpretations. Within this landscape, the CSM framework occupies a unique position: it provides a non-FAPP ontology that remains fully compatible with standard quantum mechanics, while incorporating the real physics of macroscopic, irreversible contexts through the use of operator algebras.

On the practical side, an ontology anchored in contextual objectivity [10, 27, 28] may also be useful for building intuition for quantum technology engineers.

The CSM combination of ideas offers therefore a new and coherent way to understand quantum phenomena, one that complements—and in some respects surpasses—existing ontological interpretations, by grounding contextuality and irreversibility in the mathematical structure of infinite quantum systems.

Acknowledgements: The author thanks Olivier Ezratty, Mathias Van Den Bossche, Roger Balian, Franck Laloë and Hervé Zwirn for helpful discussions and comments. Copilot (online version “Smart”, 2025) has been used for editing this paper.

[1] For a recent list of surveys see M. Sienicki and K. Sienicki, <https://arxiv.org/pdf/2512.23721.pdf>.

See also the Stanford Encyclopedia of Philosophy: <https://plato.stanford.edu/entries/qm/>

- [2] J. S. Bell, *Speakable and Unspeakable in Quantum Mechanics*, Cambridge University Press (1987).
- [3] A. Auffèves and P. Grangier, “Contexts, Systems and Modalities: A New Ontology for Quantum Mechanics” *Found. Phys.* **2016**, 46, 121. <https://doi.org/10.1007/s10701-015-9952-z>. arXiv:1409.2120.
- [4] A. Auffèves and P. Grangier, “Extracontextuality and Extravalence in Quantum Mechanics”. *Phil. Trans. R. Soc. A* **2018**, 376, 20170311. <https://doi.org/10.1098/rsta.2017.0311>. arXiv:1801.01398.
- [5] A. Auffèves and P. Grangier, “Deriving Born’s Rule from an Inference to the Best Explanation”. *Found. Phys.* **2020**, 50, 1781–1793. <https://doi.org/10.1007/s10701-020-00326-8>. arXiv:1910.13738.
- [6] A. Auffèves and P. Grangier, “Revisiting Born’s Rule through Uhlhorn’s and Gleason’s Theorems”. *Entropy* **2022**, 24, 199. <https://doi.org/10.3390/e24020199>.
- [7] M. Van Den Bossche and P. Grangier, “Contextual Unification of Classical and Quantum Physics”. *Found. Phys.* **2023**, 53, 45. <https://doi.org/10.1007/s10701-023-00678-x>. arXiv:2209.01463.
- [8] M. Van Den Bossche and P. Grangier, “Revisiting Quantum Contextuality in an Algebraic Framework”. In Proceedings of the DICE 2022 Conference; *J. Phys. Conf. Ser.* **2023**, 2533, 012008. <https://doi.org/10.1088/1742-6596/2533/1/012008>.
- [9] M. Van Den Bossche and P. Grangier, “Postulating the Unicity of the Macroscopic Physical World”. *Entropy* **2023**, 25, 1600. <https://doi.org/10.3390/e25121600>.
- [10] P. Grangier, A. Auffèves, N. Farouki, M. Van Den Bossche, O. Ezratty, “The Two-Spin Enigma: From the Helium Atom to Quantum Ontology”, *Entropy* 26(12), 1004 (2024). <https://doi.org/10.3390/e26121004>
- [11] W. H. Zurek, “Decoherence, Einselection, and the Quantum Origins of the Classical,” *Rev. Mod. Phys.* **75**, 715 (2003). <https://doi.org/10.1103/RevModPhys.75.715>
- [12] A more elaborate version of decoherence is Quantum Darwinism. However, it does not completely solve the problem, see the discussion in Physics Today:
 - W.J. Zurek, “Quantum Darwinism, classical reality, and the randomness of quantum jumps” *Physics Today*, Oct 01, 2014, <https://doi.org/10.1063/PT.3.2550>
 - A. Auffèves and P. Grangier, “Classical selection and quantum Darwinism”, *Physics Today*, May 01, 2015, <https://doi.org/10.1063/PT.3.2759>
 - R.E. Kastner, “Classical selection and quantum Darwinism”, *Physics Today*, May 01, 2015, <https://doi.org/10.1063/PT.3.2760>
 - W.J. Zurek, “Classical selection and quantum Darwinism”, *Physics Today*, May 01, 2015, <https://doi.org/10.1063/PT.3.2761>
- [13] F. Laloë, *Do We Really Understand Quantum Mechanics?*, Cambridge University Press, 2012.
- [14] A. E. Allahverdyan, R. Balian and T.M. Nieuwenhuizen, “Teaching ideal quantum measurement, from dynamics to interpretation”, *Comptes Rendus Physique* **25**, 251-287 (2024). <https://doi.org/10.5802/crphys.180>
- [15] H. Zwirn, “Convivial Solipsism as a maximally perspectival interpretation”, *Found. Phys.* **54**, 39 (2024). <https://arxiv.org/abs/2310.06815> (2023).
- [16] C. M. Caves, C. A. Fuchs, and R. Schack, “Quantum probabilities as Bayesian probabilities”, *Phys. Rev. A* **65**, 022305 (2002) <https://doi.org/10.1103/PhysRevA.65.022305>
- [17] D. Bohm, “A Suggested Interpretation of the Quantum Theory in Terms of Hidden Variables,” *Phys. Rev.* **85**, 166 (1952). <https://doi.org/10.1103/PhysRev.85.166>
- [18] G. C. Ghirardi, A. Rimini, and T. Weber, “Unified Dynamics for Microscopic and Macroscopic Systems,” *Phys. Rev. D* **34**, 470 (1986). <https://doi.org/10.1103/PhysRevD.34.470>
- [19] A. Bassi and G. C. Ghirardi, “Dynamical Reduction Models,” *Phys. Rep.* **379**, 257 (2003). [https://doi.org/10.1016/S0370-1573\(03\)00103-0](https://doi.org/10.1016/S0370-1573(03)00103-0)
- [20] H. Everett III, “Relative State Formulation of Quantum Mechanics,” *Rev. Mod. Phys.* **29**, 454 (1957). <https://doi.org/10.1103/RevModPhys.29.454>
- [21] B. S DeWitt, “Quantum Mechanics and Reality,” *Physics Today* 23:9, 30–35 (1970). <https://doi.org/10.1063/1.3022331>
- [22] P. Grangier and A. Auffèves, “What is quantum in quantum randomness?”, *Philos Trans A Math Phys Eng Sci* 376:2123 20170322 (2018) <https://doi.org/10.1098/rsta.2017.0322> arXiv:1804.04807
- [23] R. Haag, *Local Quantum Physics*, Springer (1996).
- [24] O. Bratteli and D. W. Robinson, *Operator Algebras and Quantum Statistical Mechanics*, Springer (1987).
- [25] C. Rovelli, “Relational quantum mechanics”, *Int. J. Theor. Phys.* 35(10), 1637–1678 (1996). <https://doi.org/10.1007/bf02302261>
- [26] C. Calosi, T. Riedel, “Relational Quantum Mechanics at the Crossroads”, *Found Phys* 54, 74 (2024). <https://doi.org/10.1007/s10701-024-00810-5>
- [27] P. Grangier, “Contextual Objectivity: A Realistic Interpretation of Quantum Mechanics”. *Eur. J. Phys.* **2002**, 23, 331–338. <https://doi.org/10.1088/0143-0807/23/3/312>. arXiv:quant-ph/0012122.
- [28] N. Farouki and P. Grangier, “The Einstein-Bohr debate: finding a common ground of understanding?”, *Found. Sci.* 26, 97-101 (2021) <https://doi.org/10.1007/s10699-020-09716-7> [arXiv:1907.11267]