

14, Feb 2026

severity	code	details	expression
56 error	structure	Unable to find a profile match for urn:uuid:b6fd0ab9-c0ed-46cb-a9cb-f5acd12ad6d7 among choices: https://fhir.nwgenomics.nhs.uk/StructureDefinition/ Organization, https://fhir.nwgenomics.nhs.uk/StructureDefinition/ PractitionerRole	[Bundle.entry[3].resource.requester]
52 error	processing	Slicing cannot be evaluated: Could not match discriminator (type) for slice ServiceRequest.identifier:OrderFillerNumber in profile https://fhir.nwgenomics.nhs.uk/ StructureDefinition/ServiceRequest 0.2.0 - the discriminator [type] does not have fixed value, binding or existence assertions	[Bundle.entry[3].resource.identifier[0]]
54 error	structure	Unable to find a profile match for urn:uuid:ffc26ec0-6476-4cff-a3e2-b2539f1e3444 among choices: https://fhir.nwgenomics.nhs.uk/StructureDefinition/ Patient	[Bundle.entry[3].resource.subject]
57 information	structure	Details for urn:uuid:b6fd0ab9-c0ed-46cb-a9cb-f5acd12ad6d7 matching against profile https://fhir.nwgenomics.nhs.uk/ StructureDefinition/PractitionerRole 0.2.0	[Bundle.entry[3].resource.requester]
55 information	structure	Details for urn:uuid:ffc26ec0-6476-4cff-a3e2-b2539f1e3444 matching against profile https://fhir.nwgenomics.nhs.uk/ StructureDefinition/Patient 0.2.0	[Bundle.entry[3].resource.subject]
53 information	code- invalid	None of the codings provided are in the value set 'UK Core Procedure Code' (https://fhir.hl7.org.uk/ValueSet/UKCore- ProcedureCode 2.2.0), and a coding is recommended to come from this value set (codes = https://fhir.nhs.uk/CodeSystem/ England-GenomicTestDirectory#R132.1)	[Bundle.entry[3].resource.code]
30 warning	code- invalid	Unknown Code '230100' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/ MFTQuestionIds' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[12].resource/ *Observation/ null*/.code.coding[0].code]
31 warning	code- invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/ v2-0203#NH)	[Bundle.entry[12].resource/ *Observation/ null*/.subject.identifier.type]
33 warning	code- invalid	Unknown Code '230027' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/ MFTQuestionIds' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[13].resource/ *Observation/ null*/.code.coding[0].code]
34 warning	code- invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/ v2-0203#NH)	[Bundle.entry[13].resource/ *Observation/ null*/.subject.identifier.type]
36 warning	code- invalid	Unknown Code '230029' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/ MFTQuestionIds' version '0.2.0' - note that the code system is labeled as a fragment, so	[Bundle.entry[14].resource/ *Observation/ null*/.code.coding[0].code]

severity	code	details	expression
		the code may be valid in some other fragment	
37 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[14].resource/*Observation/null*/.subject.identifier.type]
39 warning	code-invalid	Unknown Code '230039' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[15].resource/*Observation/null*/.code.coding[0].code]
40 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[15].resource/*Observation/null*/.subject.identifier.type]
43 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[16].resource/*Observation/null*/.subject.identifier.type]
45 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[17].resource/*Specimen/null*/.subject.identifier.type]
47 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[18].resource/*Specimen/null*/.subject.identifier.type]
49 warning	code-invalid	Unknown Code 'R59.3' in the CodeSystem 'https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[19].resource/*ServiceRequest/null*/.code.coding[0].code]
50 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[19].resource/*ServiceRequest/null*/.subject.identifier.type]
42 warning	code-invalid	Unknown Code '230049' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[16].resource/*Observation/null*/.code.coding[0].code]

	severity	code	details	expression
1	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[1].resource/*Patient/null*/.identifier[1].type]
4	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[3].resource/*ServiceRequest/null*/.subject.identifier.type]
6	warning	code-invalid	Unknown Code '230056' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[4].resource/*Observation/null*/.code.coding[0].code]
7	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[4].resource/*Observation/null*/.subject.identifier.type]
9	warning	code-invalid	Unknown Code '230037' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[5].resource/*Observation/null*/.code.coding[0].code]
10	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[5].resource/*Observation/null*/.subject.identifier.type]
12	warning	code-invalid	Unknown Code '230048' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[6].resource/*Observation/null*/.code.coding[0].code]
13	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[6].resource/*Observation/null*/.subject.identifier.type]
15	warning	invalid	Best Practice Recommendation: In general, all observations should have an effective[x]()	[Bundle.entry[7].resource/*Observation/null*/]

severity	code	details	expression
16 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[7].resource/*Observation/null*/.subject.identifier.type]
18 warning	code-invalid	Unknown Code '231610' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[8].resource/*Observation/null*/.code.coding[0].code]
19 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[8].resource/*Observation/null*/.subject.identifier.type]
21 warning	code-invalid	Unknown Code '230019' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[9].resource/*Observation/null*/.code.coding[0].code]
22 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[9].resource/*Observation/null*/.subject.identifier.type]
24 warning	code-invalid	Unknown Code '230034' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[10].resource/*Observation/null*/.code.coding[0].code]
25 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[10].resource/*Observation/null*/.subject.identifier.type]
27 warning	code-invalid	Unknown Code '230028' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[11].resource/*Observation/null*/.code.coding[0].code]
28 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[11].resource/*Observation/null*/.subject.identifier.type]