

severity	code	
20 error	structure	Unable to find a profile match for urn:uuid:0b29f2a6-d4ca-4365-a44e-f24ecb3ced97 among choices: https://fhir.nwg.org/StructureDefinition/Organization, https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole The pattern [system http://terminology.hl7.org/CodeSystem/v2-0203, code AN, and display 'Account number'] defined in https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0 not found. Issues: [ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding='VN' but is fixed to 'AN' in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0]]
19 error	value	'VN' but is fixed to 'AN' in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0]]
12 error	invalid	Wrong Display Name 'Multi Target NGS Panel Small' for https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirected#relapse - no valid display names found for language(s) 'en'. Default display is 'null'
22 information	code-invalid	None of the codings provided are in the value set 'Genomic Clinical Indication Codes' (https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndicationCodes 0.1.0), and a coding is recommended to come from this value set (codes = https://fhir.nwgenomics.nhs.uk/StructureDefinition/reasonfortesting-genomics#relapse)
18 information	code-invalid	None of the codings provided are in the value set 'Laboratory Order' (http://hl7.eu/fhir/laboratory/ValueSet/lab-order 4.0.1), a coding is recommended to come from this value set (codes = https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirected#relapse)
17 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/reasonfortesting-genomics 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)
16 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/reasonfortesting-genomics 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)
21 information	structure	Details for urn:uuid:0b29f2a6-d4ca-4365-a44e-f24ecb3ced97 matching against profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole 0.1.0
14 warning	not-found	A definition for CodeSystem 'https://fhir.nhs.uk/CodeSystem/reasonfortesting-genomics' could not be found, so the code was not checked
13 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
8 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
6 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
3 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
1 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
10 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)