

16, Feb 2026

severity	code	details	expression
56 error	structure	Unable to find a profile match for urn:uuid:da28c432-48f4-4376-96c8-5ac25be80fdb among choices: https://fhir.nwgenomics.nhs.uk/StructureDefinition/Organization, https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole	[Bundle.entry[3].resource.requester]
52 error	processing	Slicing cannot be evaluated: Could not match discriminator (type) for slice ServiceRequest.identifier:OrderFillerNumber in profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/ServiceRequest 0.2.1 - the discriminator [type] does not have fixed value, binding or existence assertions	[Bundle.entry[3].resource.identifier[0]]
54 error	structure	Unable to find a profile match for urn:uuid:9d604d3b-18aa-45ff-a522-79cc9cef2887 among choices: https://fhir.nwgenomics.nhs.uk/StructureDefinition/Patient	[Bundle.entry[3].resource.subject]
57 information	structure	Details for urn:uuid:da28c432-48f4-4376-96c8-5ac25be80fdb matching against profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole 0.2.1	[Bundle.entry[3].resource.requester]
55 information	structure	Details for urn:uuid:9d604d3b-18aa-45ff-a522-79cc9cef2887 matching against profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/Patient 0.2.1	[Bundle.entry[3].resource.subject]
53 information	code-invalid	None of the codings provided are in the value set 'UK Core Procedure Code' (https://fhir.hl7.org.uk/ValueSet/UKCore-ProcedureCode 2.2.0), and a coding is recommended to come from this value set (codes = https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R132.1)	[Bundle.entry[3].resource.code]
30 warning	code-invalid	Unknown Code '230100' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[12].resource/*Observation/null*/.code.coding[0].code]
31 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[12].resource/*Observation/null*/.subject.identifier.type]
33 warning	code-invalid	Unknown Code '230027' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[13].resource/*Observation/null*/.code.coding[0].code]
34 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[13].resource/*Observation/null*/.subject.identifier.type]
36 warning	code-invalid	Unknown Code '230029' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[14].resource/*Observation/null*/.code.coding[0].code]
37 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is	[Bundle.entry[14].resource/*Observation/null*/.subject.identifier.type]

severity	code	details	expression
39 warning	code-invalid	suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> ) Unknown Code '230039' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[15].resource/*Observation/null*/.code.coding[0].code]
40 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[15].resource/*Observation/null*/.subject.identifier.type]
43 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[16].resource/*Observation/null*/.subject.identifier.type]
45 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[17].resource/*Specimen/null*/.subject.identifier.type]
47 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[18].resource/*Specimen/null*/.subject.identifier.type]
49 warning	code-invalid	Unknown Code 'R59.3' in the CodeSystem ' <a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory</a> ' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[19].resource/*ServiceRequest/null*/.code.coding[0].code]
50 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[19].resource/*ServiceRequest/null*/.subject.identifier.type]
42 warning	code-invalid	Unknown Code '230049' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds">https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds</a> ' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[16].resource/*Observation/null*/.code.coding[0].code]
1 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[1].resource/*Patient/null*/.identifier[1].type]
4 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a> ), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )	[Bundle.entry[3].resource/*ServiceRequest/null*/.subject.identifier.type]
6 warning	code-invalid	Unknown Code '230056' in the CodeSystem ' <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/">https://fhir.nwgenomics.nhs.uk/CodeSystem/</a>	

severity	code	details	expression
7 warning	code-invalid	<p>MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[4].resource/*Observation/null*/.code.coding[0].code]</p> <p>[Bundle.entry[4].resource/*Observation/null*/.subject.identifier.type]</p>
9 warning	code-invalid	<p>Unknown Code '230037' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[5].resource/*Observation/null*/.code.coding[0].code]</p>
10 warning	code-invalid	<p>Unknown Code '230048' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[5].resource/*Observation/null*/.subject.identifier.type]</p>
12 warning	code-invalid	<p>Unknown Code '230048' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[6].resource/*Observation/null*/.code.coding[0].code]</p>
13 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[6].resource/*Observation/null*/.subject.identifier.type]</p>
15 warning	invalid	<p>Best Practice Recommendation: In general, all observations should have an effective[x] ()</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[7].resource/*Observation/null*/]</p>
16 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[7].resource/*Observation/null*/.subject.identifier.type]</p>
18 warning	code-invalid	<p>Unknown Code '231610' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[8].resource/*Observation/null*/.code.coding[0].code]</p>
19 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[8].resource/*Observation/null*/.subject.identifier.type]</p>
21 warning	code-invalid	<p>Unknown Code '230019' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[9].resource/*Observation/null*/.code.coding[0].code]</p>
22 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	<p>[Bundle.entry[9].resource/*Observation/null*/.subject.identifier.type]</p>
24 warning			

severity	code	details	expression
	code-invalid	Unknown Code '230034' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[10].resource/*Observation/null*/.code.coding[0].code]
25 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[10].resource/*Observation/null*/.subject.identifier.type]
27 warning	code-invalid	Unknown Code '230028' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/MFTQuestionIds' version '0.2.1' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[11].resource/*Observation/null*/.code.coding[0].code]
28 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[11].resource/*Observation/null*/.subject.identifier.type]