

06, Feb 2026

severity	code	details	expression
12 error	invalid	Not a valid date/time format: '2025-10-06T00:00:00:00'	[Bundle.entry[4].resource/*Specimen/null*/.receivedTime]
14 error	invalid	Wrong whitespace in Display Name 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' for https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1. Valid display is 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' (for the language(s) 'en')	[Bundle.entry[5].resource/*ServiceRequest/null*/.code.coding[0].display]
23 error	invalid	Wrong whitespace in Display Name 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' (for the language(s) 'en')	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code.coding[1].display]
22 error	invalid	Wrong Display Name 'PANEL : R125.1, R125.2 - Thoracic aortic aneurysm and dissection v1.2' for https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#R125_Cardiology. Valid display is 'PANEL: R125.1, R125.2 - Thoracic aortic aneurysm and dissection v1.2' (for the language(s) 'en')	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code.coding[0].display]
27 information structure		Details for urn:uuid:1e4d9177-7c3b-448b-8eac-acea31ade3c7 matching against profile http://hl7.org/fhir/StructureDefinition/Specimen 4.0.1	[Bundle.entry[6].resource/*DiagnosticReport/null*/.specimen[0]]
17 information business-rule		Reference to draft CodeSystem https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication 0.1.0	[Bundle.entry[5].resource/*ServiceRequest/null*/.reasonCode[0]]
21 information structure		Details for urn:uuid:85e990af-90e0-4445-af4d-c72019214ddc matching against profile http://hl7.org/fhir/StructureDefinition/ServiceRequest 4.0.1	[Bundle.entry[6].resource/*DiagnosticReport/null*/.basedOn[0]]
19 information structure		Details for urn:uuid:1e4d9177-7c3b-448b-8eac-acea31ade3c7 matching against profile http://hl7.org/fhir/StructureDefinition/Specimen 4.0.1	[Bundle.entry[5].resource/*ServiceRequest/null*/.specimen[0]]
24 information code-invalid		None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/report-codes 4.0.1), and a coding is recommended to come from this value set (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#R125_Cardiology, https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1)	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code]
32 information informational		Entry 'urn:uuid:8c65b563-595-49c0-b767-592210c1dc93' isn't reachable by traversing	[Bundle.entry[8]]

severity	code	details	expression
		forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)	
33 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[6].resource.basedOn[0]]
34 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[6].resource.resultsInterpreter[0]]
35 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[6].resource.code.coding[0]]
26 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[6].resource/*DiagnosticReport/null*/.subject.identifier.type]
18 warning	code-invalid	Unknown Code 'R125' in the CodeSystem ' https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication ' version '0.1.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment	[Bundle.entry[5].resource/*ServiceRequest/null*/.reasonCode[0].coding[0].code]
16 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[5].resource/*ServiceRequest/null*/.subject.identifier.type]
15 warning	invalid	value should not start or finish with whitespace 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)'	[Bundle.entry[5].resource/*ServiceRequest/null*/.code.coding[0].display]
11 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[4].resource/*Specimen/null*/.subject.identifier.type]
6 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	

severity	code	details	expression
		hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[3].resource/*DocumentReference/null*/.subject.identifier.type]
1 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)	[Bundle.entry[1].resource/*Patient/null*/.identifier[0].type]
25 warning	invalid	value should not start or finish with whitespace 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)'	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code.coding[1].display]