

severity	code	description
234 error	structure	DiagnosticReport.presentedForm: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0)
235 error	structure	Identifier.system: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/ReportIdentifier 0.1.0)
236 error	structure	Identifier.assigner: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/ReportIdentifier 0.1.0)
237 error	structure	Identifier.assigner: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/CorrelationIdentifier 0.1.0)
238 error	structure	Identifier.assigner: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/CorrelationIdentifier 0.1.0)
175 error	invalid	The value 'JVBERi0xLjMKJeLjz9MKMiAwIG9iago8PC...' is not a valid Base64 value
240 error	structure	Slice 'DiagnosticReport.code.coding:GenomicTestDirectory': a matching slice is required, but not found (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0). Note that other slices are allowed in addition to this required slice
54 error	invalid	The value 'AxNi9Sb290IDE0IDAgUgovSW5mbyAxNSAwIFIKL0lEIFsgPE...KPj4Kc3RhcnR4cmVmCjEyNzg3CiUIRU9GC...' is not a valid Base64 value
43 error	invalid	The value 'JVBERi0xLjQKJcOkw7zDtsOfCjIgMCBvYmoKPDw...EyNDk0IDAwMDAwIG4gCnRyYWlsZXIKPDwvU2l6ZS...' is not a valid Base64 value
133 information	code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#PATPH)
189 information	code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' ( <a href="http://hl7.org/fhir/ValueSet/reportcodes 4.0.1">http://hl7.org/fhir/ValueSet/reportcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#MOLT)
177 information	code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#MOLT)
153 information	code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#MDS)
37 information	code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' ( <a href="http://hl7.org/fhir/ValueSet/reportcodes 4.0.1">http://hl7.org/fhir/ValueSet/reportcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = null#B0001)
143 information	code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#FOLL)
163 information	code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#RESLT)
14 information	code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' ( <a href="http://hl7.org/fhir/ValueSet/reportcodes 4.0.1">http://hl7.org/fhir/ValueSet/reportcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = null#B3051)
45 information	code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#CATH)
56 information	code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#CATH)
63 information	code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' ( <a href="http://hl7.org/fhir/ValueSet/reportcodes 4.0.1">http://hl7.org/fhir/ValueSet/reportcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#CATH)
0 information	informational	A definition could not be found for Canonical URL ' <a href="https://fhir.nwgenomics.nhs.uk/Endpoint/ACMELab">https://fhir.nwgenomics.nhs.uk/Endpoint/ACMELab</a> ' but a definition can be found for ' <a href="http://fhir.nwgenomics.nhs.uk/Endpoint/ACMELab">http://fhir.nwgenomics.nhs.uk/Endpoint/ACMELab</a> ' - change from https: to http:
221 information	informational	Entry 'urn:uuid:f5e26340-98c3-4c34-b2ab-7059baba119c' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
233 information	informational	This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0">https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0</a> (this may not be a problem, but you should check that it's not intended to match a slice)
232 information	informational	This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0">https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0</a> (this may not be a problem, but you should check that it's not intended to match a slice)
103 information	code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#RESTE)
220 information	informational	Entry 'urn:uuid:f25ed1ee-69c5-41d9-b3c6-5e3b8e6c7673' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
231 information	informational	Entry 'urn:uuid:ae893769-00ed-4b6f-831c-c7be94fe7c28' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
230 information	informational	Entry 'urn:uuid:8f0160ec-c5d6-42d1-a0f8-1d796cba8cc7' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
76 information	code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#Appointment)

severity	code	
229	information informational	Entry 'urn:uuid:6bdxfc5e7-8df7-4df3-9ac7-088a9638f5df' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
228	information informational	Entry 'urn:uuid:283ab9ee-5314-420b-8e26-dd5119cefc17' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
227	information informational	Entry 'urn:uuid:961ff635-0a65-4e53-9b02-24e9987d5f76' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
226	information informational	Entry 'urn:uuid:025acfaf-1b34-49c2-8034-c7ec795c190a' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
225	information informational	Entry 'urn:uuid:67b4c4b1-2768-46fc-8a3d-90295da207c8' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
93	information code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#INTER)
113	information code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#TMETH)
83	information code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' ( <a href="http://hl7.org/fhir/ValueSet/repcodes 4.0.1">http://hl7.org/fhir/ValueSet/repcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#Appointment)
239	information informational	This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0">https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0</a> (this may not be a problem, but you should check that it's not intended to match a slice)
223	information informational	Entry 'urn:uuid:1118d8cc-e6a6-4740-834f-f564905e88fe' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
222	information informational	Entry 'urn:uuid:53a8099b-ead6-44f3-918b-0d2b0a08e4c5' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
224	information informational	Entry 'urn:uuid:d9e92e55-8d96-4f5d-8e9f-7bc02d4a2895' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)
123	information code-invalid	None of the codings provided are in the value set 'Document Type Value Set' ( <a href="http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1">http://hl7.org/fhir/ValueSet/c80-documentcodes 4.0.1</a> ), and a coding is recommended to come from this value set (codes = L#RESUM)
190	warning code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
23	warning invalid	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
191	warning structure	A Reference without an actual reference or identifier should have a display
24	warning code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
31	warning invalid	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
26	warning invalid	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
27	warning code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
30	warning code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
2	warning code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#PI">http://terminology.hl7.org/CodeSystem/v2-0203#PI</a> )
3	warning code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
29	warning invalid	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
18	warning code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
5	warning invalid	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
6	warning code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
8	warning code-invalid	

severity	code	description
188	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
10	warning	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
11	warning	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
13	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
15	warning	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
17	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
20	warning	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
21	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
134	warning	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
132	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
62	warning	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
64	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
124	warning	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
122	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
114	warning	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
75	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
77	warning	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
104	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
102	warning	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
82	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
94	warning	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
92	warning	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )

severity	code	description
84 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
57 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
55 warning	not-found	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
142 warning	not-found	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
184 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
183 warning	not-found	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
33 warning	not-found	A definition for CodeSystem 'ACME' could not be found, so the code cannot be validated
34 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
178 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
176 warning	not-found	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
36 warning	invalid	Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided
38 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
186 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
169 warning	not-found	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
162 warning	not-found	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
44 warning	not-found	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
46 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
154 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
152 warning	not-found	A definition for CodeSystem 'L' could not be found, so the code cannot be validated
144 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
170 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )
164 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a> )