

09, Feb 2026

severity	code	
20 error	structure	Unable to find a profile match for urn:uuid:3b59416b-5055-42f7-b6ea-11a4a7303489 among choices: <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/Organization">https://fhir.nwgenomics.nhs.uk/StructureDefinition/Organization</a> , <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole">https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole</a> The pattern [system <a href="http://terminology.hl7.org/CodeSystem/v2-0203">http://terminology.hl7.org/CodeSystem/v2-0203</a> , code AN, and display 'Account number'] defined in <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier">fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier</a> [0.1.0] not found. Issues: [ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding[0].value,code='VN' but is fixed to 'AN' in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier">https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier</a> [0.1.0]]]
19 error	value	[ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding[0].value,code='VN' but is fixed to 'AN' in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier">https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier</a> [0.1.0]]]
17 error	processing	Slicing cannot be evaluated: Could not match discriminator (type) for slice ServiceRequest.identifier:OrderFillerNumber. The discriminator [type] does not have fixed value assertions
13 error	invalid	Wrong Display Name 'Multi Target NGS Panel Small' for <a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory</a> . No valid display names found for language(s) 'en'. Default display is 'null'
0 information	informational	A definition could not be found for Canonical URL ' <a href="https://fhir.nwgenomics.nhs.uk/Endpoint/HIVE">https://fhir.nwgenomics.nhs.uk/Endpoint/HIVE</a> ' but a definition was found for ' <a href="https://fhir.nwgenomics.nhs.uk/Endpoint/HIVE">https://fhir.nwgenomics.nhs.uk/Endpoint/HIVE</a> ' - change from https: to http:
18 information	code-invalid	None of the codings provided are in the value set 'Laboratory Order' ( <a href="http://hl7.org/fhir/ValueSet/lab-order">http://hl7.org/fhir/ValueSet/lab-order</a> ) and a coding is recommended to come from this value set (codes = <a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory</a> )
21 information	structure	Details for urn:uuid:3b59416b-5055-42f7-b6ea-11a4a7303489 matching against profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole">https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole</a> [0.1.0]
22 information	code-invalid	None of the codings provided are in the value set 'Genomic Clinical Indication Codes' ( <a href="https://fhir.nwgenomics.nhs.uk/ValueSet/genomic-clinical-indication-codes">https://fhir.nwgenomics.nhs.uk/ValueSet/genomic-clinical-indication-codes</a> ) and a coding is recommended to come from this value set (codes = <a href="https://fhir.nwgenomics.nhs.uk/ValueSet/genomic-clinical-indication-codes">https://fhir.nwgenomics.nhs.uk/ValueSet/genomic-clinical-indication-codes</a> )
9 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> [4.0.1]) and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )
14 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> [4.0.1]) and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )
15 warning	not-found	A definition for CodeSystem ' <a href="https://fhir.nhs.uk/CodeSystem/reasonfortesting-genomics">https://fhir.nhs.uk/CodeSystem/reasonfortesting-genomics</a> ' could not be found, so the code is not found
4 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> [4.0.1]) and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )
2 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> [4.0.1]) and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )
7 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> [4.0.1]) and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )
11 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> [4.0.1]) and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )