

20, Feb 2026

severity	code	
21 error	structure	Unable to find a profile match for urn:uuid:db21c547-4326-4643-9356-568680b0e367 among choices: <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/Organization">https://fhir.nwgenomics.nhs.uk/StructureDefinition/Organization</a> , <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole">https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole</a> The pattern [system <a href="http://terminology.hl7.org/CodeSystem/v2-0203">http://terminology.hl7.org/CodeSystem/v2-0203</a> , code AN, and display 'Account number'] defined in <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.2.1">fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.2.1</a> not found. Issues: [ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding[0].value,code='VN' but is fixed to 'AN' in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.2.1">https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.2.1</a> ]]
20 error	value	ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding[0].value,code='VN' but is fixed to 'AN' in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.2.1">https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.2.1</a> ]]
13 error	invalid	Wrong Display Name 'Multi Target NGS Panel Small' for <a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory</a> . No valid display names found for language(s) 'en'. Default display is 'null'
0 information	informational	A definition could not be found for Canonical URL 'https://fhir.nwgenomics.nhs.uk/Endpoint/HIVE' but a definition was found for <a href="https://fhir.nwgenomics.nhs.uk/Endpoint/HIVE">fhir.nwgenomics.nhs.uk/Endpoint/HIVE</a> - change from https: to http:
19 information	code-invalid	None of the codings provided are in the value set 'UK Core Procedure Code' ( <a href="https://fhir.hl7.org.uk/ValueSet/UKCoreProcedureCode">https://fhir.hl7.org.uk/ValueSet/UKCoreProcedureCode</a> ) and a coding is recommended to come from this value set (codes = <a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory</a> )
18 information	informational	This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.2.1">https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.2.1</a> (this may not be a problem, but you should check that it's not intended to match a slice)
17 information	informational	This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.2.1">https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.2.1</a> (this may not be a problem, but you should check that it's not intended to match a slice)
22 information	structure	Details for urn:uuid:db21c547-4326-4643-9356-568680b0e367 matching against profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole 0.2.1">https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole 0.2.1</a>
23 information	code-invalid	None of the codings provided are in the value set 'Genomic Clinical Indication Codes' ( <a href="https://fhir.nwgenomics.nhs.uk/ValueSet/GenomicClinicalIndicationCodes 0.2.1">https://fhir.nwgenomics.nhs.uk/ValueSet/GenomicClinicalIndicationCodes 0.2.1</a> ), and a coding is recommended to come from this value set (codes = <a href="https://fhir.nhs.uk/CodeSystem/reasonfortesting-genomics#relapse">https://fhir.nhs.uk/CodeSystem/reasonfortesting-genomics#relapse</a> )
9 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )
7 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )
14 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )
15 warning	not-found	A definition for CodeSystem 'https://fhir.nhs.uk/CodeSystem/reasonfortesting-genomics' could not be found, so the code is not found
4 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )
2 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )
11 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' ( <a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a> ), and a coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://fhir.nhs.uk/CodeSystem/v2-0203#NH">http://fhir.nhs.uk/CodeSystem/v2-0203#NH</a> )