

06, Feb 2026

severity	code	details	expression
22 error	invalid	Wrong whitespace in Display Name ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)' for https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1. Valid display is 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' (for the language(s) 'en')	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code.coding[1].display]
12 error	invalid	Not a valid date/time format: '2025-10-06T00:00:+00:00'	[Bundle.entry[4].resource/*Specimen/null*/.receivedTime]
14 error	invalid	Wrong whitespace in Display Name ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)' for https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1. Valid display is 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' (for the language(s) 'en')	[Bundle.entry[5].resource/*ServiceRequest/null*/.code.coding[0].display]
23 information	code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/report-codes 4.0.1), and a coding is recommended to come from this value set (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#R125_Cardiology, https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1)	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code]
26 information	structure	Details for urn:uuid:d2c0ca1e-0359-4057-8fa8-0f3f6f199999 matching against profile http://hl7.org/fhir/StructureDefinition/Specimen 4.0.1	[Bundle.entry[6].resource/*DiagnosticReport/null*/.specimen[0]]
17 information	business-rule	Reference to draft CodeSystem https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication 0.1.0	[Bundle.entry[5].resource/*ServiceRequest/null*/.reasonCode[0]]
31 information	informational	Entry 'urn:uuid:c14065aa-7dcc-490d-9e7c-88ee2f3d0c71' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)	[Bundle.entry[8]]
32 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[6].resource.basedOn[0]]
33 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[6].resource.resultsInterpreter[0]]
34 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[6].resource.code.coding[0]]
19 information	structure	Details for urn:uuid:d2c0ca1e-0359-4057-8fa8-0f3f6f199999 matching against profile http://hl7.org/fhir/StructureDefinition/Specimen 4.0.1	[Bundle.entry[5].resource/*ServiceRequest/null*/.specimen[0]]
21 information	structure	Details for urn:uuid:5e874594-243a-4d77-8a72-4d22beb69cf3 matching against profile http://hl7.org/fhir/StructureDefinition/ServiceRequest 4.0.1	[Bundle.entry[6].resource/*DiagnosticReport/null*/.basedOn[0]]
25 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is	[Bundle.entry[6].resource/*DiagnosticReport/null*/.subject.identifier.type]

severity	code	details	expression
18 warning	code-invalid	<p>suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p> <p>Unknown Code 'R125' in the CodeSystem '<a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication">https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication</a>' version '0.1.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*/.reasonCode[0].coding[0].code]
16 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*/.subject.identifier.type]
15 warning	invalid	<p>value should not start or finish with whitespace 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)'</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*/.code.coding[0].display]
11 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[4].resource/*Specimen/null*/.subject.identifier.type]
6 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[3].resource/*DocumentReference/null*/.subject.identifier.type]
1 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type4.0.1">http://hl7.org/fhir/ValueSet/identifier-type4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[1].resource/*Patient/null*/.identifier[0].type]
24 warning	invalid	<p>value should not start or finish with whitespace 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)'</p>	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code.coding[1].display]