

15, Feb 2026

severity	code	
19 error	structure	Unable to find a profile match for urn:uuid:59b2aeae-7ae7-494b-af84-7b31d49a12e2 among choices: https://fhir.nwgenomics.nhs.uk/StructureDefinition/Organization , https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole The pattern [system http://terminology.hl7.org/CodeSystem/v2-0203 , code AN, and display 'Account number'] defined in https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier [0.2.0] not found. Issues: [ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding.display, element 'display' - required by fixed value assigned in profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier [0.2.0]]]
18 error	value	'VN' but is fixed to 'AN' in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding.display, element 'display' - required by fixed value assigned in profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier [0.2.0]]
16 error	processing	Slicing cannot be evaluated: Could not match discriminator (type) for slice ServiceRequest.identifier:OrderFillerNumber. No valid display names found for language(s) 'en'. Default display is 'null' https://fhir.nwgenomics.nhs.uk/StructureDefinition/ServiceRequest [0.2.0] - the discriminator [type] does not have fixed value, but assertions
12 error	invalid	Wrong Display Name 'Multi Target NGS Panel Small' for https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory , no valid display names found for language(s) 'en'. Default display is 'null'
21 information	code-invalid	None of the codings provided are in the value set 'Genomic Clinical Indication Codes' (https://fhir.nwgenomics.nhs.uk/ValueSet/GenomicClinicalIndicationCodes [0.2.0]), and a coding is recommended to come from this value set (codes = https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory reasonfortesting-genomics#relapse)
17 information	code-invalid	None of the codings provided are in the value set 'UK Core Procedure Code' (https://fhir.hl7.org.uk/ValueSet/UKCoreProcedureCode), and a coding is recommended to come from this value set (codes = https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory)
20 information	structure	Details for urn:uuid:59b2aeae-7ae7-494b-af84-7b31d49a12e2 matching against profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole [0.2.0]
14 warning	not-found	A definition for CodeSystem ' https://fhir.nhs.uk/CodeSystem/reasonfortesting-genomics ' could not be found, so the code is not found
13 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type [4.0.1]), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)
8 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type [4.0.1]), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)
6 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type [4.0.1]), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)
3 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type [4.0.1]), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)
1 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type [4.0.1]), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)
10 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type [4.0.1]), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)