

06, Feb 2026

	severity	code	
39	error	value	The pattern [system http://terminology.hl7.org/CodeSystem/v2-0203, code AN, and display 'Account number'] defined in fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0 not found. Issues: [ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding element 'VN' but is fixed to 'AN' in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0]] [ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding element 'display' - required by fixed value assigned in profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0]]
17	error	invalid	Wrong whitespace in Display Name ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)' for https://fhir.nwgenomics.nhs.uk/England-GenomicTestDirectory#R125.1. Valid display is 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' language(s) 'en')
15	error	invalid	Not a valid date/time format: '2025-10-08T00:00:+00:00'
26	error	invalid	Wrong whitespace in Display Name ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)' for https://fhir.nwgenomics.nhs.uk/England-GenomicTestDirectory#R125.1. Valid display is 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' language(s) 'en')
23	information	structure	Details for urn:uuid:1974ff0b-158d-4426-95b0-b4a38ef6700e matching against profile http://hl7.org/fhir/StructureDefinition/ServiceRequest 4.0.1
30	information	structure	Details for urn:uuid:1974ff0b-158d-4426-95b0-b4a38ef6700e matching against profile http://hl7.org/fhir/StructureDefinition/ServiceRequest 4.0.1
25	information	structure	Details for urn:uuid:272df741-3620-4284-8a17-a7845744200d matching against profile http://hl7.org/fhir/StructureDefinition/ServiceRequest 4.0.1
35	information	informational	Entry 'urn:uuid:b96e4b91-fda9-4ec4-a623-62d892130f35' isn't reachable by traversing forwards from the MessageHeader.messageId meant to be included (needed to process the message)
36	information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)
37	information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)
38	information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)
27	information	code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/reportCodes 4.0.1), and no coding is recommended to come from this value set (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#R125.1) fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1)
21	information	business-rule	Reference to draft CodeSystem https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication 0.1.0
29	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and no coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
28	warning	invalid	value should not start or finish with whitespace ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)'
20	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and no coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#VN)
22	warning	code-invalid	Unknown Code 'R125' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication 0.1.0'. The code system is labeled as a fragment, so the code may be valid in some other fragment
19	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and no coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
18	warning	invalid	value should not start or finish with whitespace ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)'
14	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and no coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
12	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and no coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#VN)
8	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and no coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
3	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and no coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
1	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and no coding is recommended to come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)

severity

code

None of the codings provided are in the value set 'IdentifierType' (<http://hl7.org/fhir/ValueSet/identifier-type>|4.0.1), a from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <http://hl7.org/fhir/CodeSystem/v2-0203#NH>)