

severity	code	details	expression
17 error	invalid	<p>Wrong Display Name 'PANEL : R125.1, R125.2 - Thoracic aortic aneurysm and dissection v1.2' for <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#R125_Cardiology">https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#R125_Cardiology</a>. Valid display is 'PANEL: R125.1, R125.2 - Thoracic aortic aneurysm and dissection v1.2' (for the language(s) 'en')</p> <p>None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (<a href="http://hl7.org/fhir/ValueSet/report-codes 4.0.1">http://hl7.org/fhir/ValueSet/report-codes 4.0.1</a>), and a coding is recommended to come from this value set (codes = <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#R125_Cardiology">https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#R125_Cardiology</a>, <a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory#R125.1</a>)</p> <p>Entry '<a href="urn:uuid:3956d34e-cdb4-430b-aa9b-de82aa29b51f">urn:uuid:3956d34e-cdb4-430b-aa9b-de82aa29b51f</a>' isn't reachable by traversing</p>	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code.coding[0].display]
18 information	code-invalid	<p>code-invalid</p> <p>forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)</p> <p>This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/">https://fhir.nwgenomics.nhs.uk/</a></p>	[Bundle.entry[6].resource/*DiagnosticReport/null*/.code]
24 information	informational	<p>informational</p> <p>StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)</p> <p>This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/">https://fhir.nwgenomics.nhs.uk/</a></p>	[Bundle.entry[8]]
26 information	informational	<p>informational</p> <p>StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)</p> <p>This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/">https://fhir.nwgenomics.nhs.uk/</a></p>	[Bundle.entry[6].resource.resultsInterpreter[0]]
27 information	informational	<p>informational</p> <p>StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)</p> <p>This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/">https://fhir.nwgenomics.nhs.uk/</a></p>	[Bundle.entry[6].resource.code.coding[0]]
25 information	informational	<p>informational</p> <p>StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)</p> <p>Reference to draft CodeSystem <a href="https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication 0.1.0">https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication 0.1.0</a></p>	[Bundle.entry[6].resource.basedOn[0]]
14 information	business-rule	<p>business-rule</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/">http://hl7.org/</a></p>	[Bundle.entry[5].resource/*ServiceRequest/null*/.reasonCode[0]]
19 warning	code-invalid	<p>code-invalid</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/">http://hl7.org/</a></p>	[Bundle.entry[6].resource/*DiagnosticReport/null*/.subject.identifier.type]

severity	code	details	expression
15 warning	code-invalid	<p>fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p> <p>Unknown Code 'R125' in the CodeSystem 'https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication' version '0.1.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p> <p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*./reasonCode[0].coding[0].code]
13 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*./subject.identifier.type]
11 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[4].resource/*Specimen/null*./subject.identifier.type]
6 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[3].resource/*DocumentReference/null*./subject.identifier.type]
1 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH)</p>	[Bundle.entry[1].resource/*Patient/null*./identifier[0].type]