	severity	code	
20	error	structure	Unable to find a profile match for urn:uuid:40b40160-fdfd-424d-bce9-d1f77fb2f559 among choices: https://fhir.nwge StructureDefinition/Organization, https://fhir.nwgenomics.nhs.uk/StructureDefinition/PractitionerRole
19	error	value	The pattern [system http://terminology.hl7.org/CodeSystem/v2-0203, code AN, and display 'Account number'] define fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier|0.1.0 not found. Issues: [ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding 'VN' but is fixed to 'AN' in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdent ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding. element 'display' - required by fixed value assigned in profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/ HospitalProviderSpellIdentifier|0.1.0]]
12	error	invalid	Wrong Display Name 'Multi Target NGS Panel Small' for https://fhir.nhs.uk/CodeSystem/England-GenomicTestDire no valid display names found for language(s) 'en'. Default display is 'null'
22	information	code-invalid	None of the codings provided are in the value set 'Genomic Clinical Indication Codes' (https://fhir.nwgenomics.u GenomicClinicalIndicationCodes|0.1.0), and a coding is recommended to come from this value set (codes = https://fh reasonfortesting-genomics#relapse)
18	information	code-invalid	None of the codings provided are in the value set 'Laboratory Order' (http://hl7.eu/fhir/laboratory/ValueSet/lab-orderC a coding is recommended to come from this value set (codes = https://fhir.nhs.uk/CodeSystem/England-GenomicTest
17	information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinitio (this may not be a problem, but you should check that it's not intended to match a slice)
16	information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinitio (this may not be a problem, but you should check that it's not intended to match a slice)
21	information	structure	Details for urn:uuid:40b40160-fdfd-424d-bce9-d1f77fb2f559 matching against profile https://fhir.nwgenomics.nhs.ul PractitionerRole|0.1.0
14	warning	not-found	A definition for CodeSystem 'https://fhir.nhs.uk/CodeSystem/reasonfortesting-genomics' could not be found, so the c
13	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type|4.0.1), a from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// CodeSystem/v2-0203#NH)
8	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type|4.0.1), a from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// CodeSystem/v2-0203#NH)
6	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type|4.0.1), a from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// CodeSystem/v2-0203#NH)
3	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type|4.0.1), a from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// CodeSystem/v2-0203#NH)
1	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type|4.0.1), a from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// CodeSystem/v2-0203#NH)
10	warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type|4.0.1), a from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// CodeSystem/v2-0203#NH)