

06, Feb 2026

severity	code	
36 error	value	The pattern [system http://terminology.hl7.org/CodeSystem/v2-0203 , code AN, and display 'Account number'] defined in fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0 not found. Issues: [ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding[0].display,code='VN' but is fixed to 'AN' in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0]] ValidationMessage[level=ERROR,type=VALUE,location=Bundle.entry[7].resource.encounter.identifier.type.coding[0].display - required by fixed value assigned in profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/HospitalProviderSpellIdentifier 0.1.0]]
16 error	invalid	Wrong whitespace in Display Name ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)' for https://fhir.nwgenomics.nhs.uk/StructureDefinition/England-GenomicTestDirectory#R125.1 . Valid display is 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' language(s) 'en'
24 error	invalid	Wrong whitespace in Display Name ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)' for https://fhir.nwgenomics.nhs.uk/StructureDefinition/England-GenomicTestDirectory#R125.1 . Valid display is 'Thoracic aortic aneurysm or dissection (WES or Medium Panel)' language(s) 'en'
20 information	business-rule	Reference to draft CodeSystem https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication 0.1.0
25 information	code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/reporting-diagnostic-report-codes) coding is recommended to come from this value set (codes = https://fhir.nwgenomics.nhs.uk/CodeSystem/IGEAP#R125.1)
23 information	structure	Details for urn:uuid:cfedd3b9-940a-41e1-a106-2b50e26c2a43 matching against profile http://hl7.org/fhir/StructureDefinition/4.0.1
32 information	informational	Entry 'urn:uuid:6efc3bf7-dfc1-491b-b02f-26feb4690bf2' isn't reachable by traversing forwards from the MessageHeader.meant to be included (needed to process the message)
33 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)
34 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)
35 information	informational	This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)
27 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
26 warning	invalid	value should not start or finish with whitespace ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)'
19 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#VN)
21 warning	code-invalid	Unknown Code 'R125' in the CodeSystem ' https://fhir.nwgenomics.nhs.uk/CodeSystem/GenomicClinicalIndication ' and the code system is labeled as a fragment, so the code may be valid in some other fragment
18 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
17 warning	invalid	value should not start or finish with whitespace ' Thoracic aortic aneurysm or dissection (WES or Medium Panel)'
14 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
12 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#VN)
8 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
3 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)
1 warning	code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), and from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://fhir.nwgenomics.nhs.uk/CodeSystem/v2-0203#NH)