

severity	code	details	expression
14	information business-rule	Reference to draft CodeSystem https://fhir.nwgenomics.nhs.uk/ CodeSystem/ GenomicClinicalIndication  0.1.0	[Bundle.entry[5].resource/*ServiceRequest/ null*/.reasonCode[0]]
17	information code-invalid	None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/ report-codes 4.0.1), and a coding is recommended to come from this value set (codes = https:// fhir.nwgenomics.nhs.uk/ CodeSystem/ IGEAP#R125_Cardiology, https://fhir.nhs.uk/CodeSystem/ England- GenomicTestDirectory#R125.1)  Entry 'urn:uuid:7ed07d37-4447-46a8- ad49-cb82544a7846' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)	[Bundle.entry[6].resource/*DiagnosticReport/ null*/.code]  [Bundle.entry[8]]
23	information informational	This element does not match any known slice defined in the profile https:// fhir.nwgenomics.nhs.uk/ StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[6].resource.resultsInterpreter[0]]
24	information informational	This element does not match any known slice defined in the profile https:// fhir.nwgenomics.nhs.uk/ StructureDefinition/ DiagnosticReport 0.1.0 (this may not be a problem, but you should check that it's not intended to match a slice)	[Bundle.entry[6].resource.code.coding[0]]
25	information informational	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/ fhir/ValueSet/identifier-type  4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// terminology.hl7.org/ CodeSystem/v2-0203#NH)	[Bundle.entry[6].resource/*DiagnosticReport/ null*/.subject.identifier.type]
18	warning code-invalid	None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/ fhir/ValueSet/identifier-type  4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http:// terminology.hl7.org/ CodeSystem/v2-0203#NH)	[Bundle.entry[5].resource/*ServiceRequest/ null*/.subject.identifier.type]
13	warning code-invalid		

<b>severity</b>	<b>code</b>	<b>details</b>	<b>expression</b>
<b>15</b> warning	code-invalid	<p>Unknown Code 'R125' in the CodeSystem '<a href="https://fhir.nwgenomics.nhs.uk/">https://fhir.nwgenomics.nhs.uk/</a> CodeSystem/'</p> <p>GenomicClinicalIndication' version '0.1.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*./reasonCode[0].coding[0].code]
<b>11</b> warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[4].resource/*Specimen/null*./subject.identifier.type]
<b>6</b> warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[3].resource/*DocumentReference/null*./subject.identifier.type]
<b>1</b> warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[1].resource/*Patient/null*./identifier[0].type]