

20, Feb 2026

| | severity | code | |
|-----|-------------|---------------|---|
| 148 | error | structure | Unable to find a profile match for urn:uuid:df918da7-edda-4754-8426-b6b1e49348a2 among choices: https://fhir.nwgenomics.nhs.uk/StructureDefinition/Observation |
| 43 | error | invalid | The value 'JVBERi0xLjQKJcOkw7zDtsOfCjIgMCBvYmoKPDw...EyNDk0IDAwMDAwIG4gCnRyYWlsZXIKPDwvU2l6ZS' is not a valid Base64 value |
| 147 | error | structure | Slice 'DiagnosticReport.code.coding:GenomicTestDirectory': a matching slice is required, but not found (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.2.1). Note that other slices are allowed in addition to this required slice |
| 145 | error | structure | Identifier.assigner: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReportIdentifier 0.2.1) |
| 144 | error | structure | Identifier.system: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReportIdentifier 0.2.1) |
| 143 | error | structure | DiagnosticReport.presentedForm: minimum required = 1, but only found 0 (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.2.1) |
| 141 | error | processing | Slicing cannot be evaluated: Could not match discriminator (\$this) for slice DiagnosticReport.category:Genetics in profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.2.1 - the discriminator [\$this] does not have fixed value, binding or existence assertions |
| 54 | error | invalid | The value 'AxNi9Sb290IDE0IDAgUgovSW5mbyAxNSAwIFIKL0IEIFsgPE...KPj4Kc3RhcnR4cmVmCjEyNzg3CiUIRU9G' is not a valid Base64 value |
| 115 | error | invalid | The value 'JVBERi0xLjMKJcJz9MKMiAwIG9iago8PC...' is not a valid Base64 value |
| 124 | information | code-invalid | None of the codings provided are in the value set 'Document Type Value Set' (http://hl7.org/fhir/ValueSet/c80-doc-typecodes 4.0.1), and a coding is recommended to come from this value set (codes = L#MOLT) |
| 146 | information | informational | This element does not match any known slice defined in the profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.2.1 (this may not be a problem, but you should check that it's not intended to match a slice) |
| 56 | information | code-invalid | None of the codings provided are in the value set 'Document Type Value Set' (http://hl7.org/fhir/ValueSet/c80-doc-typecodes 4.0.1), and a coding is recommended to come from this value set (codes = L#CATH) |
| 117 | information | code-invalid | None of the codings provided are in the value set 'Document Type Value Set' (http://hl7.org/fhir/ValueSet/c80-doc-typecodes 4.0.1), and a coding is recommended to come from this value set (codes = L#MOLT) |
| 142 | information | not-supported | DiagnosticReport.category:Genetics: Found 0 matches, but unable to check minimum required (DiagnosticReport.category) due to lack of slicing validation (from https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.2.1) |
| 77 | information | code-invalid | None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/reports 4.0.1), and a coding is recommended to come from this value set (codes = L#Appointment) |
| 140 | information | informational | Entry 'urn:uuid:64468faf-6bfb-489d-bc57-d39c0c1f1451' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message) |
| 138 | information | informational | Entry 'urn:uuid:0060aea2-24a9-4de1-9b51-266a92908a82' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message) |
| 137 | information | informational | Entry 'urn:uuid:502a8a7f-9d2b-44d2-b862-05b047414ba4' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message) |
| 63 | information | code-invalid | None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/reports 4.0.1), and a coding is recommended to come from this value set (codes = L#CATH) |
| 135 | information | informational | Entry 'urn:uuid:5277b2a9-de97-4202-8214-ad212fd82f25' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message) |
| 134 | information | not-found | Can't find 'http://documents.example.com/document123.pdf' in the bundle (Bundle.entry[33].resource.content[0].attachment.url) |
| 130 | information | code-invalid | None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/reports 4.0.1), and a coding is recommended to come from this value set (codes = L#MOLT) |
| 70 | information | code-invalid | None of the codings provided are in the value set 'Document Type Value Set' (http://hl7.org/fhir/ValueSet/c80-doc-typecodes 4.0.1), and a coding is recommended to come from this value set (codes = L#Appointment) |
| 139 | information | informational | Entry 'urn:uuid:7c5e9514-10ae-4d63-9041-2d58eb87adf7' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message) |
| 136 | information | informational | Entry 'urn:uuid:eda89716-b656-4127-8817-027820ee9173' isn't reachable by traversing forwards from the MessageHeader. Check that this is meant to be included (needed to process the message) |
| 0 | information | informational | A definition could not be found for Canonical URL 'https://fhir.nwgenomics.nhs.uk/Endpoint/ACMELab' but a definition can be found for 'http://fhir.nwgenomics.nhs.uk/Endpoint/ACMELab' - change from https: to http: |
| 149 | information | structure | Details for urn:uuid:df918da7-edda-4754-8426-b6b1e49348a2 matching against profile https://fhir.nwgenomics.nhs.uk/StructureDefinition/Observation 0.2.1 |
| 14 | information | code-invalid | None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/reports 4.0.1), and a coding is recommended to come from this value set (codes = null#B3051) |

| | severity | code | description |
|-----|-------------|--------------|--|
| 45 | information | code-invalid | None of the codings provided are in the value set 'Document Type Value Set' (http://hl7.org/fhir/ValueSet/c80-doc-typecodes 4.0.1), and a coding is recommended to come from this value set (codes = L#CATH) |
| 37 | information | code-invalid | None of the codings provided are in the value set 'LOINC Diagnostic Report Codes' (http://hl7.org/fhir/ValueSet/reports 4.0.1), and a coding is recommended to come from this value set (codes = null#B0001) |
| 123 | warning | not-found | A definition for CodeSystem 'L' could not be found, so the code cannot be validated |
| 17 | warning | invalid | Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided |
| 18 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 106 | warning | not-found | A definition for CodeSystem 'L' could not be found, so the code cannot be validated |
| 118 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 20 | warning | invalid | Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided |
| 116 | warning | not-found | A definition for CodeSystem 'L' could not be found, so the code cannot be validated |
| 21 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 23 | warning | invalid | Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided |
| 24 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 110 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 109 | warning | not-found | A definition for CodeSystem 'L' could not be found, so the code cannot be validated |
| 107 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 125 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 127 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 2 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#PI) |
| 3 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 5 | warning | invalid | Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided |
| 6 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 8 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 10 | warning | invalid | Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided |
| 11 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 13 | warning | invalid | Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided |
| 132 | warning | structure | A Reference without an actual reference or identifier should have a display |

[illegible]

| | severity | code | de |
|----|----------|--------------|--|
| 93 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 26 | warning | invalid | Coding has no system. A code with no system has no defined meaning, and it cannot be validated. A system should be provided |
| 92 | warning | not-found | A definition for CodeSystem 'L' could not be found, so the code cannot be validated |
| 90 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 89 | warning | not-found | A definition for CodeSystem 'L' could not be found, so the code cannot be validated |
| 87 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 86 | warning | not-found | A definition for CodeSystem 'L' could not be found, so the code cannot be validated |
| 84 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |
| 83 | warning | not-found | A definition for CodeSystem 'L' could not be found, so the code cannot be validated |
| 27 | warning | code-invalid | None of the codings provided are in the value set 'IdentifierType' (http://hl7.org/fhir/ValueSet/identifier-type 4.0.1), a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = http://terminology.hl7.org/CodeSystem/v2-0203#NH) |