

severity	code	details	expression
14	information business-rule	<p>Reference to draft CodeSystem  <a href="https://fhir.nwgenomics.nhs.uk/">https://fhir.nwgenomics.nhs.uk/</a>  CodeSystem/  GenomicClinicalIndication   0.1.0</p> <p>None of the codings provided  are in the value set 'LOINC  Diagnostic Report Codes'  (<a href="http://hl7.org/fhir/ValueSet/report-codes 4.0.1">http://hl7.org/fhir/ValueSet/report-codes 4.0.1</a>), and a  coding is recommended to  come from this value set (codes = <a href="https://fhir.nwgenomics.nhs.uk/">https://fhir.nwgenomics.nhs.uk/</a>  CodeSystem/  IGEAP#R125_Cardiology,  <a href="https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory R125.1">https://fhir.nhs.uk/CodeSystem/England-GenomicTestDirectory R125.1</a>)  Entry 'urn:uuid:9f3f4fff-beb9-4184-904a-5be3f75e4758'  isn't reachable by traversing</p>	[Bundle.entry[5].resource/*ServiceRequest/null*./reasonCode[0]]
17	information code-invalid	<p>forwards from the MessageHeader. Check that this is meant to be included (needed to process the message)</p> <p>This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0">https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0</a> (this may not be a problem, but you should check that it's not intended to match a slice)</p> <p>This element does not match any known slice defined in the profile <a href="https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0">https://fhir.nwgenomics.nhs.uk/StructureDefinition/DiagnosticReport 0.1.0</a> (this may not be a problem, but you should check that it's not intended to match a slice)</p>	[Bundle.entry[6].resource/*DiagnosticReport/n null*./code]
23	information informational	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[8]]
24	information informational		[Bundle.entry[6].resource.resultsInterpreter[0]]
25	information informational		[Bundle.entry[6].resource.code.coding[0]]
18	warning code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[6].resource/*DiagnosticReport/n null*./subject.identifier.type]
13	warning code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type 4.0.1">http://hl7.org/fhir/ValueSet/identifier-type 4.0.1</a>), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[5].resource/*ServiceRequest/n null*./subject.identifier.type]
15	warning code-invalid		

<b>severity</b>	<b>code</b>	<b>details</b>	<b>expression</b>
11 warning	code-invalid	<p>Unknown Code 'R125' in the CodeSystem '<a href="https://fhir.nwgenomics.nhs.uk/">https://fhir.nwgenomics.nhs.uk/</a></p> <p>CodeSystem/ GenomicClinicalIndication' version '0.1.0' - note that the code system is labeled as a fragment, so the code may be valid in some other fragment</p> <p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[5].resource/*ServiceRequest/null*/.reasonCode[0].coding[0].code]
6 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[4].resource/*Specimen/null*/.subject.identifier.type]
1 warning	code-invalid	<p>None of the codings provided are in the value set 'IdentifierType' (<a href="http://hl7.org/fhir/ValueSet/identifier-type">http://hl7.org/fhir/ValueSet/identifier-type</a> 4.0.1), and a coding should come from this value set unless it has no suitable code (note that the validator cannot judge what is suitable) (codes = <a href="http://terminology.hl7.org/CodeSystem/v2-0203#NH">http://terminology.hl7.org/CodeSystem/v2-0203#NH</a>)</p>	[Bundle.entry[3].resource/*DocumentReference/null*/.subject.identifier.type]
			[Bundle.entry[1].resource/*Patient/null*/.identifier[0].type]